BIBLIOGRAPHY OF AGRICULTURE

SECTION C ENTOMOLOGY*

January 1943

LIBRARY

RECEIVED

THE STATE OF A THE STATE OF THE STATE

Vol. 2

GENERAL

ANDERSON, T. F., and RICHARDS, A. G. Angelectron microscope study of some structural colors of insects. Jour. Appl. Phys. 13(12): 748-758. Dec. 1942. Bibliographical footnotes. 334.8 P563
Special reference to Morpho cypris and Serica sericea.

BOMBAY NATURAL HISTORY SOCIETY. Miscellaneous notes. Bombay Nat. Hist. Soc. Jour. 43(1): 99-114. Apr. 1942. 513 B63

Partial contents: XVIII. The plant-bug Cyclonelte siccifolia

Partial contents: XVIII. The plant-bug Cyclopelta siccifolia Westw. on Pongamia glabra, by C. McCann, pp. 109-110; A battle between black and red ants (Camponotus sp. and Oecophylla smaragdina), pp. 110-111,

BURKE, FREDERICK. Insect fauna of a brine-pit. Nature [London] 150(3812): 610-611, illus. Nov. 21, 1942. References. 472 N21

FRIEDMANN, HERBERT: The natural-history background of camouflage. Smithsn. Inst. War Background Studies, no. 5, 17 pp., illus. Washington, D. C., Dec. 11, 1942. 280 Sm65

Includes discussion and illustration of insect cemouflage.
GIBSON, H. L. Penetrating nature's camouflage by introducing contrasts. Biol. Photog. Assoc. Jour. 11(2): 45-50, illus. Dec. 1942. 332.9 B52

Deals with the photography of small animals, mainly insect material.

* HEIKERTINGER, FRANZ. Eine erwiderung an die gegner der exakten mimikryforschung unter zugrundelegung von Steinigers kritik.

LA reply to the opponents of exact mimicry research on the basis of Steiniger's criticism. Ztschr. f. Angew. Ent. 29(2): 347-365. July 1942. (Foreign film no. 90, Roll no. 447)

HILTON, W. A. Sense organs. X-XI. Jour. Ent. and Zool. 34(4): 101-114. Dec. 1942. References. 421 P77

X. Effectors; XI. Receptors.

JOHNSON, C. G. Insect survival in relation to the rate of water loss. Cambridge Phil. Soc. Biol. Rev. 17(2): 151-177, illus.

Apr. 1942. References. 442.9 Cl4.
LAMEERE, AUGUSTE. Précis de zoologie, tome V, chapitre XVI. Les holométaboliques (lépidoptères, coléoptères, hyménoptères),

pp. 161-536, illus. Brussels, 1938. (Brussels université, Institute zoologique Torley-Rousseau, Recueil, v. 7) 410.9 B83
LIEBERMANN, JOSE. Sintesis de entomología argentina pura y aplicada.

Soc. Cient. Argentina An. 134(3): 183-192. Sept. 1942. 516 Sol

Items marked with an asterisk (*) can be supplied only in microfilm or photostat.

SMITH, P. S. On "An artist's note." Ent. Rec. and Jour. Variation 54(11): 126-129. Nov. 1942. 421 En89

Refers to an article by "D.M." in regard to methods of color reproduction of insects, which was published in Ent. Rec. and Jour. Variation, 53: 90. 1941.

TEALE, E. W. Where do insects go in winter? Nat. Hist. 51(1): 28-37, illus. Jan. 1943. 500 N483J

GENERAL - ECONOMIC

ANNUAL SCHOOL FOR CANNING CROP GROWERS, CANNERS' FIELD MEN. Proceedings...6th... Conducted by the State agricultural extension service in cooperation with Utah canning crops association, Utah canners association... Ogden, Utah, January 9-10, 1942. 39 pp., illus. [Logan, Utah Agr. Col. Ext. Serv., 1942]

Partial contents: Results of the 1941 pea weevil (Macrosiphum pisil control program, by G. F. Knowlton, pp. 21-23; How Utah can improve the pea weevil control program, by T. A. Brindley, pp. 23-26; Best methods for controlling the tomato fruitworm [Heliothis armigeral, by W. E. Peay, pp. 26-28.

ARANGO Y MESTRE, OSCAR. El cultivo del frijol negro. Agronomia [Havanaj2(11): 469-474. Nov. 1942. 8 C893

Deals with insect pests and diseases of the black bean.

ARGENTINE REPUBLIC. MINISTERIO DE AGRICULTURA. DIRECCIÓN DE SANIDAD VEGETAL. El gorgojo y la polilla del grano almacenado. Argentina. Min. de Agr. Almanaque, 16: 373-374. 1941; 17: 89-90. 1942. 9 Ag874

ARGENTINE REPUBLIC. MINISTERIO DE AGRICULTURA. DIRECCIÓN DE SANIDAD VEGETAL. Plagas del algodonero. Argentina. Min. de Agr.

Almanaque, 17: 189-191. 1942. 9 Ag874

BELLEMARC, E. R. Methyl bromide, a method of application. Pests 10(12): 17, 30. Dec. 1942. 449.8 Ex8

BOVEY, P. La menace des insectes et l'agriculture. Terre Vaud. 34(37): 436. Sept. 12, 1942. 17 T27

CALENDARIO de pulverizaciones para el añ 1941-42 - Region de Cuyo. Rev. Mens. B. A. P. 25(299): 56-57. Oct. 1942. 9 R326

CALIFORNIA. DEPT. OF AGRICULTURE. BUR. OF CHEMISTRY. Economic poisons, 1941-1942. Calif. Dept. Agr. Spec. Pub. 192, 111 pp. Sacramento, 1942. 2 C121S

Report covering examinations and chemical analyses of official samples of economic poisons.

CLARK, E. P. Quassin. IV. A minor constituent of Jamaica quassia wood. Amer. Chem. Soc. Jour. 64(12): 2883-2884. Dec. 1942. 381 Am33J

The hitherto unrecorded constituent here described "consists of a complex of neoquassin and one or more unknown materials, which apparently separate as mixed crystals."

CLIFT, L. F. Fruit tree spraying. Worcestershire Co. Council Quart. Agr. Chron. 11(1): 45, 47-48. Nov. 1942. 10 W892

COTTON, R. T. Tests of the mechanical bulk flour entoleter for treating wheat prior to milling. Assoc. Operative Millers. Bul. Nov. 1942, p. 1239. 298.8 As7

Treatment of incoming grain to reduce insect troubles in the mill.

- DAVIS, J. J. Whither in pest control. Pests 10(12): 18-21. Dec. 1942. 449.8 Ex8
- MIPOCA en que deben usarse los aceites emulsionados. Argentina. Min. de Agr. Almanaque, 17: 415-416, illus. 1942. 9 Ag874
- FOULGER, J. H. General instructions for handling dangerous gases with especial reference to fumigants. Pests 10(12): 10-13. Dec. 1942. 449.8 Ex8
- FRANK, R. L., HOLLEY, R. W., and WICKHOLM, D. M. 3,2'-Nicotyrine.
 Insecticidal properties of certain azo derivatives. Amer. Chem.
 Soc. Jour. 64(12): 2835-2838. Dec. 1942. 381 Am33J
- FREAR, D. E. H. Chemistry of insecticides and fungicides. 300 pp., illus. New York, Van Nostrand, 1942. References. 386 F87
- FRESA, ROBERTO. Danos producidos por las pulverizaciones en los frutales del Delta. Argentina. Min. de Agr. Almanaque, 17: 155-157, illus. 1942. 9 Ag874
- GRAETZ, ERIC. La lucha futura contra plagas de insectos. Rev. de Agr. y Com. [Panamaj 2(15): 36-38. Nov. 1942. 8 R3291
- GREEN, R. G., and others. Observations on the chemical and biological testing of pyrethrum extracts and the relative toxicity of pyrethrins I and II, by R. G. Green, W. Pohl, F. H. Tresadern, and T. F. West. Soc. Chem. Indus. Jour. 61(11): 173-176. Nov. 1942. Bibliographical footnotes. 382 M31

Account of cooperative work with Shell Refining and Marketing Company, London.

HAMBLETON, E. J. Insectos del algodonero. (to be cont.) Vida Agr. 19(227): 725-728. Oct. 1942. 9.8 V66

Report of the entomologist of the Sociedad Nacional Agraria Perus July 1, 1941 to June 1942.

HARDY, ERIC. Animal sources of dyes: insect and other contributors. Textile Colorist 64(768): 563-564. Dec. 1942. 306.8 T31

Reprinted from The Indian Textile Journal.

HARPER, S. H. The active principles of leguminous fish-poison plants. Parts VII-IX. [London] Chem. Soc. Jour., Oct. 1942, pp. 587-598. 382 L84J

Contents: Part VII. The reduction of elliptone, pp. 587-593; Part VIII. The synthesis of dehydrotetrahydroelliptone and of dehydrotetrahydromalaccol, pp. 593-595; Part IX. The synthesis of furancisoflavones related to rotenone, pp. 595-598.

HITCHNER, L. S. Insecticide and fungicide needs can be met through substitution and conservation. Contact 8(4): 3-4. Dec. 1942.

80 076

Lists various materials with estimates of supplies available for 1943.

IHERING, RODOLPHO von. Dicionário dos animais do Brasil. 898 pp., illus. São Paulo, Diretoria de publicidade agrícola, 1940. 411.2 In2

Arrangement is alphabetical under the common name and a scientific name index is given at the end.

INTERNATIONAL INSTITUTE OF AGRICULTURE. Discoveries and current events. Internatl. Inst. Agr. Internatl. Bul. Plant Protect. 16(4-8): 49M, 65M-67M, 85M-86M, 101M-106M, illus. Apr.-Aug. 1942. 464.8 In8

Partial contents: The Colorado beetle (Leptinotarsa decemlineata) in the Netherlands in 1941, p. 49M; Association between the larvae of the Diptera Ceratitis capitata and Lonchaea splendida in Lybia, by G. M. Martelli, pp. 65M-67M; Observations on the Colorado beetle (Leptinotarsa decemlineata) made in the Bordeaux region in 1941, by Jean Feytaud, pp. 85M-86M; San Jose scale (Aspidiotus perniciosus) infestation in Italy, reported by Ministry of Agriculture and Forests, Rome, p. 101M; Colorado beetle (Leptinotarsa decemlineata) situation in Switzerland in 1941, reported by F. T. Wahlen, pp. 102M-106M.

KANSAS ENTOMOLOGICAL COMMISSION. Eighteenth biennial report... including list of certified nurseries, for the years 1941-1942.

32 pp. Topeka, State printer, 1942. 423 Kl33

KNOWLTON, G. F. Birds benefit Utah agriculture. Utah Agr. Expt. Sta. Farm and Home Sci. 3(4): 9, illus. Dec. 1942. 100 UtlF Birds as destroyers of insect pests.

KOURTCHATOV, V. I. Essais d'applications du pyrétrum dans la lutte contre certains ecto-parasites des animaux domestiques. Vest. Sel'skokhoziaistvennoi Nauki. Vet. 1941, no. 2, pp. 97-103. 1941. References. 41.8 V632

Text in Russian. French summary, p. 103.

LEVER, J. A. W. Entomological notes. Fiji Dept. Agr. Agr. Jour. 13(3): 81-82. 1942. 25 F47Ag

Spread of the green vegetable bug, Nezara [viridula smaragdula]; The giant toad [Bufo marinus] in some Pacific islands; Beetle borers [Xylothrips religiosus, Minthea sp.] in stored derris.

LLOSA, TEOBALDO. Plagas y enfermedades de la papa en la Provincia Aija. Vida Agr. 19(227): 713-716. Oct. 1942. 9.8 V66

Potato insects.

MESCHKOV, N. V. Toxicité des solutions de l'arsénite de sodium pour les bovidés et les moutons. Vest. Sel'skokhoziaistvennoi Nauki. Vet. 1941, no. 3, pp. 125-129. 1941. References. 41.8 V632

Text in Russian. Brief French summary, p. 129.

MILLS, H. B. Montana insect pests, 1941 and 1942. Twenty-ninth report of the State Entomologist. Mont. Agr. Expt. Sta. Bul. 408, 36 pp., illus. Bozeman, 1942. 100 M76

Includes the Biennial report of the Montana State Apiarist, 1942, by J. F. Reinhardt, pp. 26-35.

MUNCH, J. C. Antidotes. IV. Mechanism of action. Pests 10(12): 22-24. Dec. 1942. 449.8 Ex8

Arsenic, Barium carbonate, Fluorides, Phosphorous Strychnine, Thallium.

NELSON, O. A., and SMITH, L. E. The vapor pressure of phenothiazine. Amer. Chem. Soc. Jour. 64(12): 3035-3037. Dec. 1942. 381 Am33J

The results of experiments "show that the loss in toxicity of phenothiazine when used for the control of insect pests is not due to evaporation."

NEW SOUTH WALES. DEPT. OF AGRICULTURE AND FORESTRY. ENTOMOLOGICAL BRANCH. Insect pests. Pests of cucurbits. Agr. Gaz. N. S. Wales

53(10): 462-466, illus. Oct. 1, 1942. 23 N472

Ceratia hilaris, Epilachna 28-punctata, Aphis gossypii and other species, Nysius vinitor, Tetranychus urticae, Monolepta rosea.

MURSERY & MARKET GARDEN INDUSTRIES' DEVELOPMENT SOCIETY, LIMITED.

EXPERIMENTAL AND RESEARCH STATION. Twenty-seventh annual report,

1941. 74 pp., illus. Turner's Hill, Cheshunt, Herts., England.

Cheshunt press, 1td., 1942. 103 N93

Partial contents: Trapping the tomato moth. (Polia oleracea L.), by E. R. Speyer and W. J. Parr, pp. 53-56; Red spider-mite. (Tetranychus telarius L.), by E. R. Speyer and W. J. Parr, pp. 56-58; Wireworm investigations, by E. R. Speyer and W. J. Parr, pp. 58-60; Notes on other pests, by E. R. Speyer and W. J. Parr, pp. 61-62; Soil treatment with carbon disulphide, and formaldehyde-carbon disulphide mixtures for the control of wireworms, pp. 62-64.

NYASALAND PROTECTORATE. DEPT. OF AGRICULTURE. Annual report 1941,

23 pp. Zomba, 1942. 24 N98A

Partial contents: Pests and diseases, p. 9; Empire cotton growing corporation. Insect pest control work, pp. 13-17, by E. O. Pearson and B. L. Mitchell.

OCFEMIA, G. O., MACASPAC, I. S., and YUAN, H. F. Experimental transmission of the mosaic of Canna indica. Philippine Agr. 30 (5): 357-370, illus. 1942.

Abstract in Rev. Appl. Mycol. 21(2): 491. Nov. 1942. 450 R328 Aphids can act as vectors. Special mention is made of Aphis

gossypii.

PICKETT, W. F., and BIRKELAND, C. J. The influence of some spray materials on the internal structure and chlorophyll content of apple leaves. Kans. Agr. Expt. Sta. Tech. Bul. 53, 54 pp., illus.

Topeka, 1942. References. 100 K13S

PUNJAB. DEPT. OF AGRICULTURE. Report of the operations...for the year ending 30th June, 1940, by H. R. Stewart. 102 pp. Lahore, Superintendent, Government printing, Punjab, 1941. 22 P961R

Partial contents: Ch. IX, Entomology, pp. 58-62.

RINGUELET, J. A. El cultivo de la morera. Pampa Argentina 16(182):

6-7, illus. Oct. 1942. 9 P19

The mulberry in connection with sericulture in Argentina.

ROARK, R. C. A review of the insecticidal uses of rotenone and rotenoids from Derris, Lonchocarpus (cube and timbo), Tephrosia, and related plants. Part I: Collembola, Orthoptera, Dermaptera, Odonata, Isoptera, Corrodentia, and Mallophaga. U. S. Bur. Ent. and Plant Quar. E-579, 31 pp., processed. Washington, D. C., Oct. 1942. 1.9 En83

SCHARFF, J. W., and TWEEDIE, M. W. F. Malaria and the mud lobster [Thalassina anomala]. Roy. Soc. Trop. Med. and Hyg. Trans. 36(1):

41-44, illus. June 30, 1942. 448.9 R813

Burrowing activities hinder engineers and also provide unsuspected mud hole breeding places for mosquitoes. Ordinary anti-malarial measures are rendered ineffective. Experiments carried out in Singapore before Japanese invasion.

SEARLS, E. M. Methyl bromide is effective fumigant. Cheese Rptr.

67(18): 7. Jan. 1, 1943. 44.8 Sh3

SHERRARD, G. C. Five fumigants for disinfestation of bedding and clothing: a comparative study of insecticidal properties. (cont.)

Jour. Trop. Med. and Hyg. 45(12): 90-92. June 15, 1942. 448.8 J827

Cimex lectularius and Blatella germanica used in tests of hydrocyanic acid, chloropicrin, methyl bromide, ethylene oxide mixture, ethylene dichloride mixture.

SKIMMER, G. A. Insects, ticks, and worms in human medicine. Part II.

Clin. Med. 49(12): 372-374, 383, illus. Dec. 1942. 448.8 Am36 SMITH, L. E. Phenoxathiin - a promising insecticide. U. S. Bur. Ent. and Plant Quar. E-580, 4 pp., processed. Washington, D. C., Nov. 1942. 1.9 En83

STALE, J. Le contrôle des produits antiparasitaires. Terre Vaud.

34(37): 446, 448. Sept. 12, 1942. 17 T27

* STEINIGER, FRITZ. Eine kritik an der exakten mimikryforschung Heikertingers. [A criticism of Heikertinger's exact mimicry research). Ztschr. f. Angew. Ent. 29(2): 329-346, illus. July 1942. References. (Foreign film no. 90, Roll no. 447)

TISDALE, W. R., and WATSON, J. R. Fighting plant enemies with less ammunition. Hawaii Farm and Home 5(12): 19, 31. Dec. 1942.

25 H3191

Discusses shortages in insecticidal and fungicidal materials and

economy in their use.

U. S. BUR. OF ENTOMOLOGY AND PLANT QUARANTINE. Report of the Chief tP. N. Annandj... 1942, 60 pp. Washington, D. C., U. S. Govt. print. off., 1942. 1 En82

UPHOF, J. G. . El aeroplano en la lucha contra los insectos y enfermedades de los vegetales. Chacra 12(144): 20, 22, illus.

Oct. 1942. 9 C34

VERDA, A. Au sujet de la formation des pharmaciens pour la lutte antiparasitaire. Les dangers de l'arséniate de plomb. Schweiz. Apoth. Ztg. 80(39): 526-527. Sept. 26, 1942. 396.8 Sch9

WILLE, J. E. La acción tóxica del selenio. Informe acerca de los resultados de los experimentos de la acción tóxica del selenio aplicado al suelo, sobre los insectos daninos al algodonero. [Perul Min. de Fomento, Dir. Agr. y Ganad. Bol. 11-12(36-43): 241-247. tJuly 1942; References. 9.8 P43B

WILLE, J. E. Estado sanitario vegetal de Canchaque y Chulucanas. Informe del estado sanitario de las zonas frutícolas de Canchaque y de Chulucanas, en el departamento de Piura, emitido en julio de 1941. Perus Min. de Fomento, Dir. Agr. y Ganad. Bol. 11-12

(36-43): 158-164, illus. [July 1942] 9.8 P43B

APICULTURE

BOSSÍ, LOUIS. Précis d'apiculture. Quebec Min. Agr. Bul. 155, 45 pp., illus. [Montreal] 1942. 7 Q3Bu

BRAUN, ED. Trucking package bees from Whitsett, Texas, to Winnipeg. Amer. Bee Jour. 82(9): 392-393, 410-411, illus. Sept. 1942. 424.8 Am3

* DEHN, MADELEINE von. Besteht die möglichkeit die bienen an besuch arsenbehandelter pflanzen zu verhindern? Els it possible to prevent bees [Apis mellifera] from visiting arsenic treated plants?] Ztschr. f. Angew. Ent. 29(2): 282-308, illus. July 1942. References (Foreign film no. 90, Roll no. 447)

HAMBLETON, J. I., and PARK, O. W. Resistant stock in advertising; confusion of the terms "resistant" and "immune." Gleanings Bee

Cult. 70(12): 713-715. Dec. 1942. 424.8 G47

Letters to the editor in reference to honey bees resistant to American foul brood.

MILLEN, T. W. Bee breeding; laying workers and their progeny. Indian Bee Jour. 4(7-8): 94-95. July-Aug. 1942. 424.8 In2 Reprinted in Gleanings Bee Cult. 71(1): 19, 60. Jan. 1943. 424.8 G47

ROUSSY, LOUIS. Aspergillomycose des abeilles; Aspergillus flavus de Link, perisporiacées. Gaz. Apic. 43(451): 82-83, illus. June

424.8 G25.

U. S. BUR. OF ENTOMOLOGY AND PLANT QUARANTINE. DIV. OF BEE CULTURE. The dependence of agriculture on the beekeeping industry - a review. U. S. Bur. Ent. & Plant Quar. E-584, 39 pp., processed. Washington, D. C., Dec. 1942. 1.9 En83

Value of the honey bee in pollinating crops.

WOODROW, A. W., and STATES, H. J., JR. Removal of diseased brood in colonies infected with Armerican; froul; brroods. Amer. Bee Jour. 83(1): 22-23. Jan. 1943. Bibliographical footnotes. 424.8 Am3

ARACHNIDA, MYRIAPODA, PHALANGIDA AND PROTURA

ANDRIEU, ALEJANDRO, and CASÓS, G. A. Profilaxis de la sarna ovina; instrucciones practicas. Argentina. Min. de Agr. Almanaque, 16: 403-413, illus. 1941. 9 Ag874

BEKKER, P. M. Use of waste tobacco in dips. Farming in So. Africa 17(200): 695-698, 714, illus. Nov. 1942. 24 So842 Dips for cattle infested with blue tick, Boophilus decoloratus.

BELBIN, E. D. Treatment of scabies with benzyl benzoate. Roy. Army Med. Corps, Jour. 79(4): 207-208. Oct. 1942. 448.9 R81

BUSHNELL, ROBERT. Algunas consideraciones sobre la Bryobia [B. praetiosal. Rev. Mens. B. A. P. 25(299): 13, 15. Oct. 1942. 9 R326

CHAMBERLIN, R. V. On centipeds and millipeds from Mexican caves. Utah Univ. Bul. 33(4)(Biol. ser. v. 7, no. 2): 1-19, illus.

Salt Lake City, Nov. 20, 1942. 442.8 Utl COOLEY, R. A., and KOHLS, G. M. Ixodes baergi, a new species of tick from Arkansas (Acarina: Ixodidae). U. S. Pub. Health Serv. Rpts. 57(49): 1869-1872, illus. Dec. 4, 1942. 151.65 P96

DOWLING, G. B., and THOMAS, E. W. P. Cheese itch: contact dermatitis due to mite-infested cheese dust. Brit. Med. Jour. 1942, 2(4270): 543. Nov. 7, 1942. 448.8 B77

Tyroglyphus longior var. castellanii, Hirst was responsible. DUPUY, A. P. Garrapaticida de preparación casera y procedimiento para determinar la cantidad de arsénico que contienen los banos. Argentina. Min. de Agr. Almanaque, 16: 183-192, illus. 1941.

Ticks and tick-borne diseases. Part II-III. Farming 9 Ag874 Du TOIT, R. in So. Africa 17(200): 699, illus. Nov. 1942. 24 So842 The more important species of Ixodidae and their relation to disease are discussed in part II, and control measures in part III.

ELISHEWITZ, HAROLD. On the structure of the so-called "stigmata" of larval ticks. Jour. Parasitol. 28(6, sup.): 25. Dec. 1942. 448.8 J824

Abstract.

EWING, H. E. Remarks on the taxonomy of some American chiggers (Trombiculinae), including the descriptions of new genera and species. Jour. Parasitol. 28(6): 485-493, illus. Dec. 1942.

Bibliography: 448.8 J824 FERRIS, G. F. Observations on some ectoparasitic mites (Arachnida: Acarina: Dermanyssidae). Microentomology 7(3): 77-83, illus.

Dec. 28, 1942. 421 M58

Contribution no. 34.

GOODNIGHT, C. J., and GOODNIGHT, M. L. Phalangida from Mexico. Amer. Mus. Nat. Hist. Amer. Mus. Novitates, no. 1211, 18 pp., illus. New York, Dec. 7, 1942. 500 N483N

GRANT, C. D. Observations on Myobia musculi (Schrank) (Arachnida: Acarina: Cheyletidae). Microentomology 7(3): 64-76, illus. Dec.

28, 1942. Bibliography. 421 M58

Contribution no. 33.

KOURTCHATOV, V. I. Contribution à la question de la biologie de l'oecologie et de la répartition de la tique Hyalomma marginatum agent propagateur des piroplasmoses équines. Vest. Sel'skokhoziaist vennoi Nauki. Vet. 1940, no. 2, pp. 66-79, illus. 1940. References. 41.8 V632

Text in Russian. French summary, p. 79.

KOURTCHATOV, V. I., and MARKOV, A. A. Etablissement et l'agentvecteur de la piroplasmose porcine. Vest. Sel'skokhoziaistvennoi Nauki. Vet. 1940, no. 2, pp. 63-65. 1940. References. 41.8 V632 Text in Russian. Frech summary, p. 65.

LUNN, H. F. : The recognition of scabies by the army medical officer. Roy. Army Med. Corps, Jour. 79(4): 203-206. Oct. 1942. References.

448.9 R81

Scabies responsible for serious loss of military efficiency.

Means of early diagnosis are discussed.

MARKOV, A. A., KOURTCHATOV, V. I., and DZASSOKHOV, G. S. Rôle de la tique Rhipicephalus bursa dans la propagation de la nuttalliose equine. Vest. Sel'skokhoziaistvennoi Nauki. Vet. 1940, no. 3, pp. 37-39. 1940. References. 41.8 V632

Text in Russian. French summary, p. 39.

MELLANBY, KENNETH, and others. Experiments on the survival and behaviour of the itch mite, Sarcoptes scabiei DeG. var. hominis, by Kenneth Mellanby, C. G. Johnson, W. C. Bartley, and P. Brown. Bul. Ent. Res. 33(4): 267-271. Dec. 1942. References. 421 B87

PICKFORD, G. E. Studies on the digestive enzymes of spiders. Conn. Acad. Arts and Sci. Trans., 35: 33-72, illus. Dec. 1942. References

500 C76I PRISSELKOV, A. M., and GOURIEVA, A. M. Créolines préparés avec des huiles acides du goudron tourbeux d'Oural, leur toxicité et leur pouvoir acaricide. Vest. Sel'skokhoziaistvennoi Nauki. 1940, no. pp. 119-121. 1940. 41.8 V632

. Text in Russian. French summary, p. 121.

QUIROGA, S. S. Procedimientos para combatir la garrapata de las gallinas (Argas persicus). Argentina. Min. de Agr. Almanaque, 17: 309-311, illus. 1942. 9 Ag874

ROBINSON, G. G. The relative toxicity of rotenone and pyrethrum in oil to the argasid tick, Ornithodorus moubata, Murray. Ent. Res. 33(4): 273-281, illus. Dec. 1942. References. 421 B87

STAHNKE, H. L. How deadly is Arizona's public enemy no. 1? Sci. Monthly 142(1): 84-87, illus. Jan. 1943. 470 P81

Centruroides sculpturatus and C. gertschi.

VERGANI, A. R. Un nuevo acaro parasito de los citrus, Anychus verganii, Blnchd. Resumen del trabajo presentado al VI Congreso fruticola. Argentina. Min. de Agr. Almanaque, 17: 197-198, illus. 1942. 9 Ag874

COLEOPTERA

BALFOUR-BROWNE, J. Entomological expedition to Abyssinia, 1926-27. Coleoptera, Curculionidae; Apioninae. Ann. and Mag. Nat. Hist. (ser.11) 9(59): 793-824. Nov. 1942. 410 An77

BALFOUR-BROWNE, J. On species of Dactylosternum related to subquadratum (Fairm.) and the description of a new genus Rhombosternum related to Dactylosternum (Coleoptera, Palpicornia). Ann. and Mag. Nat. Hist. (ser.11) 9(59): 855-864, illus. Nov. 1942. 410 An77

BALFOUR-BROWNE, J. On the nomenclature of two British species of Hydroporus [H. erythrocephalus; H. rufifrons] (Col., Dytiscidae). Ent. Monthly Mag. 78(942): 245-246. Nov. 1942. 421 En86

BLACKMAN, M. W. New species of bark beetles (Pityophthorini) from Mexico and Tropical America (Coleoptera, Scolytidae). U. S. Natl. Mus. Proc. 92(3147): 177-227, illus. 1942. 500 Sm65P

BLACKMAN, M. W. Revision of the genus Phloeosinus Chapuis in North America (Coleoptera, Scolytidae). U. S. Natl. Mus. Proc. 92(3154): 397-474, illus. 1942. References in text. 500 Sm65P

BOSQ, J. M. Un taladro danino para nuestros frutales y forestales, Praxitea derourei (Chabrill). Argentina. Min. de Agr. Secc. de Propag. e Informes Pub. Misc. 121, 8 pp., illus. Buenos Aires, 1942. 9 P943

Also in: Argentina. Min. de Agr. Almanaque, 17: 425-430, illus.

1942. 9 Ag874 BRYANT, G. E. New species of Podagrica (Halticinae, Coleoptera) from Africa. Bul. Ent. Res. 33(4): 229-234. Dec. 1942. 421 B87

CAMERON, MALCOLM. New species of Staphylinidae (Col.) from the Moluccas and Celebes. Ann. and Mag. Nat. Hist. (ser.11) 9(59): 410 An77 838-847. Nov. 1942.

EASTER, S. S., and DUMN, W. J. A methyl bromide soil injector. U. S. Bur. Ent. and Plant Quar. ET-203, 3 pp., illus., processed. Washington, D. C., Nov. 1942. 1.9 En83ET

For use in soil fumigation against Pantomorus leucoloma. EMDEN, F. I. van. Larvae of British beetles. III. Keys to the families. Ent. Monthly Mag. 78(942): 253-264, illus. Nov. 1942. 421 En86

HEWITT, W. A. Stag beetles (Lucanus lunifer) in combat. Bombay Nat. Hist. Soc. Jour. 43(2): 273-274. Aug. 1942. 513 B63

HOPPING, G. R. Apparent negative geotropism in the Douglas fir bark beetle [Dendroctonus pseudotsugae]. Canad. Ent. 74(11): 205. Nov. 1942. 421 C16

ISELY, DWIGHT. The grape rootworm [Fidia viticida]. Ark. Agr. Expt. Sta. Bul. 426, 26 pp., illus. Fayetteville, 1942. References. 100 Ar42

KNULL, J. N. Two new Buprestidae (Coleoptera) (Chrysobothris ephedrae; Agrilus diospyroides]. Ent. Soc. Amer. Ann. 35(4):

390-392, illus. Dec. 1942. 420 En82

La RIVERS, IRA. A new Trogloderus IT. nevadusi from Nevada, with a key to the known species (Coleoptera: Tenebrionidae). Ent. Soc. Amer. Ann. 35(4): 435-440. Dec. 1942. Literature cited. 420 En82

MARTIN, H. E., and HARE, LAURA. The nutritive requirements of Tenebrio molitor larvae. Biol. Bul. 83(3): 428-437, illus.

Dec. 1942. Literature cited. 442.8 B52

MUNRO, J. A., and TELFORD, H. S. Recent progress in wireworm control. (With special reference to the prairie grain wireworm, Ludius aeripennis destructor Brown, which is the predominating species in North Dakota.) N. Dak. Agr. Expt. Sta. Bimo. Bul. 5(2): 7-11, illus. Nov. 1942. References. 100 N813B

PAULIAN, RENAUD. The larvae of the sub-family Orphilinae and their bearing on the systematic status of the family Dermestidae (Col.). Ent. Soc. Amer. Ann. 35(4): 393-396, illus. Dec. 1942. Litera-

ture cited. 420 En82

Description and systematic position of the larvae of Orphilus

RINGS, R. W. The external anatomy of Sandalus niger Knoch (Coleoptera, Rhipiceridae). Ent. Soc. Amer. Ann. 35(4): 411-425,

illus. Dec. 1942. Bibliography. 420 En82

ROCHE, P. J. L. Additions to the Bedfordshire list of Coleoptera. Ent. Monthly Mag. 78(942): 242-244. Nov. 1942. References. 421 En86

SHAW, J. G., and DOUGLAS, J. R. Life history, habits, and control of the beanstalk weevil (Sternechus paludatus) in the Estancia Valley, New Mexico. U. S. Dept. Agr. Tech. Bul. 816, 35 pp., illus. Washington, D. C., 1942. Bibliographical footnotes. 1 Ag84Te

Sobre a conservação dos Cassidineos (Col.). ZIKAN, J. F. Rodriguesia 4(15): 83-85. June 1942. 442.8 R61

DIPTERA

ALEXANDER, C. P. New nearctic crane-flies (Tipulidae Diptera) Part XVII. Canad. Ent. 74(11): 206-212. Nov. 1942. 421 C16 BEAMER, R. H., and PENNER, L. R. Observations on the life history

of a rabbit cuterebrid, the larvae of which may penetrate the human skin. Jour. Parasitol. 28(6, sup.): 25. Dec. 1942. 448.8 J824

Abstract.

BENITES SIERRA, ROBERTO. Nuestro enemigo el Anopheles. [Guayaquil] Col. Nac. Vicente Rocafuerte. Rev., no. 54, pp. 247-267, illus. Guayaquil, June 1942. References. 516 G93

BENNETT, S. H. Two serious pests of 1942 [frit fly [Oscinella frit] on wheat and oats; potato root eelworms. Worcestershire Co. Council Quart. Agr. Chron. 11(1): 37, 39, 41, 43. Nov. 1942. 10 W892

BIRMINGHAM, LLOYD. Boundaries of differentiation of cephalic imaginal discs in Drosophila. Jour. Expt. Zool. 91(3): 345-363, illus. Dec. 5, 1942. Literature cited. 410 J825

BLANCHARD, E. E. El gusano de las semillas (Hylemyia spp.). Argentina.

Min. de Agr. Almanaque, 16: 119-122, illus. 1941. 9 Ag874

BLANCHARD, E. E. Nuevos dipteros e himenópteros parásitos, de la República Argentina. Soc. Ent. Argentina Rev. 11(4): 340-379, illus. Aug. 31, 1942. 420 Sol4

BRAZIL. LAWS, STATUTES, ETC. Decreto-lei n. 3.672 - de 1 de outubro de 1941; regula o regime de combate à malária em todo o país.

Brazil. Min. da Viação e Obras Púb. Insp. Fed. de Obras Contra as Sécas. Bol. 16(2): 140-145. Oct.-Dec. 1941. 290.9 B732B

CARR, H. P., and HILL, R. B. A malaria survey of Cuba. Amer. Jour. Trop. Med. 22(6): 587-607, illus. Nov. 1942. Bibliography. 448.8 Am33

The established species of Anopheles were found and the first

record made of A. atropus in Cuba.

COLE, A. C. E., COSGROVE, P. C., and ROBINSON, M. B. A preliminary report of an outbreak of kala-azar in a battalion of King's African Rifles. Roy. Soc. Trop. Med. and Hyg. 36(1): 25-34.

June 30, 1942. 448.9 R813

A survey showed dry season sandfly [Phlebotomus] infestation of the whole Sanderson Gulf area, northern Kenya.

CONTROL of malaria in Palestine. Brit. Med. Jour. 1942, 2(4269): 517-518. Oct. 31, 1942. 448.8 B77

CURRAN, C. H. The parasitic habits of Muscina stabulans Fabricius. N. Y. Ent. Soc. Jour. 50(4): 335-336. Dec. 1942. 420 N48J

DAVID, W. A. L. The utilisation of waste lubricating oil in mosquito larvicides. Bul. Ent. Res. 33(4): 235-240. Dec. 1942. References. 421 B87

DEAN, R. W. Development of the female reproductive system in Rhagoletis pomonella Walsh (Dipt.: Trypetidae). Ent. Soc. Amer. Ann. 35(4): 397-410, illus. Dec. 1942. Literature cited. 420 En82

DOUCETTE, C. F., and others. Biology of the narcissus bulb fly [Merodon equestris] in the Pacific Northwest, by C. F. Doucette, Randall Latta, C. H. Martin, Ralph Schopp, and P. M. Eide. U. S. Dept. Agr. Tech. Bul. 809, 67 pp., illus. Washington, D. C., May 1942. Literature cited. 1 Ag84Te

EMDEN, F. I. van. A tachinid (Cadurcia plutellae, sp. n.) parasitic on Plutella maculipennis, Curt. Bul. Ent. Res. 33(4): 223-225,

illus. Dec. 1942. 421 B87

FAIRCHILD, G. B. Notes on Tabanidae (Dipt.) from Panama. X. The genus
Tabanus Linn., and resume of the Tabanidae of Panama. Ent. Soc.
Amer. Ann. 35(4): 441-474, illus. Dec. 1942. References.

420 En82
GREAT BRITAIN. COLONIAL DEVELOPMENT FUND (MALARIA RESEARCH SCHEME)
Report of the Zanzibar research unit, June 1934 to September 1937,
by D. D. McCarthy. 141 pp., illus. Zanzibar, Government printer,
1941. Bibliography. 428 G792

Anopheles spp. as vectors, including a key to the identification

of Zanzibar species.

HART, T. A., and HART, J. H. A descriptive study of the pilotaxy of a modal Culex pipiens fourth stage larva. Ent. Soc. Amer. Ann. 35(4): 379-386 illus. Dec. 1942. 420 En82

35(4): 379-386, illus. Dec. 1942. 420 En82

HURLBUT, H. S., and HEWITT, REDGINAL. The transmission of Plasmodium lophurae, an avian malaria parasite, by Anopheles quadrimaculatus.

U. S. Pub. Health Serv. Rpts. 57(50): 1891-1892. Dec. 11, 1942.

References. 151.65 P96

KOLLER, P. C., and AHMED, I. A. R. S. X-ray-induced structural changes in the chromosomes of Drosophila pseudo-obscura. Jour. Genet. 44(1): 53-72. Sept. 1942. References. 442.8 J823

KOMP, W. H. W. Anopheles clarki, a new species of Nyssorhynchus of wide distribution in South America. (Diptera: Culicidae). Wash. Ent. Soc. Proc. 44(9): 196-201, illus. Dec. 1942. Bibliography. 420 W27

KRAFCHICK, BERNARD. The mouthparts of blackflies with special reference to Eusimulium lascivum Twinn. Ent. Soc. Amer. Ann. 35(4): 426-434, illus. Dec. 1942. Bibliography. 420 En82

LEWIS, D. J. A method of transporting living mosquito larvae. Bul. Ent. Res. 33(4): 227-228, illus. Dec. 1942. 421 B87

LEWIS, E. A. Tsetse-flies [Glossina spp.] and development in Kenya Colony. Part III. East African Agr. Jour. 8(2): 74-79. Oct. 1942. 24 Ea74

Although there is at present no universally applicable method, tsetse fly control is essential and a comprehensive but flexible plan of approach to the problem must be worked out.

MAHAFFY, A. F., SMITHBURN, K. C., and JACOBS, H. R. Yellow fever in western Uganda. Roy. Soc. Trop. Med. and Hyg. Trans. 36(1): 9-20, 1 map. June 30, 1942. References. 448.9 R813

The principal vector of the disease appeared to be Aedes simpsoni MOLINARI, O. C. Gusano de los cortes de papa o gusano de las semilla [Hylemya sanctijacobi]. Pampa Argentina 16(181): 10-11. Sept.

[Hylemya sanctijacobi]. Pampa Argentina 16(181): 10-11. Sept. 1942. 9 P19
MOSQUITO fighters of Guayaramerin [Bolivia]. South and World Affairs

4(10): 6-7, 14. Dec. 1942. 280.8 So87

Site of an inter-American project to prevent malaria among rubber

NEEL, J. V. Studies on the interaction of mutations affecting the chaetae of Drosophila melanogaster. II. The relation of character expression to size in flies homozygous for polychaetoid, hairy, hai wing, and the combinations of these factors. Genetics 28(1): 49-60 illus. Jan. 1943. Literature cited. 442.8 G28

RANDALL, RAYMOND. Equine encephalomyelitis. U. S. Army Vet. Bul. 36(3): 157-171. July 1942. References. 152.9 V64
Abstract in Vet. Jour. 98(8-9): 168-171. Aug.-Sept. 1942.
41.8 V643

The disease is assuming importance from a public health standpoindue to proof that man is susceptible to the viruses. Insects are proven vectors, particularly mosquitoes. Control of the disease involves anti-mosquito measures.

GOMEZ CLEMENTE, FEDERICO. Cochinillas algodonosas. [Pseudococcus spp.]. Agricultura [Madrid] 11(126): 400-404, illus. Oct. 1942. 15 Ag84

GT. BRITAIN. MINISTRY OF AGRICULTURE AND FISHERIES. Apple sucker [Psylla mali]. [Gt. Brit.] Min. Agr. and Fisheries. Advisory Leaflet 96, 4 pp., illus. London, 1942. 10 G79La

HADDOW, W. R., and NEWMAN, F. S. A disease of the Scots pine
(Pinus sylvestris L.) caused by the fungus Diplodia pinea Kickx
associated with the pine spittle-bug (Aphrophora parallela Say)
I. Symptoms and etiology. Roy. Canad. Inst. Trans. 24(1): 1-18,
illus. Oct. 1942. Bibliography. 517 T63T

HEPMER, L. W. A taxonomic revision of the genus Eutettix in America north of Mexico (Homoptera, Cicadellidae). Kans. Univ. Sci. Bul. 28(2): 253-293, illus. Nov. 15, 1942. 500 Kl32S

LAHOZ, C., and RECATERO, L. Four cases of asthma from sensitization to Cimex lectularius. Rev. Clin. Españ., 5: 299-394. June 15, 1942.

Abstract in Amer. Med. Assoc. Jour. 121(2): 157-158. Jan. 9, 1943. 448.9 Am37

LIZER y TRELLES, C. A. Anuntaciones coccidológicas. I. Soc. Ent.

Argentina Rev. 11(4): 319-335, illus. Aug. 31, 1942. Bibliographical footnotes. 420 Sol4

MARTIN, J. P., and PEMBERTON, C. E. Disease symptoms in lettuce and celtuce, caused by the bean leaf hopper Empoasca solana Del.

Hawaii. Planters' Rec. 46(3): 111-118, illus. 1942. 25 H311

The first record of this disease in the Territory of Hawaii.

It may in the future be referred to as "hopperburn."

* MICHEL, ERDMUTHE. Beitrage zur kenntnis von Lachnus (Pterochlorus) roboris L., einer wichtigen honigtauerzeugerin an der eiche. [Contribution to the knowledge of Lachnus (Pterochlorus) roboris L., an important honeydew producer on the oak; Ztschr. f. Angew. Ent. 29(2): 243-281, illus. July 1942. (Foreign film no. 90, Roll no. 447)

The chemical analysis of honeydew is also given.

OESTLUND, O. W. Systema Aphididae, a guide to the phylogeny of the aphids or plant lice. Part I. The Lachnea. 78 pp. rRock Island,

Ill., Augustana book concern, 19421 431 0e8S

POOS, E. W. The potato leafhopper [Empcasca fabae], a pest of alfalfa in the eastern states. U. S. Dept. Agr. Leaflet 229, 8 pp., illus. Washington, D. C., Pec. 1942. l Ag84L

RANGASWAMI, S., and GRIFFITH, A. L. Demonstration of Jassus indicus (Walk.) as a vector of the spike disease of sandal (Santalum album, Linn.). Indian Forester 67(8): 387-394, illus. Aug. 1941. 99.8 In2

RUNGS, CH. Récoltes de la Mission d'étude des acridiens E. Morales Agacino et Ch. Rungs au Sahara Espagnol (Hem. Cocc.). Eos 18(2-3): 105-111. Sept. 29, 1942. References. 421 Ec7

USINGER, R. L. The genus Ilyocoris Stal (Hem. Naucoridae). Ent.
Monthly Mag. 78(942): 241-242. Nov. 1942. References. 421 En86

WOOD, S. F. The persistence of Trypanosoma cruzi in dead cone-nosed bugs (Hemiptera, Reduviidae). Amer. Jour. Trop. Med. 22(6): 613-621, illus. Nov. 1942. Bibliography. 448.8 Am33

ROY, D. N. The potential danger of Anopheles leucosphyrus in Assam. Ind. Med. Gaz. v. 72, no. 5, May 1942.

Abstract in Jour. Trop. Med. and Hyg. 45(12): 96. June 15, 1942.

448.8 J827

Discussed as a vector of malaria.

SALITERNIK, Z. The macroscopic differentiation of anopheline eggs according to their pattern on the surface of water. Bul. Ent. Res. 33(4): 221, illus. Dec. 1942. 421 B87

SALMÓN de los HEROS, ALBERTO. El control de la "mosca de la fruta" [Anastrepha sp.] mediante sus parasitos. (Lucha biológica). [Peru] Min. de Fomento, Dir. Agr. y Ganad. Bol. 11-12(35-43): 149-157. [July 1942: 9.8 P43B

SEBASTIAN, V. O. On the role of Etrophlus suratensis (Bloch) and Etroplus maculatus (Bloch) in the control of mosquitoes. Bombay Nat. Hist. Soc. Jour. 43(2): 271-273. Aug. 1942. 513 B63

SIMMONS, S. W., and BLAKESLEE, E. B. The prevention of dog fly [Stomoxys calcitrans] and housefly [Musca domestica] breeding in waste celery. U. S. Bur. Ent. and Plant Quar. E-583, 4 pp., processed. Washington, D. C., Dec. 1942. 1.9 En83

SOBRERO, L. R. Trampa estercolera para cazar moscas. Argentina 16(182): 18-19, illus. Oct. 1942. 9 Pl9

Dung heap traps for catching flies.

SWAMINATH, C. S., SHORTT, H. E., and AMDERSON, L. A. P. Transmission of Indian kala-azar to man by the bites of Phlebotomus argentipes, Ann. and Brun. Ind. Jour. Med. Res. 30(3): 473-477. July 1942. References. 448.8 In22

CTAYLOR, SIR JOHN: Editorial note. The transmission of kala-azar. Ind. Jour. Med. Res. 30(3): 479-480. July 1942. 448.8 In22 Reviews Indian work on kala-azar transmission. Phlebotomus

argentipes proved to be the vector.

TRAGER, WILLIAM. A strain of the mosquito Aedes aegypti selected for susceptibility to the avian malaria parasite Plasmodium lophurae. Jour. Parasitol. 28(6): 457-465. Dec. 1942. Bibliography. 448.8 J824

WIESMANN, R. Wirksame bekämpfung der fliegenplagen in ställen. Schweiz. Zentbl. f. Milchw. 31(36-37): 162, 166. Sept. 11,18, 1942.

44.8 Sch93

ZIKAN, J. F. Algo sobre a simbiose de Mydas com Atta. Rodriguesia 4(15): 61-67, illus. June 1942. References. 442.8 R61

BALBI, R. H. Cochinilla negra del olivo (Saissetia oleae, Bern.). Argentina. Min. de Agr. Almanaque, 17: 285-287, illus. 1942.

CHRISTENSEN, J. R. Algunos cicadelidos de la Argentina y Bolivia. Soc. Ent. Argentina Rev. 11(4): 336-339. Aug. 31, 1942. References

DRAKE, C. J. New Australian Tingitidae (Hemiptera). Wash. Acad. Sci. Jour. 32(12): 359-364. Dec. 15, 1942. 500 W276J

FAES, H. La cochenille de San José (Aspidiotus perniciosus) menace nos cultures fruitières. Terre Vaud. 34(40): 490-491. Oct. 3, 1942. 17 T27

HYMENOPTERA

BALLARI, C. P. Destrucción de hormigueros (Atta lundy; Atta xendens (i.e. sexdens?)]. Argentina. Min. de Agr. Almanaque, 17: 393-394. 1942. 9 Ag874

BEQUAERT, J. New and imperfectly known neotropical Polybiinae (Hymenoptera, Vespidae). N. Y. Ent. Soc. Jour. 50(4): 295-308,

illus. Dec. 1942. 420 N48J

BIERIG, ALEXANDER. La lucha con la zempopa tAtta cephalotes and Atta sexdens: Costa Rica. Dept. Nac. de Agr. Bol. Tec. 33, 22 pp., illus. San Pedro de Montes de Oca, 1941. Literature cited. 102 C822

* BUCK, A. de. Kreuzungsversuche mit Stegomyia fasciata Fabricius und S. albopicta Skuse. cHybridization experiments with Stegomyia fasciata Fabricius and S. albepicta Skusej. Ztschr. f. Angew. Ent. 29(2): 309-312. July 1942. References. (Foreign film no. 90, Roll no. 447)

COLE, A. C., JR. Synonyms of Formica difficilis Emery (Hymenoptera: Formicidae) Ent. Soc. Amer. Ann. 35(4): 389. Dec. 1942.

420 En82

Formica difficilis var. consocians Wheeler and F. habrogyna Cole

are included in list of synonyms.

DONISTHORPE, HORACE. Notes on the subgenus Orthonotomyrmex Ashmead of Camponotus Mayr, and description of a new species (Camponotus (Orthonotomyrmex) fletcherij (Hym. Formicidae). Ent. Monthly Mag. 78(942): 248-251, illus. Nov. 1942. References. 421 En86

FLANDERS, S. E. Red scale parasites, comparison of oriental races of Comperiella bifasciata in California. Calif. Citrog. 28(3):

78. Jan. 1943. 80 Cl25

GINER MARÍ, J. : Cerceris orientales. IV. Algunas nuevas especies de Gerceris Latr. procedentes de la China oriental (Hym. Spheg.). Eos 18(2-3): 113-144, illus. Sept. 29, 1942. 421 Eo?

* GOETSCH, W., and others. Beitrage zur bekämpfung von ameisenstaaten. [Contribution to the control of ant colonies] II. Teil (Untersuchungen 1939/40) by W. Goetsch, R. Grüger, T. Latossek, and K. Offhaus. . Ztschr. f. Angew. Ent. 29(2): 220-242. July 1942. (Foreign film no. 90, Roll no. 447)

* GOETSCH, WILHELM. Beiträge zur biologie spenischer emeisen. [Formicidae]. Eos 18(2-3): 175-241, illus. Sept. 29, 1942.

References. 421 Eo7

COMES, J. G. Uma nova espécie do gênero Marietta Motsch. IM. costalimais (Chalcidoides Aphelinidea). Rodriguesia 4(15): 53-56, illus. June 1942. References. 442.8 R61

HESLOP HARRISON, J. W. The cell-making materials of Megachile circumcincta Lep. (Hym., Apidae). Ent. Monthly Mag. 78(942): 251.

Nov. 1942. 421 En86

MORRIS, R. F. Preliminary notes on the natural control of the European spruce sawfly Diprion hyrcyniaes by small mammals. Canad. Ent. 74(11): 197-202. Nov. 1942. References. 421 C16 As high as 40 to 50 percent control effected under epidemic conditions.

MUTINELLI, ARTURO. La hormiga minera colorado (Atta sexdens rubropilosas. Argentina. Min. de Agr. Almanaque, 17: 187-188.

1942. 9 Ag874

OWEN, J. H. Insect architecture. The nest of the Norwegian tree wasp [Vespa norvegica]. Country Life [London] 92(2392): 983, illus. Nov. 20, 1942. 80 083

PARKER, J. B. Notes on certain species of bembicids. Wash. Ent. Soc. Proc. 44(9): 202-209, illus. Dec. 1942. 420 W27

SMITH, M. R. A new North American Solenopsis (Diplorhoptrum)
[S. (D.) longiceps] (Hymenoptera: Formicidae). Wash. Ent. Soc.
Proc. 44(9): 209-211. Dec. 1942. 420 W27

ISOPTERA

HARDER, F. K. Termite control. Pests 10(12): 25-27. Dec. 1942. 449.8 Ex8

Discusses the part which the National Pest Control Association should play in termite control work.

LEP IDOPTERA

AGENJO, R. Hepialus de España (Lep. Hep.). Eos 18(2-3): 145-174, illus. Sept. 29, 1942. References. 421 Eo7

ANGELO, W. A. d' Maripesa danina para ciertas plantas de jardin, Xanthopastis timais, Cram. [Pt.] III. Argentina. Min. de Agr. Almanaque, 16: 169-172, illus. 1941. 9 Ag874

BEIRME, B. P. The food plant of Blastobasis lignea, Wals. Ent. Rec. and Jour. Variation 54(11): 131-132. Nov. 1942. 421 En89 Found in rushes of the genus Juncus.

BEIRNE, B. P. Introduced Irish Lepidoptera. Ent. Rec. and Jour. Variation 54(11): 131. Nov. 1942. 421 En89

BEIRNE, B. P. The life-history of Agonopterix (Depressaria) costosa, Haw. Ent. Rec. and Jour. Variation 54(11): 132-133. Nov. 1942. 421 En89

BELL, E. L. New genera and new species of neotropical Hesperiidae (Lepidoptera: Rhopalocera). Amer. Mus. Nat. Hist. Amer. Mus. Novitates no. 1205, 9 pp., illus. New York, Oct. 29, 1942.

BLANCHARD, R. A. Hibernation of the corn earworm [Heliothis armigera] in the central and northeastern parts of the United States. U. S. Dept. Agr. Tech. Bul. 838, 14 pp. Washington, D. C., Dec. 1942. Literature cited. 1 Ag84Te

BOURQUIN, FERNANDO. Metamorfosis de Megalopyge lanata Crm. (Lep. Megalopygidae)...con la "colaboración micrográfica de M. E. Jbrg."
Soc. Ent. Argentina Rev. 11(4): 305-316, illus. Aug. 31, 1942.

BRAUN, A. F. A remarkable new heliodinid [Cyphacma tragiae]
(Microlepidoptera). Ent. Sec. Amer. Ann. 35(4): 373-378, illus.
Dec. 1942. 420 En82

BREYER, ALBERTO. Eroessa chilensis Guér., género y especie nuevos para la República Argentina (Lep. Pieridae). Soc. Ent. Argentina Rev. 11(4): 317-318. Aug. 31, 1942. 420 Sol4

BROWN, F. M. Notes on Ecuadorian butterflies, V. Cithaerias, Haetera and Pseudohaetera n. g. (Satyridae). N. Y. Ent. Soc. Jour. 50(4): 309-333, illus. Dec. 1942. 420 N48J

BURDICK, W. N. The rediscovery of Eumenis strechii Edw. (Lepidoptera, Rhopalocera). Canad. Ent. 74(11); 204-205. Nov. 1942. 421 C16

CHRISTENSEN, J. R. Un método biológico para asegurar la supervivencia de los parásitos en zonas en que se destruye el bicho de cesto [Oeceticus kirbyi] por recolección invernal. Argentina. Min. de Agr. Secc. de Propag. e Inform. Pub. Misc. 89, 8 pp., illus. Buenos Aires, 1941. 9 P943

DOS PASSOS, C. F., and GREY, L. P. Two new North American subspecies of Argynnis (A. utahensis linda; A. coronis carolae), with some revisional notes (Lepidoptera: Nymphalidae). Amer. Mus. Nat. Hist. Amer. Mus. Novitates no. 1214, 6 pp., illus. New York, Dec. 8, 1942. Literature. 500 N483N

ELIOT, NEVILL. Instinct and travelling butterflies. Entomologist 75(954): 236-244. Nov. 1942. 421 En8

FLETCHER, T. BAINBRIDGE. Caloptilia (Gracillaria) phasianipennella, Ho. Ent. Rec. and Jour. Variation 54(11): 125-126, illus. Nov. 1942.: 421 En89 - -

FREEMAN, T. N. A new species of Pseudexentera [P. mali n.sp.] from apple, with notes on allied species (Olethreutidae, Lepidoptera). Canad. Ent. 74(11): 212-215, illus. Nov. 1942. 421 C16

* GOTZ, BRUNO. · Zum geschlechtsverhältnis der traubenwickler Clysia ambiguella und Polychrosis botrana. [Sex ratio of the vine moths Clysia ambiguella and Polychrosis botranal. Ztschr. f. Angew. Ent. 29(2): 313-328, illus. July 1942. References. (Foreign film no. 90, Roll no. 447)

HERIOT, A. D., and WADDELL, D. B. Some effects of nutrition on the · development of the codling moth [Carpocapsa pomonella]. Sci. Agr.

23(3): 172-175. Nov. 1942. References. 7 Sci2

KOHLER, PABLO. Lepidopteros poco conocidos o nuevos para la República Argentina. .Soc. Ent. Argentina Rev. 11(4): 297-304. Aug. 31, 1942. 420 Sol4

McDUNNOUGH, J. Notes on the early stages of two Eupithecia species cE. filmata; E. gibsonatal (Lepidoptera). Canad. Ent. 74(11): 202-203. Nov. 1942. 421 Cl6

MALLO, R. G. La lagarta rosada (Platyedra gossypiella Saunders); la plaga que mas dano causa a los algodonales argentinos. Argentina. Min. de Agr. Almanaque, 17: 193-196, illus. 1942. 9 Ag874

MICHENER, C. D., and DOS PASSOS, C. F. Taxonomic observations on some North American Strymon with descriptions of new subspecies (Lepidoptera: Lycaenidae). Amer. Mus. Nat. Hist. Amer. Mus. Novitates no. 1210, 7 pp., illus. New York, Nov. 13, 1942. 500 N483N

PATCH, L. H. Survival, weight, and location of European corn borers feeding on resistant and susceptible field corn. Jour. Agr. Res.

66(1): 7-19, illus. Jan. 1, 1943. 1 Ag84J

PINKUS, RALPH. Ash trees threatened by lilac borers [Podosesia syringaes. N. Y. Bot. Gard. Jour. 43(516): 294-296, illus. Dec. 451 N48J

SEVASTOPULO, D. G. The early stages of Indian Lepidoptera. Part IX. (to be cont.) Bombay Nat. Hist. Soc. Jour. 43(1): 39-47, illus.

Apr. 1942. 513 B63
SHEPHERD, J. Breeding experiments with the Irish yellow race of Pieris napi (Lep. Pieridae). Entomologist 75(954): 233-235. Nov. 1942. 421 En8

- VANCE, A. M. Status of the European corn borer in 1942. U. S. Bur. Ent. and Plant Quar. Insect Pest Survey. Spec. Sup., 12 pp., illus., processed. Washington, D. C., Dec. 15, 1942. 1.9 En831B
- WARREN, B. C. S. Genus Pandoriana gen. nov. (Lep.: Nymphalidae)
 A preliminary description. Entomologist 75(954): 245-246. Nov.
 1942. 421 En8
 - WOODSIDE, A. M. Supplementary control for codling moth. (to be cont.)

 East. Fruit Grower 5(10): 5, 10-11, illus. Dec. 1942. 80 Ea73

 This part deals with packing shed sanitation.
 - WORMS, C. G. M. de. Further observations on Oria musculosa in the Salisbury District. Entomologist 75(954): 248. Nov. 1942.
 421 En8

ORTHOPTERA

CARVALHO, R. F. de. Observações sobre uma nova praga da cana de açucar [Tettigonioidea]. Brasil Açucareiro 10(3): 304-307, illus. Sept. 1942. 65.8 B73

Reprinted from: Arquivos do Instituto de Pesquisas Agronômicas, v. 3, 1941 - Pernambuco.

COLEMAN, L. C. Chromosome structure in the Acrididae with special reference to the X chromosome. Genetics 28(1): 2-8, illus.

Jan. 1943. Literature cited. 442.8 G28

IMMS, A. D. The locust plague. Nature (London) 150(3816): 742-743. Dec. 19, 1942. 472 N21

LIEBERMANN, JOSÉ. Algo mas sobre los ciclos de invasion de langostas. Pampa Argentina 16(181): 1-34, illus. Sept. 1942. References in text. 9 P19

LIEBERMANN, JOSÉ. Breves nociones acerca de la clasificacion de los acrididos argentinos. Argentina. Min. de Agr. Almanaque, 17: 91-95, illus. 1942. 9 Ag874

MEANS, O. W., JR. Cholinesterase activity of tissues of adult Melanoplus differentialis (Orthoptera, Acrididae). Jour. Cell. and Compar. Physiol. 20(3): 319-324, illus. Dec. 21, 1942. Literature cited. 444.8 J822

RAMACHANDRA RAO, Y. Some results of studies on the desert locust (Schistocerca gregaria, Forsk.) in India. Bul. Ent. Res. 33(4): 241-265. Dec. 1942. References. 421 B87

SCHIUMA, RAFAEL. Destrucción de "tucuras." Argentina. Min. de Agr. Almanaque, 17: 107-111, illus. 1942. 9 Ag874

UVAROV, B. P. Palaearctic Acrididae new to the Indian fauna. Eos 18(2-3): 97-103. Sept. 29, 1942. 421 Eo7

SMALLER ORDERS

AUGUSTSON, G. F. The tropical chigoe [Tunga penetrans] in California. Science 96(2504): 581. Dec. 25, 1942. 470 Sci2

The erection of many open-air military camps in the southwest make the life history and etiology of this flea of special interest.

FERRIS, G. F. Some North American, rodent-infesting lice (Insecta: Anoplura). Microentomology 7(3): 84-90, illus. Dec. 28, 1942.
421 M58

Contribution no. 35.

- HUGHTS, WILLIAM, and BALDWIN, R. B. T. Endemic typhus in southern Nigeria. Roy. Soc. Trop. Med. and Hyg. Trans. 36(1): 35-39.


 June 30, 1942. References. 448.9 R813
 - The author concludes that endemic typhus exists in Southern Nigeria and is probably flea-torne.
- KIMMINS, D. E. The genus Thyridosmylus Kruger, with notes on the subfamily Spilosmylinae (Neuroptera, Osmylidae). Ann. and Mag. Nat. Hist. (ser.11) 9(59): 848-855, illus. Nov. 1942. 410 An77
- * KRATOCHVIL, J., and FARSKY, O. Das absterben der diesjährigen terminalen lärchentriebe. [Dying of this season's terminal larch shoots]. Ztschr. f. Angew. Ent. 29(2): 177-218. July 1942. References. (Foreign film no. 90, Roll no. 447)

Taeniothrips laricivorus n. sp. and Taeniothrips laricivorus pallidicornis n. form are causal agents.

- MUMFORD, E. P. A new genus, Bedfordia, and other records of dragon-flies from the Marquesas Islands. Ann. and Mag. Nat. Hist. (ser.11) 9(59): 824-831, illus. Nov. 1942. References. 410 An77
- MUMFORD, E. P. Records of Corrodentia from the Marquesas Islands.
 Ann. and Mag. Nat. Hist. (ser.ll) 9(59): 831-838. Nov. 1942.
 References. 410. An77
- SALMON, J. T. A new species of Onychiurus to. novae-zealandiael (Collembola) from New Zealand. Roy. Soc. New Zeal. Trans. and Proc. 72(2): 158-159, illus. Sept. 1942. 514 W46
- SWEETMAN, H. L., and LAUDANI, HAMILTON. Rearing of the damsel fly, Ischnura verticalis Say, in the laboratory. Ent. Soc. Amer. Ann. 35(4): 387-388. Dec. 1942. Literature cited. 420 En82



UNITED STATES DEPARTMENT OF AGRICULTURE Library



Vol. 2

February 1943

No. 2

The Bibliography of Agriculture is issued monthly in six sections.

Section A, Agricultural Economics and Rural Sociology. Supersedes Agricultural Economics Literature.

Section B, Agricultural Engineering. Supersedes Current Literature in Agricultural Engineering.

Section C, Entomology. Supersedes Entomology Current Literature.

Section D, Plant Science. Supersedes Plant Science Literature.

Section E, Forestry. Continues Forestry Current Literature, which ceased publication with v. 7, no. 2, Mar.-Apr. 1940.

Section F, Food Processing and Distribution.

The edition of the Bibliography of Agriculture is so limited that we are unable to fill all of the requests which we receive for it. If you do not intend to file this publication permanently, please return it to the Department of Agriculture Library so that it may be made available to others.

Abbreviations used in this publication are those listed in U. S. Department of Agriculture Miscellaneous Publication 337, Abbreviations Used in the Department of Agriculture for Titles of Publications. April 1939.

Call numbers following the citations are those of the U. S. Department of Agriculture Library unless otherwise noted.

The Department can supply only its own publications; other items cited may ordinarily be obtained from their respective publishers. Many of them are available for consultation in public or other libraries.

Photoprint or microfilm copies of any publication listed may be obtained from the Library. Order blanks giving prices and method of payment will be sent on request.

BIBLIOGRAPHY OF AGRICULTURE

SECTION C ENTOMOLOGY*

Vol. 2 '

February 1943

No. 2

GENERAL

BARBOUR, THOMAS. Naturalist at large. Panama. Atlantic Monthly 171(2): 101-105. Feb. 1943. 110 At

An account is given of the Barro Colorado Island Laboratory.

BRIQUET, RAUL, JR. Bioluminescência. Ceres 3(17): 272-299, illus. Mar.-Apr. 1942. References. 9.2 C332 Partial contents: Aranhas, p. 292; Miriápodos, pp. 292-293; Insetos. pp. 293-295.

CARVALHO, M. B. de, and CARVALHO, R. F. de. Segunda contribuição para um catálogo dos insetos de Pernambuco. Pernambuco, Brazil (City). Inst. de Pesquisas Agron. Arq. 3: 13-24. 1941. 9.2 R24A

COLLINGE, W. E. Notes on the terrestrial Isopoda (woodlice). No. IV. Northwest. Nat. 17(3): 155-168. Sept. 1942. 410 N81

CURTIS, W. H. William Curtis, 1746-1799, fellow of the Linnean society, botanist and entomologist; with some notes on... Samuel Curtis. 142 pp., illus. Winchester [England] Warren and son, ltd., 1941. Bibliography, pp. 131-133. 120 0942

FRIEDERICHS, KARL. Zur ökologischen terminologie. Anz. f. Schälingsk. 18(9): 97-98. 1942. 421 An9

HARRIS, K. L. Some applications of insect separation methods to entomology. Wash. Ent. Soc. Proc. 45(1): 19-25, illus. Jan. 1943. 420 W27

Methods of separating insects from media, such as soil, manure,

etc., are discussed.

HULLS, L. G. Entomological gems. Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 77-80. Sept. 15, 1942. 420 L84Pa

Engravings of insects on hard or precious stones. HULLS, L. G. Entomology in ultra-violet light. Entomologist 75(955):

250-254. Dec. 1942. References. 421 En8 "Experiments on the nature of the effect of U. V. L. on insects, particularly in relation to larval growth."

JANISCH, ERNST. Der massenwechsel der insekten als biologisches problem. Anz. f. Schädlingsk. 18(2): 13-15, illus. 1942. 421 An9

KNOWLTON, G. F., FRONK, W. D., and MADDOCK, D. R. Seasonal insect food of the brown-shouldered Uta (lizard). Jour. Econ. Ent. 35(6): 942. Dec. 1942. 421 J822

Scientific note.

Items marked with an asterisk (*) can be supplied only in microfilm or photostat.

- LIEBMANN, EMIL. A method for the study of invertebrate blood in vitro. Science 97(2510): 146, illus. Feb. 5, 1943. 470 Sci2
- LIGHT, S. F. The determination of the castes of social insects. (To be cont.) Quart. Rev. Biol. 17(4): 312-326, illus. Dec. 1942. 442.8 Q2
- LLOYD, F. E. The carnivorous plants. 352 pp., illus. Waltham, Mass., Chronica botanica co., 1942. Literature cited at end of most chapters. 463.86 L77

Includes material on the insect prey and on insect inhabitants. McCLURE, H. E. Further notes on aero-plankton of Kentucky. (To be

cont.) Ent. News 54(1): 5-11. Jan. 1943. 421 En88

MARTINI, E. Zur frage der kleingattungen. Anz. f. Schädlingsk. 18(1): 1-4. 1942. 421 An9 Discusses the tendency of some systematists to split insect

groups too fine. SMITH, R. C. Guide to the literature of the zoological sciences. 128 pp., processed. Minneapolis, Minn., Burgess pub. co., 1942. 241.73 Sm6

STELLWAAG, FRIEDRICH. Temperatursinn und vorzugstemperatur von insekten im experiment und freiland. Anz. f. Schädlingsk. 18(5):

58-59, illus: 1942. 421 An9
STROGAMOV, S. U. Insectivore mammals of the fauna of the USSR. Acad. des Sci. U. R. S. S. Compt. Rend. (Dok.) (n.s.) 33(3): 270-272. 1941. References. 511 P44

GENERAL - ECONOMIC

- ALSINA, MARIA. La represion de sabandijas en el hogar. Puerto Rico Univ. Col. Agr. Cir. de Ext. 27, 16 pp., illus. Rio Piedras, Aug. 1942. 275.29 P96Ci
 - Deals with the control of household insects.
- ANDERSEN, K. T. Ckologie und schädlinge. Anz. f. Schädlingsk. 18(4): 40-43. 1942. References. 421 An9
- ANNAND. P. N. Some phases of the war-time activities of the Bureau of entomology and plant quarantine. Amer. Assoc. Nurserymen Proc. 67: 125-130. 1942. 81 Am3P
- ARANT, F. S. Relative effectiveness of several rotenone-containing insecticides against various insects. Jour. Econ. Ent. 35(6): 873-878. Dec. 1942. Literature cited. 421 J822
- BALDUF, W. V. New food records of entomophagous insects (Hym., Dip., Col., Orth., Hemip.). Ent. News 54(1): 12-15. Jan. 1943. References. 421 En88
- BERTRAND, E. F. Container situation. Glass bottles, closures, and paper packaging needs for insecticides and disinfectants discussed. Soap 19(1): 111, 113. Jan. 1943. 307.8 Sol2
- BHATNAGAR, S. C. Control of insects infecting stored grain and other products. Allahabad Farmer 16(3): 144-154. May 1942. References.
- CANADA. MINISTER OF AGRICULTURE. Report...for the year ended March 31, 1942. 162 pp. Ottawa, 1942. 7 Cl6R Partial contents: Division of entomology, pp. 46-50; Plant protection division, pp. 61-65.

- CHILE. MINISTERIO DE AGRICULTURA. DEPARTAMENTO DE SANIDAD VEGETAL.

 SECCION ZOOLOGIA AGRICOLA. Principales plagas agricolas producidas por insectos y otros animales que fueron abjeto de consulta en el segundo semestre (julio-diciembre) de 1941. [Chile] Min. de Agr. Dept. de Sanid. Veg. Bol. de Sanid. Veg. 1(2): 57-62. July-Dec. 1941. 464.9 C432B
- CLARK, E. P. The occurrence of rotenone and related substances in the seeds of the berebera tree [Millettia ferruginea]. A procedure for the separation of deguelin and tephrosin. Amer. Chem. Soc. Jour. 65(1): 27-29. Jan. 1943. 381 Am33J
- CLAUSEN, C. P. Insect commandos. By air mail and air express small numbers of beneficial insects today speed on their missions of crop protection. U. S. Off. Foreign Agr. Relat. Agr. in the Americas 3(2): 23-25, illus. Feb. 1943. 1 F752A

The biological control of insects is discussed. A general account is followed by a brief historical summary of accomplishments and statements on the limitations and possibilities of this type of control.

- COSTA, R. G. Pragas das plantas cultivadas do Rio Grande do Sul. (Cont.) Rev. Agron. [Porto Alegre] 6(70,71): 567-569, 597-600, illus. Oct., Nov. 1942. 9.2 R325
- COX, A. J. U. S. insecticide color law needed. Soap 19(1): 117.

 Jan. 1943. 307.8 Sol2

Coloration of poisonous materials would prevent tragedies like the Oregon asylum case.

- CREIGHTON, J. T. The pests of palms in Florida. Arborist's News 8(1): 1-6. Jan. 1943. 99.8 Arl4

 Control measures suggested are mainly aliphatic thiocyanate combinations.
- CROMBIE, A. C. The effect of crowding upon the oviposition of grain-infesting insects. Jour. Expt. Biol. 19(3): 311-340, illus. Dec. 1942. References. 442.8 B77

Experiments with Rhizopertha dominica and other stored product pests.

DONOHOE, H. C., and GADDIS, C. H. Methyl bromide fumigation of refrigerator trucks. Jour. Econ. Ent. 35(6): 947. Dec. 1942. 421 J822

Scientific note.

- DUDLEY, H. C., and NEAL, P. A. Methyl bromide as a fumigant for foods. Food Res. 7(6): 421-429, illus. Nov.-Dec. 1942. References. 389.8 F7322
- DUNNAHOO, G. L. Insect control on aircraft. Soap 19(2): 111, 113. Feb. 1943. 307.8 Sol2
- EDWARDS, K. B. Evaluation of derris root. Soc. Chem. Indus. Jour. 61(12): 192-194. Dec. 1942. 382 M31
- EICHLER, WOLFDIETRICH. Untersuchungen zur epidemiologie der aussenparasiten. IV. Nest, witterung und parasitenbefall bei schwalben und einigen anderen wirten. Anz. f. Schädlingsk. 18(1): 4-10. 1942. 421 An9
- FARRAR, M. D., and REED, R. H. Insect survival in drying grain. Jour. Econ. Ent. 35(6): 923-928, illus. Dec. 1942. 421 J822

FAUST, E. C. American tropical medicine at the cross-roads. Pan Amer. Union. Bol. de la Ofic. Sanit. 21(12): 1247-1251. Dec. 1942. 150.9 B872

Spanish version: La medicina tropical llega a la encrucijada en

las Américas, pp. 1201-1206.

Eradication of mosquitoes and other bloodsucking insect vectors is stated to be necessary for the control of tropical diseases.

"Where the insects themselves cannot be eliminated, ways can and must be found to protect human beings from their bites."

FREAK, G. A. Insecticides. Part II. Soc. Chem. Indus. Jour. Chem. and Indus. 61(52): 526-529. Dec. 26, 1942. 382 M31C

Based on a paper read at a joint meeting of the London Section and the Food Group of the Society on January 5, 1942.

GILLAM, A. E., and WEST, T. F. Absorption spectra and the structures of pyrethrins I and II. [London] Chem. Soc. Jour. Nov. 1942: 671-

676. 382 L84J
GOMEZ MENOR O., J. Las plagas en la agricultura. (Cont.) Rev. de
Agr. [Dominican Repub.] 32(139): 283-289; 33(141): 64-70, illus.
Nov.-Dec. 1941. Mar.-Apr. 1942. 8 R323

GRIFFIN, E. L. The insecticide law. Enforcement of the Insecticide act of 1910 under war-time conditions outlined. Soap 19(1): 109. Jan. 1943. 307.8 Sol2

GUNTHER, F. A., and TURRELL, F. M. A preliminary report of a critical examination of the roots of Derris elliptica. Jour. Econ. Ent. 35(6): 941. Dec. 1942. Literature cited. 421 J822

Scientific note.

The authors conclude that more work should be done on the saponin

materials present in Derris spp.

HAMERSMA, P. J., STOFBERG, F. J., and NAUDE, C. P. The fluorine and arsenic content of cabbage after dusting with insecticides: cryolite, arsenate of lead and calcium arsenate. So. Africa. Dept. Agr. and Forestry. Sci. Bul. 13 (Ent. Ser. no. 10), 21 pp. Pretoria, 1942. Literature cited. 24 So84S

HAMILTON, C. C. The insecticide situation and its effects on shade tree operations. (To be cont.) Shade Tree 15(8): 2-3; (9): 2-3;

(10): 2-3. Aug., Sept., Oct. 1942. 99.8 Shl

HARTZELL, F. Z. Reduced spray concentrations for aphid and bud moth canuraphis roseus and Spilonota ocellana. Experiments throw light on steps growers may have to take to meet war-time shortages.

Farm Res. [N. Y. State Sta., 9(1): 11, 15. Jan. 1943. 100 N48A

HAYHURST, H. Insect pests in stored products. Ed. 2, 108 pp., illus. London, Chapman & Hall, 1td., 1942. Bibliography. 423 H32

A list of substances and their pests is given on pp. 59-83.

HOUGH, W. S. Adjusting apple sprays to meet existing conditions.

Va. State Hort. Soc. Proc. (1942) 47: 104-106. Jan. 1943. 81 V813

In Va. Fruit, v. 31, no. 1.

HOUGH, W. S. Orchard sanitation for better production to meet war needs. Amer. Fruit Grower 63(1): 17, 24. Jan. 1943. 80 G85

HURT, R. H. Cryolite as a lead arsenate substitute. Va. State Hort. Soc. Proc. (1942) 47: 47-50. Jan. 1943. 81 V81B
In Va. Fruit, v. 31, no. 1.

- INGRAM, J. W. Measures available for the control of sugarcane insect pests in the effort to increase wartime sugar production. Sugar Bul. 21(9): 68-70. Feb. 1, 1943. Literature cited. 65.9 Am32
- JANJUA, N. A., and SAMUEL, C. K. Fruit pests of Baluchistan.
 [India] Imp. Council Agr. Res. Misc. Bul. 42, 41 pp., illus.
 Delhi, 1941. References. 22 Im7M
- Delhi, 1941. References. 22 Im7M

 JONES, T. H., and MOSES, C. S. Isolation of Ceratostomella ulmi from insects attracted to felled elm trees. Jour. Agr. Res. 66(2): 77-85, illus. Jan. 15, 1943. 1 Ag84J
- KENAGA, E. E., and FLETCHER, F. W. Effects of high temperature on several household and storage grain pests. Jour. Econ. Ent. 35(6): 944. Dec. 1942. 421 J822
 Scientific note.
- LEVER, R. J. A. W. Pests of the vegetable garden and their control. Fiji. Dept. Agr. Agr. Jour. 13(4): 109-115. Dec. 1942. 25 F47Ag
- LOWENSTEIN, OTTO. A method of physiological assay of pyrethrum extracts. Nature London, 150(3817): 760-762, illus. Dec. 26, 1942. 472 N21
- MacLEOD, G. F., and SMITH, L. M. Deposits of insecticidal dusts and diluents on charged plates. Jour. Agr. Res. 66(2): 87-95, illus. Jan. 15, 1943. 1 Ag84J
- MARCOVITCH, S., and STANLEY, W. W. Fluorine compounds useful in the control of insects. Tenn. Agr. Expt. Sta. Bul. 182, 46 pp., illus. Knoxville, Dec. 1942. Literature cited. 100 T25S

 Insecticidal uses of sodium fluoride, sodium fluosilicate, barium
 - fluosilicate and cryolite are given in detail. The effect of the compounds on man and the question of spray residues are also discussed.
- MARSHALL, J. The term "inverted spray mixture." Jour. Econ. Ent. 35(3): 948-949. Dec. 1942. Literature cited. 421 J822
- MASSEE, A. M. A means of preventing outbreaks of certain pests in experimental greenhouses. East Malling [Kent] Res. Sta. Ann. Rpt. (1941) 29: 51. London, Aug. 1942. 103 Ea?

 Derris powder and scap added to water used for "damping down" the plants proved a control for red spider and aphids.
- MASSEE, A. M. Notes on some interesting insects observed in 1941.

 East Malling [Kent] Res. Sta. Ann. Rpt. (1941) 29: 47-51. London,

 Aug. 1942. 103 Ea7
- MEXICO. LAWS, STATUTES, ETC. Reglamento para la inspección, certificación y venta de parasiticidas, herbicidas y maquinaria para su aplicación, que se emplean en la prevención y combate de las enfermedades y plagas agrícolas. Fitófilo [San Jacinto, Mexico, D. F., 1(5): 41-48, processed. Nov. 1942. 421 F55
- MOORE, M. H., and STEER, W. The East Malling spray calendar, 1942 edition. East Malling [Kent] Res. Sta. Ann. Rpt. (1941) 29: 68, and folder attached to back cover, opp. p. 70. London, Aug. 1942. 103 Ea7
- MORRISON, A. W. Insecticide marketing problems. Soap 19(1): 105, 107. Jan. 1943. 307.8 Sol2
- MUÑOZ, J. E. Algunos datos sobre barbascos ecuatorianos. Ecuador. Cám. de Agr. de la Primera Zona, Quito. Rev. 5(37-38): 406-410. Sept.-Oct. 1942. 9.5 Ec96

NEW YORK STATE AGRICULTURAL EXPERIMENT STATION. Current contributions on insect control: II. N. Y. State Agr. Expt. Sta. Bul. 703, 64 pp., illus. Geneva, Jan. 1943. 100 N48

Contents: The control of the common red spider FTetranychus bimaculatus, on lima beans, by H. C. Huckett, pp. 5-7; Observations on the economic importance and control of the European chafer Amphimallon majalis, by F. L. Gambrell, pp. 8-13; Rotenone for apple maggot control, by R. W. Dean, pp. 13-14; Experiments with milky disease for the control of the Japanese beetle Popillia japonica in New York, by E. H. Wheeler, pp. 14-17; An improvement in the nonresidue apple spray schedule for Carpocapsa pomonella, by S. W. Harman, pp. 17-18; Substitutes for mercury salts in cabbage maggot Hylemya brassicae, control, by Hugh Glasgow, pp. 18-20; A new apple leafroller [Pseudexentera mali], by P. J. Chapman and D. E. Greenwood, pp. 20-22; Tests of modified mixtures for the control of bud moth; Spilonota ocellana, on apple, by F. Z. Hartzell, pp. 23-26; New phases of rosy apple aphid Anuraphis roseus; control, by F. Z. Hartzell, pp. 26-30; Summer cil-nicotine sprays for oriental fruit moth rGrapholitha molesta, control on quinces, by S. C. Mendall and A. W. Avens, op. 30-33; An alternative insecticide Black Leaf 1557 for European corn borer Pyrausta nubilalis, control, by L. A. Carruth, pp. 33-36; Spreaders for codling moth Carpocapsa pomonella, sprays on apple, by S. W. Harman, pp. 36-38; A study of rotenonebearing dusts for cabbage insect control, by G. E. R. Hervey, pp. 39-44; Diluents and supplements for lead arsenate dusts for cabbage worm control, by G. E. R. Hervey and G. W. Pearce, pp. 44-46; Experiments with dinitro insecticides and oil sprays for the control of pear psylla rPsylla pyricola, by F. G. Mundinger, pp. 46-48; A shortened, intensive summer spray program for apples in eastern New York: second report, by J. L. Brann, Jr., and D. W. Hamilton, pp. 48-51; Tank-mixed oil sprays for European red mite Paratetranychus pilosus, control, by R. W. Dean, pp. 51-55; Studies of spray supplements for grape berry moth Polychrosis viteana, control, by E. F. Taschenberg, pp. 55-57; Influence of temperature and rainfall on the performance of oil sprays, by P. J. Chapman, G. W. Pearce, and A. W. Avens, pp. 57-59; Notes on the cherry leafminer [Profenusa canadensis], by D. W. Hamilton, pp. 59-61; Insecticides for peachtree borer [Sanninoidea exitiosa] control, by E. H. Wheeler, pp. 62-63; The effect of summer sprays on San Jose scale Aspidiotus perniciosus, control on apple, by S. W. Harman, pp. 63-64.

OLDHAM, J. N. The insect transmission of anaplasmosis. Vet. Rec. 51(54): 533-534. Dec. 19, 1942. References. 41.8 V641

PEPPER, B. B. Controlling insects in the home vegetable garden. N. J. Agr. Expt. Sta. Cir. 445, 17 pp. New Brunswick, Oct. 1942. 100 N46S

PICKETT, A. D., and PATTERSON, N. A. Experiments with insecticides in 1941. Nova Scotia Fruit Growers' Assoc. Ann. Rpt. 78: 21-23, 25. Dec. 1941. 82 N85

Experiments with dormant sprays for orchard insects.

PICKLES, ALAN. The major pests of food crops and their control. Agr. Soc. Trinidad and Tobago, Proc. 42(3): 187, 189, 191, 193, 195, 197, 199, 201, 203. Sept. 1942. 8 T73

PLAGAS y enfermedades de algunos cultivos. (Cont.) Fitófilo San Jacinto, Mexico, D. F., 1(5): 38-40, processed. Nov. 1942. 421 F55

- PYRETHRUM outlook clouded by acute rotenone shortage. Soap 19(2): 115. Feb. 1943. 307.8 Sol2
 - Agricultural use of pyrethrum to replace rotenone and increased use of pyrethrum for armed forces will compel manufacturers of household insect sprays to rely wholly on synthetics where available.
- REINMUTH, E. Fruchtfolge und mischkultur als mittel zur schädlingsbekämpfung. Crop rotation and mixed planting as means of insect control. Anz. f. Schädlingsk. 18(5): 49-53. 1942. References. 421 An9
- ROARK, R. C. New potential insecticides. Soap 19(1): 95-96. Jan. 1943. References. 307.8 Sol2
 - Discusses substitutes and adjuvants for household insecticides, especially pyrethrum. Special reference is made to substitution of sodium fluosilicate for sodium fluoride.
- ROARK, R. C. A review of the insecticidal uses of rotenone and rotenoids from Derris, Lonchocarpus (cube and timbo), Tephrosia, and related plants. Part II: Thysanoptera. U. S. Bur. Ent. and Plant Quar. E-581, 35 pp., processed. Washington, D. C., Dec. 1942.
 1.9 En83
- RUTH, W. A. Clean apple production for 1943. The lead tolerance and washing programs. Amer. Fruit Grower 63(1): 9, 22, 37, illus.

 Jan. 1943. 80 G85
- SLAWTER, PAUL. N_cational_j A_cssociation_j of I_cnsecticide_j and D_cisinfectant_j M_canufacturers_j analyzes shortages arising from war program. Chem. Indus. 51(7, pt. 1): 882-884. Dec. 1942. 381 C426
- SMEE, COLIN. Pyrethrum. Nyasaland Agr. Quart. Jour. 2(4): 16-20. Oct. 1942. References. 24 N983
 - Discusses the pyrethrin content of pyrethrum grown in different countries, and the effect of methods of harvesting and drying.
- SMITH, H. S., and DeBACH, PAUL. The measurement of the effect of entomophagous insects on population densities of their hosts. Jour. Econ. Ent. 35(6): 845-849, illus. Dec. 1942. 421 J822
- THOMSSEN, E. G., and DONER, M. H. Insect control in food production. (To be cont.) Soap 19(2): 94-97. Feb. 1943. 307.8 Sol2
- U. S. DEPT. OF AGRICULTURE. Substitutes for scarce materials. U. S. Dept. Agr. AWI-15, 16 pp. Washington, D. C., Nov. 1942. 1 Ag84Aw Control of insects affecting plants, animals, and man, pp. 5-16.
- U. S. DEPT. OF AGRICULTURE. EXTENSION SERVICE. Information on cotton insect control. 10 pp., processed. [Washington, D. C., 1942] 1.913 E3In3
- WATERSTON, J. M. Controlling diseases and pests of summer crops.

 Bermuda. Dept. Agr. Agr. Bul. 21(4): 28-31. June 1942. 8 B45A
- WEISS, H. B. Entomological offensive due on all fronts in 1943. Jour. Econ. Ent. 35(6): 950-951. Dec. 1942. 421 J822 Editorial.
- WINTERINGHAM, F. P. W. Determination of fumigants. XI. Determination of chlorohydrocarbons in air by reaction in monoethanolamine. XII. Determination of ethylene dichloride and dichloroethylene. Analysis of mixtures. XIII. Determination of chlorohydrocarbons by thermal decomposition. Soc. Chem. Indus. Jour. 61(12): 186-192, illus. Dec. 1942. 382 M31

APICULTURE

BERTHOLF, L. M. Effect of certain biological factors on the longevity of caged bees [Apis mellifera]. Jour. Econ. Ent. 35(6): 887-891, illus. Dec. 1942. Literature cited. 421 J822

BESSONET, E. C. The drone in relation to bee breeding. Gleanings
Bee Cult. 71(2): 74-75, 119. Feb. 1943. 424.8 G47

BUTLER, C. G. The honeybee. Nature [London] 150(3817): 759-760.

Dec. 26, 1942. 472 N21

BUTLER, C. G. The honeybee and the fruit-grower. Fruit Grower, Fruiterer, Florist & Market Gard. 94(2454): 465-466; 95(2458): 48, 54. Dec. 24, 1942, Jan. 21, 1943. 80 F941

MOHRMAN, CLAUDE. Equipment for the small bottler. Amer. Bee Jour. 83(2): 58-60, illus. Feb. 1943. 424.8 Am3

PEARSON, P. B. Pantothenic acid content of pollen. Soc. Expt. Biol. and Med. Proc. 51(2): 291-292. Nov. 1942. Bibliographical footnotes. 442.9 Sol

PELLETT, F. C. Lespedezas in the test garden. Amer. Bee Jour. 83(2): 64-66, illus. Feb. 1943. 424.8 Am3

"So far 20 species have been planted in the American Bee Journal honey plant test garden at Atlantic, Iowa."

REY, MARCELLIN. La picadura de las abejas. Campo y Arados 6(69): 37.
Nov. 1942. 9.9 C152

Deals with the structure of the bee sting and also remedies for the wound.

RUDIN, JUAN. La abeja como agente polinizador de los arboles frutales. Costa Rica. Inst. de Defensa del Cafe. Rev. 12(96): 490-491. Oct. 1942. 68.28 082

SCULLEN, H. A., and VANSELL, G. A. Nectar and pollen plants of Oregon. Oreg. Agr. Expt. Sta. Sta. Bul. 412, 63 pp., illus. Corvallis, Oct. 1942. 100 Or3

TOWNSEND, G. F. Recent investigations on royal jelly. Canad. Bee Jour. 50(9): 205-207. Sept. 1942. 424.8 C16

Also in Gleanings Bee Cult. 71(2): 68-69. Feb. 1943. 424.8 G47
WOODROW, A. W. Susceptibility of honeybee [Apis mellifera] larvae to
individual inoculations with spores of Bacillus larvae. Jour. Econ.
Ent. 35(6): 892-895. Dec. 1942. Literature cited. 421 J822

ARACHNIDA, MYRIAPODA; PHALANGIDA AND PROTURA

BRANCH, J. H. Notes on California spiders. 1. On the culture of the spider Teutana grossa Koch. 2. A spider which amputates one of its palpi [Tidarren fordum]. South. Calif. Acad. Sci. Bul. 41(3): 138-140, illus. Sept.-Dec. 1942. 500 So8

BRYANT, E. B. Descriptions of certain North American Phidippus (Araneae). Amer. Midland Nat. 28(3): 693-705, illus. Nov. 1942. References. 410 M58

Phidippus dorsalis n. sp.

CHAMBERLIN, R. V. A new Polydesmus [P. hubrichti] from Missouri and Oklahoma (Diplopoda). Ent. News 54(1): 15-16, illus. Jan. 1943.
421 En88

COOPER, E. L. Relapsing fever in Tobruk. Med. Jour. Austral. 1(23): 635-637. June 6, 1942.

Ticks as vectors.

Abstract in Bul. War Med. 3(5): 284. Jan. 1943. 448.8 B872

EVANS, J. W. Orchard and garden mites and their control. Tasmanian Jour. Agr. 13(4): 140-142, illus. Nov. 1, 1942. 23 T182T

GAY, F. J., and GREAVES, T. The control of Pediculoides ventricosus (Newport) in insect cultures. Austral. Council Sci. & Indus. Res. Jour. 15(4): 315-317. Nov. 1942. References. 514 Au72J

A 2-percent solution of dinitro-ortho-cyclohexylphenol in oil was used against the mite in stock cultures of insects.

GRAHAM, L. S., and WACKERBARTH, MARJORIE. Spiders go to war. Frontiers 7(3): 86-88. Feb. 1943. #410 F92

Spider silk and its use in precision instruments such as range finders, telescopes and bomb sights.

HOWELL, D. E., STILES, G. W., and MOE, L. H. The fowl tick (Argas persicus), a new vector of anaplasmosis. Amer. Jour. Vet. Res. 4(10): 73-75. Jan. 1943. 41.8 Am3A

JOHNSON, C. G., and MELLANBY, KENNETH. The parasitology of human scabies. Parasitology 34(3-4): 285-290, illus. Nov. 1942. References. 448.8 P21

A study was made of 886 men suffering from scabies and an analysis made of the numbers and location of adult female Sarcoptes scabiei. It was found that cases showing severe clinical symptoms could have few parasites while cases with few symptoms could have large mite populations.

JOYCE, C. R., and EDDY, G. W. Host and seasonal notes on the rabbit tick, Haemaphysalis leporis-palustris. Iowa State Col. Jour. Sci. 17(2): 205-212, illus. Jan. 1943. References cited. 470 Io9

First record from Iowa of the tick parasite, Ixodiphagus texanus. KAUFMANN, WILLIAM. Auricular scabies (psoroptic otacariasis) of the rabbit. Amer. Jour. Clin. Path. 12(12): 601-605, illus. Dec. 1942. References. 448.8 Am34

Lesions produced by the mite, Psoroptes communis, var. cuniculi.

MARTIN, H. M., and DEUBLER, M. J. Acariasis (Pneumonyssus sp.) of the upper respiratory tract of the dog. Pa. Univ. School Vet. Med., Vet. Ext. Quart. 89 (Pa. Univ. Bul., v. 43, no. 9): 21-27, illus.

Jan. 18, 1943. References. 41.9 P386

Probably Pneumonyssus caninum.

MAZZOTTI, LUIS. Estudio sobre la transmision de Spìrochaeta venezuelensis. [Mex.] Inst. Salubridad y Enferm. Trop. Rev. 3(4): 297-301. Dec. 1942. References. 449.9 M572 Brief English summary, p. 301.

Spirochaeta venezuelensis is transmitted by Ornithodoros talaje. NICKELS, C. B. Two economic species of mites reliciophyes caryae and Paratetranychus viridis, on pecan. Jour. Econ. Ent. 35(6): 948, illus. Dec. 1942. 421 J822

Scientific note.

PARKER, R. R. Ornithodoros ticks as a medium for the transportation of disease agents. U. S. Pub. Health Serv. Rpts. 57(52): 1963-1966. Dec. 25, 1942. References. 151.65 P96

PIROSKY, I., SAMPAYO, R., and FRANCESCHI, C. Suero anti Latrodectus.
I. Obtencion y purificacion. [Argentina] Dept. Nac. de Hig., Inst.
Bact. Rev. 11(1): 83-93, illus. Sept. 1942. References. 448.3 Ar3

RADFORD, C. D. New parasitic mites (Acarina). Parasitology 34(3-4): 295-307, illus. Nov. 1942. References. 448.8 P21

ROBINSON, G. G. Fertility in the argasid tick, Ornithodorus moubata, Murray. Parasitology 34(3-4): 308-314. Nov. 1942. References. 448.8 P21

ABBOTT, C. E. The circling of Gyrinus (Coleoptera: Gyrinidae).

Ent. News 53(10): 271-273. Dec. 1942. 421 En88

ARROW, G. J. The beetle family Rhysodidae, with some new species and a key to those at present known. Roy. Ent. Soc., London, Proc. Ser. B: Taxonomy 11(12): 171-183. Dec. 28, 1942. 420 L84Pb

ARROW, G. J. The origin of stridulation in beetles. Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 83-86. Sept. 15, 1942.

BALFOUR-BROWNE, J. The aquatic Coleoptera (including Hydrophilidae, Sphaeridiinae) of North Wales. Ent. Monthly Mag. 78(943): 273-280. Dec. 1942. Bibliography. 421 En86

BARBER, H. S. Some synonymy in Dermestes (Coleoptera). Brooklyn Ent. Soc. Bul. 37(5): 174-176. Dec. 1942. 420 B79

BESS, H. A. Sawyers Monochamus scutellatus; riddle fire-killed pine and spruce. Jour. Forestry 41(1): 69, illus. Jan. 1943. 99.8 F768

BLUNCK, H., and NEU, W. Fortschritte der maikäferbekämpfung. Anz. f. Schädlingsk. 18(4): 37-40. 1942. References. 421 An9

BONDAR, GREGÓRIO. Notas entomológicas da Baia. IX. Rev. de Ent. 13 (1-2): 1-39, illus. Aug. 14, 1942. References. 421 R326 Cryptorrhynchus; Barinae; Himatidium florianoi, n. sp. on palm trees.

COCKERMAN, K. L. El tetuan; el gorgojo del boniato (en Cuba, "tetun") y manera de controlarlo Cylas formicarius. Agronomia Mavana, 2(12): 482-485: Dec. 1942. 8 C893

Translator: Rafael Gutiérrez Marín.

DORSEY, C. K. The musculature of the labrum, labium, and pharyngeal region of adult and immature Coleoptera. Smithsn. Inst. Misc. Collect. 103(7): 1-42, illus. Jan. 20, 1943. Literature consulted. 500 Sm6M

EMDEN, F. I. van. Larvae of British beetles. III. Keys to the families. (Concl.) Ent. Monthly Mag. 78(943): 265-272. Dec. 1942. 421 En86

FURNISS, R. L. Biology of Cylindrocopturus furnissi Buchanan on Douglas-fir. Jour. Econ. Ent. 35(6): 853-859, illus. Dec. 1942. Literature cited. 421 J822

HERFS, ADOLF. Kleine beiträge zur ökologie von Bruchidius (Acanthoscelides) obtectus Say. Anz. f. Schädlingsk. 18(6): 61-66, illus. 1942. References. 421 An9

HICKIN, N. E. The food and water requirements of Ptinus tectus
Boieldieu (Coleopt., Ptinidae). Roy. Ent. Soc., London, Proc. Ser.
A: Gen. Ent. 17(10-12): 99-108. Dec. 28, 1942. References.
420 L84Pa

HILL, R. E., and TATE, H. D. Life history and habits of the potato flea beetle [Epitrix cucumeris] in western Nebraska. Jour. Econ. Ent. 35(6): 879-884, illus. Dec. 1942. Literature cited. 421 J822

JAHN, T. L., and WULFF, V. J. Electrical aspects of a diurnal rhythm in the eye of Dytiscus fasciventris. Physiol. Zool. 16(1): 101-109, illus. Jan. 1943. Literature cited. 410 P56

JANES, M. J. Cube and nicotine in the control of Phyllotreta vittata discedens Weise. Jour. Econ. Ent. 35(6): 939-940. Dec. 1942. 421 J822

State of the same

Scientific note,

KAUFMANN, O. Die bekämpfung des rübenaaskäfers (Blithophaga opaca L.) mit derris. Anz. f. Schädlingsk. 18(5): 53-56. 1942. 421 An9

KRALL, JACK, and JONES, D. T. Morphology of the digestive tract of Cynaeus angustus Le C., a tenebrionid. Iowa State Col. Jour. Sci. 17(2): 221-225, illus. Jan. 1943. References cited. 470 Io9

LANE, FREDERICO. Sôbre o gênero Poekilosoma Serville, 1832, com a descrição de uma nova espécie P. carinatipenne, (Col. Prionidae.) Pernambuco, Brazil (City). Inst. de Pesquisas Agron. Arq. 3: 149-156, illus. 1941. References. 9.2 R24A

LINSLEY, E. G. Notes on the habits of some beetles from the vicinity of Yosemite national park. South. Calif. Acad. Sci. Bul. 41(3): 164-166, illus. Sept.-Dec. 1942. Bibliographical footnotes.

500 So8

LIVINGSTONE, E. M., and SWANK, G. R. Fumigation of small land areas for control of white-fringed beetles Pantomorus leucoloma and P. peregrinus. Jour. Econ. Ent. 35(6): 919-922, illus. Dec. 1942. 421 J822

MARSHALL, G. A. K. A key to the species of Cyphicerinus Marshall.

Roy. Ent. Soc., London, Proc. Ser. B: Taxonomy 11(8): 124-126. Aug.

15. 1942. 420 L84Pb

MARSHALL, G. A. K. On the genus Crinorrhinus Marshall (Col., Curc.).
Roy. Ent. Soc., London, Proc. Ser. B. Taxonomy 11(10): 143-147.
Oct. 15, 1942. 420 184Pb

REINMUTH, E. Die bekämpfung des rübenaaskäfers in Mecklenburg (Blitophaga opaca] in Mecklenburg in jahre 1941. Anz. f. Schädlingsk.

18(9): 100-102. 1942. 421 An9

REYNOLDS, J. M. Effect of parental feeding on the rate of development and mortality of Tribolium destructor Uyttenboorgaart (Coleoptera, Tenebrionidae). Nature [London] 151(3819): 55. Jan. 9, 1943.
472 N21

SAYLOR, L. W. Ten new Phyllophaga beetles from Panama and South America. Rev. de Ent. 13(1-2): 154-166. Aug. 14, 1942. 421 R326

SCHAERFFENBERG, BRUNO. Massenauftreten einer wenig bekannten drahtwurmart (Corymbites pectinicornis L.). Anz. f. Schädlingsk. 18(1): 10-11. 1942. 421 An9

SCHOOF, H. F. The genus Conotrachelus Dejean (Coleoptera, Curculionidae) in the north central United States. Ill. Biol. Monog. 19(3): 1-170, illus. Urbana, 1942. (Ill. Univ. Ent. Lab. Contrib. 223) Literature cited. 442.9 Il6B

SPILLER, D. A giant weevil, Phaeophanus turbotti n. sp., from the Poor Knights Islands. Auckland Inst. and Mus. Rec. 2(6): 265-267. Sept.

29, 1942. 514 Au22R

STONE, M. W. Dichloroethyl ether for control of the sugar-beet wireworm [Limonium californicus]. Jour. Econ. Ent. 35(6): 860-866. Dec. 1942. Literature cited. 421 J822

STRUBLE, G. R. Laboratory propagation of two predators remnochila virescens and Enoclerus sphegeus; of the mountain pine beetle rependroctorus monticolae; Jour. Econ. Ent. 35(6): 841-844, illus. Dec. 1942, Literature cited. 421 J822

THIEM, H. Über weitere erfahrungen zur chemischen bekämpfung der maikäfer. Anz. f. Schädlingsk. 18(2): 16-19. 1942. 421 An9

DIPTERA

ALEXANDER, C. P. Records and descriptions of Brazilian Tipulidae (Dipt.). Part VII. Rev. de Ent. 13(1-2): 166-182, illus. Aug. 14, 1942. 421 R326

BEQUAERT, J. The pigeon-fly, Pseudolynchia canariensis (Macquart), in New England and New York (Hippoboscidae, Diptera). Brooklyn Ent. Soc. Bul. 37(5): 185-186. Dec. 1942. 420 B79

BRICEÑO-IRAGORRY, L. Notas sobre Simulium clarki Fairchild 1940 (nueva especie para Venezuela). Clin. "Luis Razetti" Lab. Bol. 2(9): 161. Dec. 1942. 448.9 C61

EUSHLAND, R. C., and KING, W. V. Laboratory tests with organic compounds as larvicides for Culex quinquefasciatus Say. U. S. Bur. Ent. and Plant Quar. E-585, 15 pp., processed. Washington, D. C., Jan. 1943. 1.9 En83

BUSTAMANTE, M. E., KUMM, H. W., and HERRERA, J. R. Ausencia de fiebre amarilla en el Valle del Usumacinta (Guatemala y Mexico, 1942).

[Mex.] Inst. Salubridad y Enferm. Trop. Rev. 3(4): 255-271, illus.

Dec. 1942. References. 449.9 M572

Mosquitoes of the region were collected and studied with a view to their relation to the epidemiology of yellow fever.

CHORLEY, T. W., and HOPKINS, G. H. E. Activity of Glossina pallidipes at night (Diptera). Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 93-97. Sept. 15, 1942. 420 L84Pa

EHRENSTEIN, MAXIMILIAN. Modern antimalarials. Amer. Jour. Pharm. 114(12): 456-482, illus. Dec. 1942. Bibliography. 396.8 Am3
Includes a discussion of the role of mosquitoes in the development and transmission of malaria parasites.

EPHRUSSI, BORIS. Chemistry of "eye color hormones" of Drosophila. Quart. Rev. Biol. 17(4): 327-338, illus. Dec. 1942. List of literature. 442.8 Q2

ESCHERICH, K. Fliegenlarven als zerstörer von nadelholzsamen. Dipterous larvae as destroyers of conifer seed. Anz. f. Schädlingsk. 18(9): 98-100, illus. 1942. References. 421 An9

FAIRCHILD, G. B., and BRICENO-IRAGORRY, L. Nota sobre Simulium lutzianus (descripción del adulto). Clin. "Luis Razetti" Lab. Bol. 2(9): 158-159. Dec. 1942: 448.9 C61

HADDOW, A. J. A note on the predatory larva of the mosquito Culex (Lutzia) tigripes Grandpré & Charmoy (Diptera). Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 73-74. Sept. 15, 1942. 420 L84Pa

HALL, D. G. A new species of Cuterebra [C. beameri] from Kansas.

(Diptera: Cuterebridae.) Wash. Ent. Soc. Proc. 45(1): 25-26. Jan.
1943. 420 W27

HILL, C. C., UDINE, E. J., and PINCKNEY, J. S. A method of estimating reduction in yield of wheat caused by hessian fly Phytophaga destructor; infestation. U. S. Dept. Agr. Cir. 663, 10 pp., illus. Washington, D. C., Jan. 1943. 1 Ag840

HORSFALL, W. R. Biology and control of mosquitoes in the rice area. Ark. Agr. Expt. Sta. Bul. 427, 46 pp., illus. Dec. 1942. References. 100 Ar42

HULL, F. M. Some new species of Baccha and Mesogramma (Dipt. Syrphidae). Rev. de Ent. 13(1-2): 44-49. Aug. 14, 1942. 421 R326

- HULL, F. M. Some notes upon the types of North and South American syrphid flies in the British museum of natural history. Wash. Ent. Soc. Proc. 45(1): 9-10. Jan. 1943. 420 W27
- JAMES, M. T. A two-season light trap study of mosquitoes in Colorado.

 Jour. Econ. Ent. 35(6): 945. Dec. 1942. 421 J822

 Scientific note.
- KALMUS, HANS. Differences in resistance to toxic substances shown by different body colour mutants in Drosophila (Diptera). Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(10-12): 127-133. Dec. 28, 1942. References. 420 L84Pa
- KEARNS, C. W., and MARCH, R. B. Small chamber method for testing effectiveness of insecticides against houseflies. Soap 19(2): 101, 103-104, 128. Feb. 1942. 307.8 Sol2
- KECK, C. B. Infestation of mature green papayas by the Mediterranean fruitfly [Ceratitis capitata]. Jour. Econ. Ent. 35(6): 802-805, illus. Dec. 1942. 421 J822
- KNIPLING, E. F. A preliminary report on a treatment for fleece-worm Phormia regina, Cochliomyia macellaria, Lucilia sericata, infestations in sheep. Jour. Econ. Ent. 35(6): 896-898. Dec. 1942.

 Literature cited. 421 J822
- KNOWLES, F. L. Growth measurements of Anopheles quadrimaculatus larvae. U. S. Pub. Health Serv. Rpts. 58(4): 136-139, illus. Jan. 22, 1943. References. 151.65 P96
- LANE, J. Dixinae e Chaoborinae. Revisão das espécies neotrópicas (Diptera, Culicidae). Rev. de Ent. 13(1-2): 81-148, illus. Aug. 14, 1942. References. 421 R326
- LEVER, R. J. A. W. The malarial mosquito Anopheles punctulatus; of Melanesia. Fiji. Dept. Agr. Agr. Jour. 13(4): 116-117. Dec. 1942. References. 25 F47Ag
- LEWIS, D. J. The early stages of Aëdes taylori Edwards and A. furcifer Edwards (Dipt., Culicidae). Roy. Ent. Soc., London, Proc. Ser. B: Maxonomy 11(10): 153-154. Oct. 15, 1942. References. 420 L84Pb
- LEWIS, D. J. A new species of Aëdes A. (Aëdimorphus) eritreae n. sp. (Dipt., Culicidae) from Eritrea. Roy. Ent. Soc., London, Proc. Ser. B: Taxoncay 11(11): 165-166, illus. Nov. 14, 1942. 420 L84Pb
- LEWIS, D. J. A northern record of Anopheles gambiae Giles (Dipt., Culicidae). Roy. Ent. Soc., London, Proc. Ser. B: Taxonomy 11(9): 141-142. Sept. 15, 1942. 420 L84Pb
- LINDQUIST, A. W. Ants as predators of Cochliomyia americana C. & P. Jour. Econ. Ent. 35(6): 850-852. Dec. 1942. 421 J822
- MARLOWE, R. H. A laboratory method for evaluating feeding preference of fruitflies Ceratitis capitata and Dacus cucurbitae. Jour. Econ. Ent. 35(6): 799-802. Dec. 1942. 421 J822
- NOLL, J. Über den einfluss von konstanten und wechselnden temperaturen auf die entwicklungsgeschwindigkeit bei den larven bzw. puppen von Contarinia nasturtii Kieffer (Cecidomyidae). Anz. f. Schädlingsk. 18(7): 73-78, illus. 1942. 421 An9
- ORTIZ C., IGNACIO. Revisión histórica de nuestros Phlebotomus con citación de una especie (Phlebotomus cruciatus Coq.) nueva para Venezuela. Clin. "Luis Razetti" Lab. Bol. 2(9): 162-170. Dec. 1942.
- CWEN, W. B. The biology of Theobaldia inornata Williston, in captive colony. Jour. Econ. Ent. 35(6): 903-907. Dec. 1942. Literature cited. 421 J822

PARISH, H. E. Factors predisposing animals to screwworm Cochliomyia spp., infestation in Texas. Jour. Econ. Ent. 35(6): 899-903. Dec. 1942. 421 J822

PARMENTER, L. The prey of a population of Machinus atricapillus Fallen (Diptera). Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 71-72. Sept. 15, 1942. 420 L84Pa

PETHERBRIDGE, F. R., WRIGHT, D. W., and DAVIES, P. G. Investigations on the biology and control of the carrot fly (Psila rosae F.). Ann. Appl. Biol. 29(4): 380-392, illus. Nov. 1942. References. 442.8 An72

PURCHASE, H. S. Turkey malaria. Parasitology 34(3-4): 278-283. Nov. 1942. References. 448.8 P21

The natural method of spread of the malaria parasite is not known, and the few tests yet made using culicine and anopheline mosquitoes as intermediary hosts have proved negative.

PURI, I. M. Synoptic tables for the identification of the full-grown larvae of the Indian anopheline mosquitoes. India Med. Dept. Health Bul. 16, ed. 4, 109 pp., illus. (Malaria Bur. no. 7). Calcutta, 1941. 449.9 In22

REES, D. M. Overwintering habits in Utah of Anopheles maculipennis freeborni Aitkens (Diptera: Culicidae). Ent. News 53(10): 282.

Dec. 1942. 421 En88

* ROUBAUD, E., and GRENIER, P. Quelques observations sur l'aliment des larves de culicides. (Facteurs B et substances proteiques.) Soc. de Path. Exot. Bul. 35(6-8): 215-219. 1942.

ROY, D. N., and GHOSH, S. M. Further work on the comparative efficacy of different culicifuges under laboratory conditions. Parasitology 34(3-4): 291-294. Nov. 1942. References. 448.8 P21

34(3-4): 291-294. Nov. 1942. References. 448.8 P21
ROZEBOOM, L. E. The mosquitoes of Oklahoma. Okla. Agr. Expt. Sta.
Tech. Bul. T-16, 56 pp., illus. Stillwater, Oct. 1942. References.
100 Ok4

SABROSKY, C. W. An unusual rearing of Rainieria brunneipes (Cresson) (Diptera: Micropezidae). Ent. News 53(10): 283-285, illus. Dec. 1942. 421 En88

SELLERS, W. F. The nearctic species of parasitic flies belonging to Zenillia and allied genera. U. S. Natl. Mus. Proc. 93(3157): 1-108. 1943. 500 Sm65P

Angustia n. g.; Chrysophryxe n. g.
SHIRA, R. B. Report of a case of oral myiasis. Mil. Surg. 92(1): 5758. Jan. 1943. 448.8 M59

Caused by maggots of Cochliomyia macellaria.

SIDDONS, L. B., and ROY, D. N. On the life history of Synthesiomyia nudiseta van der Wulp (Diptera, Muscidae), a myiasis-producing fly. Parasitology 34(3-4): 239-245, illus. Nov. 1942. References. 448.8 P21

SMITH, L. G., HILL, O. J., and TOLMAN, WALTER. Cattle grub and its control in Washington. Wash. State Col. Ext. Serv. Bul. 294, 14 pp., illus. Pullman, Dec. 1942. 275.29 W27P

SMYLY, W. J. P. A gynandromorph of Aëdes aegypti L. (Stegomyia fasciata), Diptera. Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(10-12): 111-112, illus. Dec. 28, 1942. References. 420 L84Pa

- SOKOLOV, N. P. Influence of sun radiation on the distribution of Anopheles hyrcanus larvae under conditions of rice fields. Acad. des Sci. U. R. S. S. Compt. Rend. (Dok.) (n.s.) 33(2): 166-169. 1941. 511 P44
- SOPER, F. L. Fiebre amarela panamericana, 1938 à 1942. Pan. Amer. Union. Bol. de la Ofic. Sanit. 21(12): 1207-1222. Dec. 1942. 150.9 B872

English abstract with title: Pan American Yellow Fever, 1938, 1942, pp. 1251-1252.

A discussion of the relation of mosquitoes to yellow fever with special reference to a control program for Aedes aegypti.

TOWNSEND, C. H. T. Note on Amazonian Nyssorhynchus races (Dipt.). Rev. de Ent. 13(1-2): 150-151. Aug. 14, 1942. 421 R326

- TOWNSEND, C. H. T. Possible fly parasite of Diatraea Parkerella parva sp. nov.j. Rev. de Ent. 13(1-2): 149-150. Aug. 14, 1942. 421 R326
- VARGAS, LUIS. El huevo de Anopheles barberi Coquillet, 1903. [Mex.] Inst. Salubridad y Enferm. Trop. Rev. 3(4): 329-331, illus. Dec. 1942. References. 449.9 M572 Brief English summary, p. 331.
- WATS, R. C., and BHARUCHA, K. H. The choice of mechanical sprayers for mosquitocides sprayed for anti-malarial purposes. Haffkine Inst., Bombay, Ann. Rpt. 1939: 54-55. Bombay, Govt. central press, 1941. 448.9 H11

HEMIPTERA

- ARNOLD, C. W. B. The tobacco aphis Myzus persicae, a dangerous pest. Nyasaland Agr. Quart. Jour. 2(4): 4-7. Oct. 1942. 24 N983
 - BALDUF, W. V., and SLATER, J. S. Additions to the bionomics of Sinea diadema (Fabr.). (Reduviidae, Hemiptera.) Wash. Ent. Soc. Proc. 45(1): 11-18. Jan. 1943. References cited. 420 W27
 - BALDUF, W. V. Bionomics of Catorhintha mendica Stal (Coreidae, Hemiptera). Brooklyn Ent. Soc. Bul. 37(5): 158-166. Dec. 1942. References cited. 420 B79
- BRAIN, C. K. The tobacco aphid Myzus persicae. Destruction of winter host plants Gynandropsis spp. Nyasaland Agr. Quart. Jour. 2(4): 8-11. Oct. 1942. 24 N983
- CALDWELL, JOHN, and PRENTICE, I. W. A mosaic disease of broccoli.
 Ann. Appl. Biol. 29(4): 366-373, illus. Nov. 1942. References.
 442.8 An72

Field vector is Brevicoryne brassicae.

- DAHMS, R. G. Rice stinkbug Solubea pugnax, as a pest of sorghums.

 Jour. Econ. Ent. 35(6): 945-946. Dec. 1942. 421 J822

 Scientific note.
- DRAKE, C. J., and HAMBLETON, E. J. Seven new South American Tingitidae (Hemiptera). Rev. de Ent. 13(1-2): 76-81. Aug. 14, 1942. 421 R326
- DRAKE, C. J. Two new American species of the genus Aradus Fabr. (Hemiptera) [A. fronterana, A. penningtoni]. Rev. de Ent. 13(1-2): 151-154. Aug. 14, 1942. 421 R326
- DURÁN M., LEONIDAS, and CORTES P., RAÚL. La conchuela negra del olivo, Saissetia oleae Bérn., en Chile. Chile, Min. de Agr. Dept. de Sanid. Veg. Bol. de Sanid. Veg. 1(2): 37-47, illus. July-Dec. 1941. Literature cited. 464.9 C432B

EVANS, J. W. Scale insects. Tasmanian Jour. Agr. 13(4): 156-159,

illus. Nov. 1, 1942. 23 T182T

FLANDERS, S. E. Biological observations on the citricola scale [Coccus pseudomagnoliarum] and its parasites. Jour. Econ. Ent. 421 J822 35(6): 830-833. Dec. 1942. Literature cited.

FONSECA, J. P. da. Cochonilha branca da amoreira (Pseudaulacaspis) infestando pessegueiro. Biologico 8(9): 245-246. Sept. 1942. 442.8 B529

Pseudaulacaspis pentagona.

FROESCHNER, R. C. The nymphs of Aelia and Neottiglossa (Hemiptera: Pentatomidae). Ent. News 53(10): 292-293. Dec. 1942. 421 En88

FULTON, R. A., and HOWARD, N. F. Effect of the addition of sulfonated oil on the toxicity of cube and derris to plant bugs rsuch as Anasa tristis, Murgantia histrionica, and Oncopeltus fasciatus, Jour. Econ. Ent. 35(6): 867-870, illus. Dec. 1942. 421 J822 ·

GORHAM, R. P. A simple method for use in staining living aphids. Canad. Ent. 74(12): 236. Dec. 1942. 421 C16

HARRIS, H. M. Concerning the Rhopalidae (Hemiptera). Iowa State Col. Jour. Sci. 17(2): 197-204. Jan. 1943. 470 Io9

Keys to the tribes of Rhopalidae and to the genera of Rhopalini. KEVAN, D. K. M. Some observations on Mononyx nepaeformis (Fabricius

- 1775), a toad-bug (Mononychidae, Hemipt.-Heteropt.). Roy. Ent. Soc., London, Proc. Ser. A; Gen. Ent. 17(10-12); 109-110. Dec. 28, 1942. References. 420 L84Pa
- KNULL, D. J. The genus Neocoelidia in the United States (Homoptera: Cicadellidae). Amer. Midland Nat. 28(3): 680-692, illus. 1942. References. 410 M58

LEPAGE, H. S., and MONTE, O. As cigarrinhas do capim "kikuio." Biologico 8(10): 255-259, illus. Oct. 1942, 442.8 B529 Tomaspis flavopicta e Tomaspis humeralis.

LINDGREN, D. L., and DICKSON, R. C. Fumigation experiments on the black scale [Saissetia cleae]. Calif. Citrog. 28(4): 90, 98-99, illus. Feb. 1943. Literature cited. 80 C125

Dosage tests to determine resistance to hydrocyanic acid gas.

LINDGREN, D. L., and DICKSON, R. C. Spray-fumigation experiments on California red scale [Aonidiella aurantii]. Jour. Econ. Ent. 35(6): 421 J822 827-829. Dec. 1942: Literature cited.

Tests with an oil-spray followed by hydrocyanic acid fumigation. LYNES, F. F., and LITTLER, R. J. Control of aphids on sugar beets under greenhouse conditions. Amer. Soc. Agron. Jour. 35(1): 80. Jan. 1943. 4 Am34P

Describes a method for weekly fumigation using a 40-percent nicolane compound, 1 cc. per 100 cubic feet of greenhouse space.

- MAMER RAYMOND. Pedronia strobilanthis Green redescribed (Homoptera, Coccoidea: Pseudococcidae). Roy. Ent. Soc., London, Proc. Ser. B: Tatoromy 11(10): 149-152, illus. Oct. 15, 1942. List of references. 420 L84Pb
- MICHELÍN, A. S. El mosaico de la caña y su restricción. 38(1): 8-9, illus. Jan. 1943. 6 Hll
- Aphis maidis is vector. * NICOLLE, PIERRE, and LWOFF, MARGUERITE. Recherches sur la nutrition des reduvides hémophages. 1. Développement des stades larvaires de Triatoma infestans Klug dans la conditions habituelles d'élevage. Soc. de Path. Exot. Bul. 35(6-8): 219-232. 1942. References.

- PORTER, C. E. Breve nota acerca de un pentatómido predator ¡Apateticus nigro-limbatus]. ¡Chile] Min. de Agr. Dept. de Sanid. Veg. Bol. de Sanid. Veg. 1(2): 35-36, illus. July-Dec. 1941. 464.9 C432B Predator of Notolophus antiqua.
- QUAYLE, H. J. A physiological difference in the two races of red scale [Aonidiella aurantii] and its relation to tolerance to HCN. Jour. Econ. Ent. 35(6): 813-816, illus. Dec. 1942. Literature cited. 421 J822
- RAM MOHAN RAO, S. Life-history and bionomics of Pseudococcus saccharicola Takh. (Homop.-Coccidae) A new pest of sugarcane in India. Indian Acad. Sci. Proc. Sect. B, 16(3): 79-85. Sept. 1942. References. 513 In25B
- SMITH, C. F. The use of cyanide in controlling the root form of the woolly apple aphid [Eriosoma lanigerum]. Jour. Econ. Ent. 35(6): 908-910. Dec. 1942. Literature cited. 421 J822
- SMITH, H. S. A race of Comperiella bifasciata successfully parasitizes California red scale [Aonidiella aurantii]. Jour. Econ. Ent. 35(6): 809-812. Dec. 1942. Literature cited. 421 J822
- SMITH, L. M., and FERRIS, C. A. New materials for control of the mealy plum aphid thyalopterus arundinis. Calif. Agr. Expt. Sta. Bul. 671, 30 pp., illus. Berkeley, Oct. 1942. 100 Cl2S Dinitro-o-cyclohexylphenol and "Elgetol."
- SORENSON, C. J. Insecticidal tests for field control of lygus bugs [Lygus elisus and L. hesperus] in seed alfalfa. Jour. Econ. Ent. 35(6): 884-886. Dec. 1942. 421 J822
- SPEYER, W. Über die winterfestigkeit des blutlausparasiten Aphelinus mali Hald. im niederelbischen obstbaugebiet. Anz. f. Schädlingsk. 18(2): 19-21. 1942. References. 421 An9
- TORRE BUENO, J. R. de la. Note on distribution of Heteroptera. Brooklyn Ent. Soc. Bul. 37(5): 183-185. Dec. 1942. 420 B79
- USINGER, R. L. Notes on the variation and distribution of Mesovelia mulsanti White (Mesoveliidae, Hemiptera). Brooklyn Ent. Soc. Bul. 37(5): 177-178. Dec. 1942. 420 B79
- WALTON, G. A. The aquatic Hemiptera of the Hebrides. Roy. Ent. Soc., London, Trans. 92(2): 417-452, illus. Dec. 28, 1942. References. 420 L84
- WATSON, M. A. Sugar-beet yellows virus; a preliminary account of experiments and observations on its effect in the field. Ann. Appl. Biol. 29(4): 358-365, illus. Nov. 1942. 442.8 An72

 Aphis fabae and Myzus persicae were used to transmit yellows virus to experimental plots of sugar beet.
- WILSON, H. F., and CAMPAU, E. J. Thiocyanate compounds for pea aphid Macrosiphum pisi, control. Soap 19(2): 105, 107, 109. Feb. 1943. Literature cited. 307.8 Sol2
- YUST, H. R., and HOWARD, L. B. Factors influencing results of laboratory fumigation of California red scale [Aonidiella aurantii] with HCN. Jour. Econ. Ent. 35(6): 821-824. Dec. 1942. Literature cited. 421 J822
- YUST, H. R., NELSON, H. D., and BUSBEY, R. L. Fumigation of yellow scale [Aonidiella citrina] with HCN under laboratory conditions.
- Jour. Econ. Ent. 35(6): 825-826. Dec. 1942. 421 J822
 YUST, H. R., BUSBEY, R. L., and NELSON, H. D. Reaction of resistant and nonresistant strains of California red scale (Aonidiella aurantii) to fumigation with HCN. Jour. Econ. Ent. 35(6): 816-820. Dec. 1942. Literature cited. 421 J822

HYMENOPTERA:

AUTUORI, M. O enxôfre no combate às saúvas e outras formigas cortadeiras (Baixo rendimento em anidrido sulfuroso nas combustões de enxôfre e carvão). Biologico 8(10): 249-251. Oct. 1942. 442.8 B529

BEIRNE, B. P. Observations on the developmental stages of some Aphidiinae (Hym., Braconidae). Ent. Monthly Mag. 78(943): 283-287, illus. Dec. 1942. References. 421 En86

DONISTHORPE, HORACE. Notes on the genus Pseudolasium Emery with the description of Pseudolasius karawajewi sp. n. (Hym., Formicidae).
Roy. Ent. Soc., London, Proc. Ser. B: Taxonomy 11(11): 166-169.
Nov. 14, 1942. References. 420 L84Pb

D'ROZARIO, A. M. On the development and homologies of the genitalia and their ducts in Hymenoptera. Roy. Ent. Soc., London, Trans. 92(2): 363-415, illus, Dec. 28, 1942. Bibliography, pp. 411-415.

FERNALD, H. T. Annotated list of Florida Sphecinae (Hym., Sphecidae). Ent. News 53(10): 286-291. Dec. 1942. 421 En88

FLANDERS, S. E. Abortive development in parasitic Hymenoptera, induced by the food-plant of the insect host. Jour. Econ. Ent. 35(6): 834-835. Dec. 1942. Literature cited. 421 J822

GOMES, J. G. Segunda contribuição sôbre "Trichencyrtus" Ashmead, 1904, com a descrição de uma nova espécie [T. gahani] (Chalcidoidea—Encyrtidae). Soc. Brasileira de Agron. Bol. 5(3): 287-296, illus. Sept. 1942. References. 9.2 Sol3

Brief English summary, p. 293.

GONÇALVES, C. R. Contribuição para o conhecimento do genero Atta Fabr., das formigas saúvas. Soc. Brasileira de Agron. Bol. 5(3): 333-358, illus. Sept. 1942. References, pp. 356-358. 9.2 Sol3

GROSKIN, HORACE. Scarlet tanagers 'anting.' Auk 60(1): 55-59. Jan.

· 1943. Literature cited. 413.8 Au4

HELM, STANDIFORD. Severe anaphylactic reaction to bee or wasp sting.
Mil. Surg. 92(1): 64-66. Jan. 1943. Bibliography. 448.8 M59
IVOR, H. R. Further studies of anting by birds. Auk 60(1): 51-55.

Jan. 1943. Literature cited. 413.8 Au4

Ants which are picked up in the beak are apparently rubbed over the wing and occasionally the tail feathers. No satisfactory explanation has ever been found for this curious behavior.

MICKEL, C. E., and KROMBEIN, K. V. Glyptometopa Ashmead and related genera in the Brachycistidinae, with descriptions of new genera and species (Hymenoptera, Tiphiidae). Amer. Midland Nat. 28(3): 648-679, illus. Nov. 1942. Bibliographical footnotes. 410 M58

MUESEBECK, C. F. W. Two new species of Allotropa (Platygasteridae, Serphoidea) parasitic on the Comstock mealybug. Brooklyn Ent. Soc. Bul. 37(5): 170-173, illus. Dec. 1942. 420 B79

Allotropa burrelli, n. sp.; Allotropa convexifrons n. sp.

NICHOLS, C. K. 'Anting' by robins. Auk 60(1): 59-60. Jan. 1943. 413.8 Au4

PATE, V. S. L. Nearctic Ammoplanus (Hymenoptera: Sphecidae: Pemphredonini). South. Calif. Acad. Sci. Bul. 41(3): 141-163, illus. Sept-Dec. 1942. 500 So8

PATE, V. S. L. On Quexua, a new genus of pemphilidine wasps from tropical America (Hymenoptera: Sphecidae). Rev. de Ent. 13(1-2): 54-75, illus. Aug. 14, 1942. 421 R326

- PATE, V. S. L. The scientific name of the common blue mud-dauber (Hymenoptera, Sphecidae) Chalybion californicum. Canad. Ent. 74(12): 217-218. Dec. 1942. 421 C16
- RAU, PHIL. Habitat preferences of Polistes wasps (Hymenoptera: Vespidae). Ent. News 53(10): 293-295. Dec. 1942. 421 En88
- REID, J. A. On the classification of the larvae of the Vespidae (Hymenoptera). Roy. Ent. Soc., London, Trans. 92(2): 285-331,
- illus. Dec. 28, 1942. Bibliography. 420 L84
- RUIZ PEREIRA, FLAMINIO. Lista de himenopteros del Valle de Azapa cazados por... Emilio Ureta R. Chile, Mus. Nac. Hist. de Nat. Bol. 19: 133-134. 1941. 516 C43B
- SMITH, M. R. Ants of the genus Tetramorium in the United States with the description of a new species [T. rugiventris]. Wash. Ent. Soc. Proc. 45(1): 1-5, illus. Jan. 1943. 420 W27
- SMITH, M. R. Pheidole (Macropheidole) rhea Wheeler, a valid species. (Hymenoptera: Formicidae.) Wash. Ent. Soc. Proc. 45(1): 5-9. Jan. 1943. 420 W27
- SMITH, S. G. Polarization and progression in pairing. III. Pachytene observations in Neodiprion (Hymenoptera). Canad. Jour. Res. Sect. D, Zool. Sci. 20(12): 368-379, illus. Dec. 1942. References.
- VAN TYNE, JOSSELYN. 'Anting' by the robin and towhee. Auk 60(1): 61.
- Jan. 1943. 413.8 Au4
 WHITING, P. W. The parasitic wasp Habrobracon as class material.
 Ward's Nat. Sci. Bul. 16(4): 51-53, illus. Feb. 1943. 410 W21

ISOPTERA

- COOK, S. F. Nonsymbiotic utilization of carbohydrates by the termite, Zootermopsis angusticollis. Physiol. Zool. 16(1): 123-128. Jan. 1943. 410 P56
- HASE, ALBRECHT. Uber das problem termitenfeste gewebeausrüstung. Melliand Textil Ber. 23(1): 35-36. Jan. 1942. 304.8 T312

LEPIDOPTERA !

- AMABILE ARANDA, R. J. Biologia de la Laspeyresia molesta en el Uruguay. [Montevideo] Univ., Facult. de Agron. Rev., no. 27, pp. 137-166, illus. Feb. 1942. 102.5 M76R
- ARANT, F. S. Effectiveness of derris and cube in pickleworm
 [Diaphania nitidalis] control. Jour. Econ. Ent. 35(6): 870-872.

 Dec. 1942. 421 J822
- ARGENTINE REPUBLIC. MINISTERIO DE AGRICULTURA. DIVISION DE SERICICULTURA. La cria del gusano de seda (Bombix mori) y cultivo de la
 morera (Morus alba); instrucciones practicas. Argentina. Min. de
 Agr. Dir. de Propag. e Inform. Pub. Misc. 120, 16 pp., illus.
 Buenos Aires, 1942. 9 P943
- BAILEY, S. F. A progress report on the twig borer [Anarsia lineatella].
 Almond Facts 6(2): 1, 6-7, illus. Feb. 1942. 280.28 Al62
- BIBBY, F. F. Some parasites of Heliothis armigera (Hbn.) in Texas. Jour. Econ. Ent. 35(6): 943-944. Dec. 1942. Literature cited. 421 J822
 - Scientific note.
- BOBB, M. L. Ethylene dichloride emulsion and paradichlorobenzene crystals in peach tree borer Sanninoidea exitiosa; control. Va. State Hort. Soc. Proc. (1942) 47: 34-40. Jan. 1943. 81 V81B In Va. Fruit, v. 31, no. 1.

BROWN, F. M. So-called Papilio ajax americus Kollar in North America (Lepidoptera; Papilionidae). Ent. News 53(10): 291. Dec. 1942.

The name Papilio ajax pseudoamericus is proposed for Papilio ajax

americus Kollar.

CARPENTER, G. D. H. Revisional notes on Melanesian Euploea (Lep.)

with descriptions of new subspecies and forms. Roy. Ent. Soc.,

London, Proc. Ser. B: Taxonomy 11(9): 127-140. Sept. 15, 1942.

References. 420 L84Pb

Appendix, by G. Talbot, p. 139.

COMSTOCK, J. A., and HENNE, CHRISTOPHER. The early stages of

Arctonotus lucidus Bdv. (Lepidopt.). South. Calif. Acad. Sci. Bul.

41(3): 167-171, illus. Sept.-Dec. 1942. 500 So8

COMSTOCK, J. A., and DAMMERS, C. M. Notes on the life histories of two common moths Ceramica picta and Laphygma exigua. South. Calif. Acad. Sci. Bul. 41(3): 172-178, illus. Bibliography, p. 175. Literature cited, p. 178. 500 So8

DELGADO DE GARAY, ALFONSO. El barrenador de caña de azúcar (Diatraea sp.). Fitófilo San Jacinto, Mexico, D. F., 1(5): 31-37, illus., processed. Nov. 1942. 421 F55

DETHIER, V. G. Notes on the life histories of five common Geometridae. Canad. Ent. 74(12): 225-234, illus. Dec. 1942. Literature cited. 421 C16

DOHANIAN, S. M. Parasites of the filbert worm [Melissopus latifer-reanus]. Jour. Econ. Ent. 35(6): 836-841. Dec. 1942. Literature cited. 421 J822

FORBES, W. T. M. The genus Megistanis (Lepidoptera, Nymphalidae). Ent. News 53(10): 278-281. Dec. 1942. 421 En88

FORD, E. B. Studies on the chemistry of pigments in the Lepidoptera, with reference to their bearing on systematics. 2. Red pigments in the genus Delias Hübner. Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 87-92. Sept. 15, 1942. References. 420 L84Pa

FREEMAN, H. A. Two new species of Amblyscirtes (A. erna and A. linda) from Texas and Arkansas (Lepidoptera, Rhopalocera: Hesperiidae). Ent. News 54(1): 17-20. Jan. 1943. 421 En88

GATTONI, L. A. Un nuevo ensayo de sericicultura en la Quinta normal de agricultura de Ambato. Ecuador. Cam. de Agr. de la Primero Zona, Quito. Rev. 5(37-38): 459-461, illus. Sept.-Oct. 1942. 9.5 Ec96

GÖRNITZ, K. Die zucht des einbindigen traubenwicklers (Clysia ambiguella Hübn.). Anz. f. Schädlingsk. 18(8): 90-94, illus. 194, References. 421 An9

GRAHAM, L. T., and RICHARDSON, C. H. Spreaders in codling moth Carpocapsa pomonella, sprays. Jour. Econ. Ent. 35(6): 911-941. Dec. 1942. Literature cited. 421 J822

GUSANOS silvestres productores de seda del ricino y del ailanto. Chacra 13(147): 54-55, illus. Jan. 1943. 9 C34

HANSBERRY, ROY. Toxicity of nicotine compounds to newly hatched codling moth Carpocapsa pomonella, larvae. Jour. Econ. Ent. 35(6): 915-918. Dec. 1942. Literature cited. 421 J822

HARRIS, H. M., and BRINDLEY, J. M. The European corn borer Pyrausta nubilalis; in Iowa. Jour. Econ. Ent. 35(6): 940-941. Dec. 1942. 421 J822

Scientific note.

- HAYWARD, K. J. La polilla de la papa (Gnorimoschema operculella (Zeller)) y su control. Tucumán Estac. Expt. Agr. Cir. 108, 11 pp., illus. Tucumán, 1942. 102.5 T79
- HELSON, G. A. H. Inert mineral dusts as a means of control for potato moth, Phthorimaea operculella Zell., in stored potatoes.

 Austral. Council Sci. & Indus. Res. Jour. 15(4): 257-261, illus.

 Nov. 1942. References. 514 Au72J
- HELSON, G. A. H. Note on the effect of the acetylene treatment of potato tubers on potato moth, Phthorimaea operculella Zell.

 Austral. Council Sci. & Indus. Res. Jour. 15(4): 268-269. Nov.

 1942. 514 Au72J

Most of the larvae are killed after 4 hours, but the development of the eggs is not affected.

JACQUES, CHARLES. Le vers gris de la pomme de terre. [New Caledonia] Chambre d'Agr. Rev. Agr., Sept. 1942, pp. 4805-4807. 25 N43

KLOTS, A. B. A newly imported European lavernid Chrysoclysta lineella; (Microlepidoptera). Brooklyn Ent. Soc. Bul. 37(5): 173. Dec. 1942. 420 B79

Collected at Newark, N. J.

NOVA SCOTIA FRUIT GROWERS' ASSOCIATION. APPLE MAGGOT CONTROL BOARD.

Report...[for 1941]. Nova Scotia Fruit Growers' Assoc. Ann. Rpt.
78: 75-80. Dec. 1941. 82 N85

V. B. Leonard, Chairman.

Report signed by A. Kelsall, A. D. Pickett, and J. M. Cameron. PRACTICAS en la cria del gusano de seda [Bombyx mori]. Chacra 13(147); 22-25, 68, illus. Jan. 1943. 9 C34

E PRECISO desenvolver a sericicultura no Brasil. [Brazil] Cons. Fed. de Com. Exterior. Bol. 5(39): 8-9. Sept. 28, 1942. 255.3 B738B

PUTMAN, W. L. Host plants and parasites of some lepidopterous larvae. Canad. Ent. 74(12): 219-224. Dec. 1942. 421 C16

RAINWATER, C. F. Armyworm habit of Heliothis armigera (Hbn.). Jour. Econ. Ent. 35(6): 946-947. Dec. 1942. 421 J822

Scientific note.

Mass movement of the larvae probably due to overpopulation and to the presence of a large number of parasitic flies. Poisoned bait and calcium arsenate dust gave control.

RAMIREZ DE ARELLANO, RAFAEL. La pirala de la manzana Carpocapsa pomonellaj. Vinos, Vinas y Frutas 38(446): 173-174: Oct. 1942. 9 Ag89

RINGUELET, J. A. Consejos a los sericicultores; cosecha, comercialización y conservación de los capullos. Pampa Argentina 16(184): 10, illus. Dec. 1942. 9 P19

RODRIGUEZ, S. J. Il gusano rosado del algodonero (Pectinophora gossypiella Saunders) - su control. Fitófilo San Jacinto, Mexico, D. F., 1(5): 3-18, processed. Nov. 1942. 421 F55

ROGERS, W. P. Incisalia henrici in Fall River, Massachusetts. Brooklyn Ent. Soc. Bul. 37(5): 167-168. Dec. 1942. 420 B79

SERICICULTURA. Pernambuco, Brazil (State) Sec. de Agr. Indús. e Com. Bol. 9(1): 72-79. Feb. 1942. 9.2 P423

TALBOT, G. The male of Apharitis buchanani (Rothschild) (Lep. Lycaenidae). Entomologist 75(955): 249. Dec. 1942. 421 En8

TALBOT, G. The races and forms of Mahathala ameria (Hewitson) Lep. Rhop. Roy. Ent. Soc., London, Proc. Ser. B: Taxonomy 11(8): 120-123, illus. Aug. 15, 1943. 420 L84Pb

THOMPSON, H. W. Crambus hortuellus Hb. as a grassland pest. Ann. Appl. Biol. 29(4): 393-398, illus. Nov. 1942. References. 442.8 An72

URETA R., EMILIO. Lepidópteros ropalóceros de Bolivia. Chilej Mus. Nac. de Hist. Nat. Bol. 19: 31-41, illus. 1941. 516 C43B

WEBSTER, R. L., and O'NEILL, W. J. Time relationship of spring brood codling moth [Carpocapsa pomonella] emergence, and subsequent worm injury. Jour. Econ. Ent. 35(6): 806-809, illus. Dec. 1942.

421 J822

WESLEY, W. K. Observations on brinjal borer, Leucinodes orbonalis Guen., at the Allahabad agricultural institute farm. Allahabad Farmer 16(4): 282-283, illus. July 1942. References. 22 Al5

WILBUR, D. A., ERYSON, H. R., and PAINTER, R. H. A major outbreak of the southwestern corn borer Diatraea grandiosella; in Kansas.

Jour. Econ. Ent. 35(6): 938-939. Dec. 1942. 421 J822

Scientific note.

WOODSIDE, A. M. Supplementary control for codling moth Carpocapsa pomonella. (Cont.) East. Fruit Grower 5(11): 5, 12-13, 18, illus. Jan. 1943. 80 Ea73

Deals with orchard sanitation.

WORTH, C. B. Studies on sibling Callosamia angulifera (Lepidoptera: Saturnidae). (Concl.) Ent. News 53(10): 274-278, illus. Dec. 1942. 421 En88

ORTHOP TERA

CARPENTER, G. D. H. Notes by E. Burtt...on a species of Palophus (probably episcopalis Kirby): a giant phasmid (Orthoptera) from Tanganyika Territory. Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 75-76. Sept. 15, 1942. 420 L84Pa

CARVALHO, R. F. de. Observações sôbre uma nova praga da cana de acúcar.

Nota prévia. Pernambuco, Brazil (City). Inst. de Pesquisas Agron.

Arq. 3: 71-74, illus. 1941. 9.2 R24A

Tettigoniodea.

GRAYSON, J. M., and TAUBER, O. E. Carotin - the principal pigment responsible for variations in coloration of the adult grasshopper, Melanoplus bivittatus Say. Iowa State Col. Jour. Sci. 17(2): 191-196, illus. Jan. 1943. Literature cited. 470 Io9

HAYWARD, K. J. La cucaracha de la casa y su control. Tucumán Estac. Expt. Agr. Cir. 105, 7 pp., illus. Tucumán, 1941. 102.5 T79

Periplaneta americana, Blatella germanica, B. orientalis.

HODGE, CHARLES. The internal anatomy of Leptysma marginicollis (Serv.) and of Opshomala vitreipennis (Marsch.) (Orthoptera: Acrididae).

Jour. Morph. 72(1): 87-123, illus. Jan. 1943. Literature cited.

444.8 J826

HUTZEL, J. M. Action of pyrethrum upon the German cockroach Elattella germanica. Jour. Econ. Ent. 35(6): 933-937, illus. Dec. 1942. Literature cited. 421 J822

Pyrethrum affects the nervous system and the initial excitatory effect appears due to stimulation of successive sensory endings in the integument. Onset of final paralysis seems to correlate with the speed with which pyrethrins spread to the thorax and the subsequent inactivation of the thoracic ganglia.

HUTZEL, J. M. The activating effect of pyrethrum upon the German cockroach [Blattella germanica]. Jour. Econ. Ent. 35(6): 929-933, illus. Dec. 1942. 421 J822

Pyrethrum is unique in the violence of its initial effect.
Sublethal doses can be used to cause roaches to leave hiding places and expose themselves to lethal doses.

KIRCHNER, H.-A. Weitere versuche über den einfluss des lebensraumes auf die stabheuschrecke Carausius morosus. Anz. f. Schädlingsk. 18(8): 85-89. 1942. References. 421 An9

KLOSTERMEYER, E. C. Roach powders. Study of comparative effectiveness of insecticidal powder mixtures against the German cockroach ¡Blattella germanica]. Soap 19(2): 98-99, 109, illus. Feb. 1943. Literature cited. 307.8 So12

MILLAN, H. G. La langosta tucura. Buenos Aires (City). Bolsa de Cereales Rev. 30(1573): 6, 19-22. Nov. 14, 1942. 287 B866

RODRÍGUEZ LZ., LUIS. La plaga de langostas en la Provincia de Imbabura. Ecuador. Cám. de Agr. de la Primero Zona, Quito. Rev. 5(37-38): 415-422, illus. Sept.-Oct. 1942. 9.5 Ec96

UVAROV, B. P. An international anti-locust campaign. Nature [London] 151(3819): 41-42. Jan. 9, 1943. 472 N21

UVAROV, B. P., and THOMAS, J. G. The probable mechanism of phase variation in the pronotum of locusts. Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(10-12): 113-118, illus. Dec. 28, 1942.

References. 420 L84Pa

SMALLER ORDERS

CLAY, THERESA. Anoplura. Brit. Mus. Nat. Hist., Brit. Graham Land Expedition, 1934-37, Sci. Rpts. 1(5): 295-318, illus. London, Sept. 14, 1940. 409 B772B

DAVIS, CONSETT. Report on a collection of Embioptera from Trinidad and Guiana. Roy. Ent. Soc., London, Proc. Ser. B: Taxonomy 11(8): 111-119, illus. Aug. 15, 1943. List of references. 420 L84Pb

119, illus. Aug. 15, 1943. List of references. 420 L84Pb ECKSTEIN, F. Über das "Asid-Getak-gas"-verfahren. Anz. f. Schädlingsk. 18(3): 32-35. 1942. 421 An9

On the basis of results of the experiments described it can not be expected that the remedies labeled respectively "Getak" and "Asid" will prove useful in practical control of the clothes louse.

EWING, H. E., and FOX, IRVING. The fleas of North America. Classification, identification, and geographic distribution of these injurious and disease-spreading insects. U. S. Dept. Agr. Misc. Pub. 500, 143 pp., illus. Feb. 1943. Literature cited, pp. 124-128. 1 Ag84M

List of synonyms of North American species of Siphonaptera, p. 123.

FRASER, F. C. Notes on the genus Heliogomphus Laidlaw, with descriptions of two new species th. cervus and H. lieftincki (Odonata). Roy. Ent. Soc., London, Trans. 92(2): 333-341, illus. Dec. 28, 1942. Bibliography. 420 L84

FULLER, H. S. Notes on neotropical Siphonaptera. Rev. de Ent. 13(1-2); 39-44. Aug. 14, 1942. References. 421 R326

HICKIN, N. E. Larvae of the British Trichoptera. 5. Odontocerum albicorne Scopoli (Odontoceridae). 6. Silo pallipes Fabricius (Sericostomatidae). 7. Phryganea grandis L. (Phryganeidae). Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(10-12): 119-126, 134-137, illus. Dec. 28, 1942. References, pp. 122, 126, 137. 420 L84Pa

HINCKS, W. D. Labia curvicauda (Motschulsky 1863). An introduced earwig in Britain. Northwest. Nat. 17(3): 206-208, illus. Sept. 1942. References. 410 N81

HYNES, H. B. N. A study of the feeding of adult stoneflies (Plecoptera).
Roy. Ent. Soc., London, Proc. Ser. A: Gen. Ent. 17(7-9): 81-82. Sept.
15, 1942. References. 420 L84Pa

JORDAN, KARL. On the Siphonaptera collected by Dr. J. M. de la Barrera in the province of Mendoza during 1939. [Argentina] Dept. Nac. de Hig., Inst. Bact. Rev. 10(4): 401-460, illus. June 1942. 448.3 Ar3

KLOSE, H. Zur epidemiologie des flechfiebers. On the epidemiology of typhus fever. Klin. Wchnschr. 21(22): 498-500. May 30: 1942.

Abstract in Bul. War Med. 3(5): 285. Jan. 1943. 448.8 3872

MONTGOMERY, B. E. Williamsonia fletcheri Williamson (Odonata: Cordulidae) from New England. Ent. News 54(1): 144. Jan. 1943.

Literature cited. 421 En88

MOSELY, M. E. Chinese Trichoptera: a collection made by Mr. M. S. Yang in Foochow. Roy. Ent. Soc., London, Trans. 92(2): 343-362, illus. Dec. 28, 1942. 420 E84

OWCZAREWICZ, L. W sprawie epidemiologji duru plamistego w Polsce i Rosji. Typhus exanthematicus: louse-borne epidemic typhus. Lekarz Wojskowy (Polish Army Med. Corps. Jour.) 34(4): 204-208, 211-212, 214-220. June-July 1942. English summary, pp. 220-222.

Abstract in Bul. War Med. 3(5): 284-285. Jan. 1943. 448.8 B872

PEARMAN, J. V. Third note on Psocoptera from warehouses. Ent.

Monthly Mag. 78(943): 289-292, illus. Dec. 1942...421 En86

SHARIF, M. The effects of temperature and humidity upon the growth of early stages of the three Indian rat-fleas (Xenopsylla astia, X. brasiliensis, X. cheopis, Haffkine Inst., Bombay, Ann. Rpt. 1939: 40-43. Bombay, Govt. central press, 1941. 448.9 Hll


SHARIF, M. On the male genitalia of Siphonaptera. Haffkine Inst., Bombay, Ann. Rpt. 1939: 43. Bombay, Govt. central.press, 1941.

WALKER, E. M. Additions to the list of Odonata of the Maritime Provinces. Nova Scotia Inst. Sci. Proc. 20(4): 159-176. 1941-1942. 517 H13

WYGODZINSKY, P. W. Um novo genero e uma nova espécie de lepismatídeo mirmecófilo (Thysanura) ¡Attatelura geijskesi]. Rev. de Ent. 13(1-2): 49-54, illus. Aug. 14, 1942. 421 R326

ZUMPT, F. Haematopinus aperis Ferris, eine für Deutschland neue läuseart. Anz. f. Schädlingsk. 18(5): 56-58, illus. 1942. References. 421 Ang

UNITED STATES DEPARTMENT OF AGRICULTURE Library



The Bibliography of Agriculture is issued monthly in six sections.

- Section A, Agricultural Economics and Rural Sociology. Supersedes Agricultural Economics Literature.
- Section B, Agricultural Engineering. Supersedes Current Literature in Agricultural Engineering.
- Section C, Entomology. Supersedes Entomology Current Literature.
- Section D, Plant Science. Supersedes Plant Science Literature.
- Section E, Forestry. Continues Forestry Current Literature, which ceased publication with v. 7, no. 2, Mar.-Apr. 1940.
- Section F, Food Processing and Distribution.

The edition of the Bibliography of Agriculture is so limited that we are unable to fill all of the requests which we receive for it. If you do not intend to file this publication permanently, please return it to the Department of Agriculture Library so that it may be made available to others.

Abbreviations used in this publication are those listed in U. S. Department of Agriculture Miscellaneous Publication 337, Abbreviations Used in the Department of Agriculture for Titles of Publications. April 1939.

Call numbers following the citations are those of the U. S. Department of Agriculture Library unless otherwise noted.

The Department can supply only its own publications; other items cited may ordinarily be obtained from their respective publishers. Many of them are available for consultation in public or other libraries.

Photoprint or microfilm copies of any publication listed may be obtained from the Library. Order blanks giving prices and method of payment will be sent on request.

GENERAL

ABBOTT, C. E. A comparison of the sensory responses of Polistes [fuscatus] and Lucilia [sericata] to sugars. Ark. Acad. Sci. Proc. (1941) 1: 35-37. Fayetteville, 1941. References. 500 Ar42

CALIFORNIA ACADEMY OF SCIENCES. Contributions toward a knowledge of the insect fauna of Lover California. No. 6-7. Calif. Acad. Sci. Proc. (ser. 4) 24(6,7): 161-287, illus. June 20, 1942, Feb. 4, 1943. 500 Cl2P

Contents: No. 6. Diptera: Culicidae, by T. H. G. Aitken, pp. 161-170; No. 7. Coleoptera: Tenebrionidae, by F. E. Blaisdell, Sr.,

pp. 171-287.
CHAMPION, H. G. Entomology and nature preservation in post-war reconstruction. [Editorial.] Ent. Monthly Mag. 79(944): 1-4. Jan. 1943.
421 En86

DAINTON, B. H. Effect of air currents, light, humidity and temperature on slugs. Nature [London] 151(3818): 25. Jan. 2, 1943. References. 472 N21

DAVIDSON, J. On the speed of development of insect eggs at constant temperatures. Austral. Jour. Expt. Biol. and Med. Sci. 20(4): 233-239, illus. Dec. 1942. References. 442.8 Au7

HAWKINS, C. N. The insects of Norfolk Island, including a preliminary report on a recent collection. Ann. and Mag. Nat. Hist. (ser. 11) 9(60): 865-902. Dec. 1942. References. 410 An77

KING, G. M., and HOWARD, R. C. A determination of the gametic pathways and histological structure of selected regions of the genitalia of Helix aspersa Muller. Va. State Col. Gaz. 49(1): 31-34. Feb. 1943. 276 V814

Abstract of Master's thesis.

MAYR, ERNST. Systematics and the origin of species, from the viewpoint of a zoologist. 334 pp., illus. New York, Columbia univ.
press, 1942. (Columbia Biol. Ser. XIII) 411 M45

References, pp. 299-314.
Author states that he has attempted "to summarize our knowledge in the field of systematics, and to subject to a searching analysis the principal concepts on which taxonomic work is based."

PARKER, G. H. Coloration of animals and their ability to change their tints. Sci. Monthly 56(3): 197-210, illus. Mar. 1943. 470 Sci23 Insect coloration for concealment, for advertisement and for dis-

guise (including mimicry), pp. 198-203.
SCOTT, HUGH. In the high Yemen. 260 pp., illus. London, John Murray,

1942. References. 127 Sco3
General information, including natural history, on South-West Arabia and its people gained during "British Museum (Natural History)
Entomoligical Expedition to South-West Arabia, 1937-8."

STEINHAUS, E. A. Catalogue of bacteria associated extracellularly with insects and ticks. 206 pp. Minneapolis, Minn., Burgess pub. co., 1942. References. 422 St3

Items marked with an asterisk (*) can be supplied only in microfilm or photostat.

Nature [London] 151(3820); WILLIAMS, C. B. Studies of wild populations. 71-72. Jan. 16, 1943. 472 N21.

Deals almost entirely with insects. GENERAL - ECONOMIC BALBI, R. H. Calendario sintético de pulverizaciones. Zona del Ríode la Plata. Pampa Argentina 15(172): 17. Dec. 1941. 9 Pl9 BELDING, D. L. Textbook of clinical parasitology including laboratory identification and technic. 888 pp., illus. New York, D. Appleton-Century co., 1942. References. 436 B413T BISHOPP, F. C. War-time entomology, insecticides - present and future supplies, substitutes, and new materials. Natl. Shade Tree Conf. Proc. (1942) 18: 48-55. Discussion, pp. 55-57. 99.9 N218 BRAGDON, K. E. Let's get closer to the farmer. Fla. Ent. 25(4): 49-52. Jan. 1943. 420 F662 Presidential address delivered before the Florida Entomological Society at their annual meeting Dec. 11, 1942. BROWN, A. C. Increased importance of quarantine inspection to Florida fruit and vegetable industries during the war. Fla. State Hort. Soc. Proc. (1942) 55: 83-86. 81 F66 BUSBEY, R. L., and FULTON, R. A. Spray residues of tartar emetic on citrus leaves. Determination by iodometric titration. Indus. and Engin. Chem. Analyt. Ed. 15(1): 37-38. Jan. 1943. 381 J825 CARTER, R. H., and GOODEN, E. L. Fluorine insecticides; a study of the chemical and physical properties of commercial sodium fluoride and sodium fluosilicate in relation to their insecticidal use. Soap 19(3): 99, 101, 117, illus. Mar. 1943. References. 307.8 Sol2 CASTRO BIEDMA, PEDRO. Enemigos que acechan en nuestros gallineros. Medios de lucha mas eficaces contra los piojos, el piojito colorado, las garrapatas y los acaros de la sarna. Pampa Argentina 17(185): 10-11, illus. Jan. 1943. 9 P19 CHIESA MOLINARI, O. Breves consideraciones sobre la lucha biologica. Pampa Argentina 17(185): 8, 22, illus. Jan. 1943. 9 P19 CREIGHTON. J. T. The control of some of Florida's shade tree pests.

Natl. Shade Tree Conf. Proc. (1942) 18: 219-233. 99.9 N218

DADE, R. H. F. The insecticide situation in relation to the war effort. Fla. State Hort. Soc. Proc. (1942) 55: 80-82. 81 F66 DECKER, G. C. Protect Iowa's grain supply. Iowa Yearbook Agr. (1941)

42: 168-176, illus. 1942. 2 Io9R

DOW CHEMICAL COMPANY. Methyl bromide; the penetrating fumigant. Atmospheric fumigation chamber. Manual for construction and operation. 8 pp., illus. Midland, Mich. [etc., 1942] 423 D75Ma

DOW CHEMICAL COMPANY. Methyl bromide; the penetrating fumigant. Reference manual for mill and warehouse fumigations. 10pp., illus.

Midland, Mich. [etc., 1942] 423 D75M

DRAKE, C. J. Bibliography of the State plant pest laws, quarantines, regulations and administrative rulings of the United States of America. 60 pp., processed. [n.p., 1942] 241.74 D78

DRAKE, C. J., and GUNDERSON, HAROLD. Controlling garden and vegetable insects in Iowa. Iowa Yearbook Agr. (1941) 42: 118-167, illus.

1942. 2 Io9R DU PONT DE MEMOURS, E. I., & COMPANY, WILMINGTON, DEL., ELECTROCHEMICALS DEPT. A reference book for the pest control operator. 76 pp., illus. [Wilmington, Del., 1942]. References. 423 D923 On cover: Fumigation Manual.

- EDGERTON, E. R. The case of white pine blister rust. Amer. Forests 49(3): 109-111, illus. Mar. 1943. 99.8 F762
- FERNAN-NUMEZ, M. Pests: control and treatment. Amer. Jour. Mursing 43(3): 244-248. Mar. 1943. 448.8 Am323
- FLINT, W. P., and FARRAR, M. D. Control of shade tree insects. Natl. Shade Tree Conf. Proc. (1942) 18: 139-146. Discussion, pp. 146-148. 99.9 N218
- GINSBURG, J. M. Soybean flour as spreader, sticker and emulsifier. N. J. State Hort. Soc. News 24(2): 1468. Feb. 1943. 81 N46
- GRAF MARÍN, ALBERTO. Certificado sanitario vegetal de origen e inspección de llegada. Valija diplomática. Simiente [Santiago de Chile] 12(2): 53-61; illus. Dec 1942-Ian 1943
- 53-61, illus. Dec. 1942-Jan. 1943.

 [GREAT BRITAIN] IMPERIAL INSTITUTE. CONSULTATIVE COMMITTEE ON INSECTICIDE MATERIALS OF VEGETABLE ORIGIN. Quarterly bibliography on insecticide materials of vegetable origin, no. 20(July to September 1942).

 [Gt_Brit.] Imp. Inst. Bul. 40(4): 282-289. Oct.-Dec. 1942. 26 G79
 - Prepared in collaboration with the Imperial Institute of Entomology and the Department of Insecticides and Fungicides, Rothamsted Experimental Station.
- HAMBLETON, E. J. Informe sobre las condiciones entomológicas en el Valle de Cañete durante setiembre y octubre de 1942. Vida Agr. 19(228): 789, 792-793, 795-796. Nov. 1942. 9.8 V66
- HAMBLETON, E. J. Insectos del algodonero. (Segunda parte.) Vida Agr. 19(228): 810-814. Nov. 1942. 9.8 V66.
 - Report of the entomologist of the Sociedad Nacional Agraria [Peru], July 1, 1941 to June 30, 1942.
- HAMILTON, C. C. The insecticide situation and its effects on shade tree operations. (Concl.) Shade Tree 15(11): 2-3. Nov. 1942. References. 99.8 Shl
- HAMMON, W. M. Encephalitis: eastern and western equine and St. Louis types, as observed in 1941 in Washington, Arizona, New Mexico and Texas. Amer. Med. Assoc. Jour. 121(8): 560-564. Feb. 20, 1943. References. Discussion, pp. 564-566. 448.9 Am37 Entomologic aspects, pp. 562-563.
- HOUSER, J. S. War-time formulas insecticides. Natl. Shade Tree Conf. Proc. (1942) 18: 57-59. Discussion, pp. 60-68. 99.9 N218
- HUTSON, Ray. Insect control on mint and celery. Mich. Muck Farmers Assoc. Proc. (1942) 24: 10-12. 4 M5813
- INSECT repellents. Demand for use by armed forces puts new life into a dead market with promise of post-war expansion. Soap 19(3): 103, 105, 121. Mar. 1943. 307.8 Sol2
- IOWA. DEPT. OF AGRICULTURE. STATE ENTOMOLOGIST. Report [for 1941].

 Iowa Yearbook Agr. (1941) 42: 103-117. 1942. 2 Io9R

 C. J. Drake, State Entomologist.
- KITCHETTER, J. A., ALEXANDER, P., and BRISCOE, H. V. A. A simple method of protecting cereals and other stored foodstuffs against insect pests. Soc. Chem. Indus. Jour. Chem. and Indus. 62(4): 32-33. Jan. 23, 1943. 382 M31C
- LEHKER, G. E., and Gregory, C. T. Home garden pest control. Purdue Agr. Ext. Leaflet 228, rev., 4 pp., illus. Lafayette, Feb. 1943. 275.29 In2L

LIDBECK, W. L., HILL, I. B., and BEEMAN, J. A. Acute sodium fluoride poisoning. Amer. Med. Assoc. Jour. 121(11): 826-827. Mar. 13, 1943. References. 448.9 Am37

Discussion of "the recent accidental ingestion of sodium fluoride

at the Oregon State Hospital at Salem, Ore."

LIEBERMAN, J. Sintesis de entomologia Argentina, pura y aplicada. Simiente [Santiago de Chile] 12(2): 73-77. Dec. 1943-Jan. 1943.

LINDSAY, D. R. Some potato dusting experiments in Iowa. Iowa State
Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 287-290, illus. Des Moines
[1942] 81 Io9

LOCKWOOD, STEWART. Late winter and spring control of pests in orchards.

Blue Anchor 20(1): 16, 31. Feb. 1943. 286.83 B62

McGOVRAN, E. R., SCHECHTER, M. S., and FALES, J. H. New insecticide material. Soam 19(3): 107, 117. Mar. 1943. References. 307.8 Sol2 Alpha, beta-dibromo-beta-nitroethylbenzene in deodorized kerosene tested on Musca domestica.

MAXWELL, J. M. Vegetable insect control guide. N. C. Agr. Col. Ext. Bul. (War Ser.) 13, 11 pp. Raleigh, Jan. 1943. 275.29 N811W

MILLER, R. L. War and its effect on the insecticide industry. (To be cont.) Fla. Ent. 25(4): 53-56. Jan. 1943. 420 F662

MOOK, P. V., and WOLFENBARGER, D. O. Distribution of Beauveria bassiana on elm insects in the United States. Phytopathology 33(1): 75-77.

Jan. 1943. 464.8 P56

MUNCH, J. C. Poison antidotes. Effects of common economic poisons and emergency treatment in accidental poisoning. Pests 11(2): 14-15, 27. Feb. 1943. 449.8 Ex8

MUNRO, J. W. Infestation of stored goods. Expert foresees wider use of refrigeration in controlling pests. Mod. Refrig. 46(539): 28-30. Feb. 1943. 295.8 M72

MUNRO, J. W. Place of research in the control of injurious insects.

Nature [London] 151(3823): 157-160. Feb. 6, 1943. 472 N21

NEARY, M. E. The insect outlook for 1943. Nova Scotia Fruit Growers' Assoc. Ann. Rpt. (1942) 79: 63-65, 67-68. Dec. 1942. 82 NE5

NEW SOUTH WALES. DEPT. OF AGRICULTURE AND FORESTRY. ENTOMOLOGICAL BRANCH.
Insect notes. Agr. Gaz. N. S. Wales 54(1): 39-42, illus. Jan. 1, 1943.
23 N472

Contents: General principles of insect pest control; Springtails (Collembola); The hay itch mite (Pediculoides ventricosus).

ORGANIC insecticides. Suggested substitutes for lead arsenate. Chem. Age 48(1233): 200. Feb. 13, 1943. 382 C427

PARASITOS externos en los cerdos; manera de combatirlos. Campo y Arados [Montevideo] 6(70): 10-11, 38, illus. Dec. 1942. 9.9 C152

PICKETT, A. D. Recent experiments in insect control in Mova Scotia. Nova Scotia Fruit Growers' Assoc. Ann. Rpt. (1942) 79: 19-21, 23.

Dec. 1942. 82 N85 PIPPINGER, C. R. Killing insects in flour and grain by induction heating. Amer. Miller 71(2): 32-34, illus. Feb. 1943. 298.8 Am32

PYRETHRUM in Mysore. Indian Farming 3(8): 441-442. Aug. 1942. 22 In 283

Experiments by the Forest Research Laboratory at Bangalore show that 75 lbs. of dry pyrethrum flowers of from 0.5 to 0.8 pyrethrin content can be produced per acre under Mysore conditions.

ROBERTS, L. B., WOLFE, J. D., and HAWTHORNE, JAMES. Vapor pressures. I. Para-dichlorobenzene; glycoldiacetate. Ark. acad. Sci. Proc. (1941) 1:

67-68. Fayetteville, 1941. 500 Ar42

ROEHM, L. S., STENGER, V. A., and SHRADER, S. A. The fumigation of dairy products with methyl bromide. Jour. Dairy Sci. 26(2): 205-211, illus. Feb. 1943. References. 44.8 J822

After a reasonable period residues in fumigated foods are entirely

organic in nature and not present in significant amounts.

SANTIS, LUIS de. Algunos insectos útiles que convendría introducir en la República Argentina. Buenos Aires (Prov.) Dir. de Agr., Ganad. e Indus. An. Rural (1942) 10: 239-248, illus. .9 B866A Post Scriptum, p. 249.

SCARAMUZZA, L. C. Los insectos y otros animales que atacan a la caña de azucar en Cuba. Asoc. de Téc. Azucareros Cuba. Bol. Ofic. 1(2): 22-24, illus. Apr. 1942. 65.9 As5B

SCHULTZ, E. F. Detalles sobre construcción de una cámara de fumigación, capacidad de unas 200 o 300 bolsas diarias. Tucuman Estac. Expt. Agr. Rev. Indus. y Agr. 32(4-6): 165-166. Apr.-June 1943. 9 779

SHERMOOD, E. C. Spraying problems for 1943. Mountaineer Grower 14(145): 10-11, 13-15, 17. Mar. 1943. 80 M86

SINCLAIR, W. B., and LINDGREN, D. L. Ridges and sectors induced in the rind of citrus fruits by fumigation with hydrocyanic acid. Plant · Physiol. 18(1): 99-106, illus. Jan. 1943. References. 450 P692

SPRAY recommendations for 1943, fresh from Western spray conference in Yakima. Better Fruit 37(8): 7-8, 10, 19, illus. Feb. 1943. 80 B46 Recommendations made at the 17th annual Western Cooperative Spray Project Conference.

TAYLOR, G. C. Hygiene in the fruit garden; the importance of winter spraying. Country Life [London] 93(2399): 78, illus. Jan. 8, 1943.

· 80 C83 THEVETIA nerifolia Juss - a potent new insecticide. Poona Agr. Col.

Mag. 34(2): 108-109. Oct. 1942. 22 P79 "The kernel inside the seed possesses toxins of great value."

THOMSSEN, E. G., and DONER, M. H. Insect control in food production. (Concl.) Soap 19(3): 90-92, 115, illus. Mar. 1943. 307.8 Sol2

TURNER, C. N. Orchard sprayers go to war. Amer. Fruit Grower 63(2): 7, 25. Feb. 1943. 80 G85 Outlines steps fruit grower can take to keep his spray machinery efficient under war conditions.

TWINN, C. R. The importance of technical information to the pest control operator. Pests 11(2): 8-9. Feb. 1943. 449.8 Ex8

- U. S. BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE. Service and regulatory announcements. List of intercepted plant pests, 1941. (List of pests recorded during the period July 1, 1940, to June 30, 1941, inclusive, as intercepted in, on, or with plants and plant products entering United States territory.) 50 pp. Washington, D. C., Nov. 1942. 1 F31S .
- U. S. MATIONAL BUREAU OF STANDARDS. Agricultural insecticide and fungicide packages. 12 pp. Washington, 1942. (Simplified practice recommendation R41-42) 157.88 Si5

Effective date, Nov. 1, 1942. Supersedes R41-40. WAGLE, P. V., and PINGLE, S. V. Some experiments on the storage of grain free from insect pests. Poona Agr. Col. Mag. 34(2): 83-85.

Oct. 1942. 22 P79
WILSON, J. D. Influence of soil type and temperature on rate of escape of chloropicrin. Ohio Agr. Expt. Sta. Bimo. Bul. 28(220): 38-41. Jan.-Feb. 1943. 100 Oh3S

WINSTON, J. R. Degreening of oranges as affected by oil sprays.

Fla. State Hort. Soc. Proc. (1942) 55: 42-45. 81 F66

Article of same title appears also in Citrus Indus. 24(2): 5, 8,
16. Feb. 1943. 80 C49

Tests made using Parson Brown oranges taken from experimental plots of the U. S. Bureau of Entomology and Plant Quarantine at Orlando, Fla.

APICULTURE

ANDERSON, E. J. Care and introduction of package bees. Gleanings Bee Cult. 71(3): 129-132, illus. Mar. 1943. 424.8 G47

BUTLER, C. G. Bee paralysis, may-sickness, etc. Bee World 34(1): 4-7. Jan. 1943. 424.8 B399

DUNHAM, W. E. Spring feeding of bees. Gleanings Bee Cult. 71(3): 140-141, illus. Mar. 1943. 424.8 G47

EVERITT, E. B. War-time beekeeping conference held in Chicago, January 24 to 27, 1943. Gleanings Bee Cult. 71(3): 148-151, 181. Mar. 1943. 424.8 G47

HAYDAK, M. H., and TANQUARY, M. C. New information on honey.

Gleanings Bee Cult. 71(3): 137-139, 186-187, 190, illus. Mar. 1943.

424.8 G47

KREMER, J. C. Recent investigations show need for bees in production of vine crops. Gleanings Bee Cult. 71(3): 133-134, illus. Mar. 1943. 424.8 G47

LOTMAR, Ruth. Flugbrettanstrich und farbensinn der bienen. Schweiz. Bienen Ztg. 65(10): 463-468. Oct. 1942. References. 424.8 Sch9

PADDCCK, F. B. Work of the State apiarist. Iowa Yearbook Agr. (1941) 42: 93-102, illus. 1942. 2 Io9R

RAHMLOW, H. J. Spring work in the apiary. Amer. Bee Jour. 83(3): 102-103, illus. Mar. 1943. 424.8 Am3

SECHRIST, E. L. Beekeeping in hot locations. Amer. Bee Jour. 83(3): 110-111. Mar. 1943. 424.8 Am3

ARACHNIDA, MYRIAPODA, PHALANGIDA and PROTURA

ABBOTT, K. H. Tick paralysis: a review. I-II. Mayo Clin. Proc. Staff Mtgs. 18(3): 39-45; (4): 59-64. Feb. 10, 24, 1943. References. 448.8 M45

ABOIM-INGLEZ, A. L. de. Estudo sobre o "Amblyomma astrion," Donitz 1909. [Portugal] Dir. Geral dos Serv. Pecuários. Bol. Pecuário (Bul. Vet.) 10(1): 51-55, illus. 1942. 41.8 P83

ABOIM-INGLEZ, A. L. de. Monstruosidades nos ixodíneos. Vinte e seis monstros na primeira geração dum Haemaphysalis cinnabarina var. punctata (Canestrini e Fanzago, 1877). [Portugal] Dir. Geral dos Serv. Pecuários. Bol. Pecuário (Bul. Vet.) 10(1): 15-30, illus. 1942. 41.8 P83

BERLAND, LUCIEN. Polynesian spiders. Bernice P. Bishop Mus. Occas. Papers 17(1): 1-24, illus. May 1, 1942. (Mangarevan Exped. Pub. 35) 500 B450

CHAMBERLIN, R. V. On Mexican centipeds. Utah Univ. Bul. 33(6): 1-55, illus. Feb. 12, 1943. (Biol. Ser., v. 7, no. 3) 442.8 Utl THE ERADICATION of scabies. Med. Off. 67(7): 49. Feb. 13, 1943.

THE ERADICATION of scables. Med. Off. 67(7): 49. Feb. 13, 1943.
448.8 M462

INSECTOS y ácaros que danan a los cereales en depósito. Campo [Buenos Aires] 26(311): 49. Sept. 1942. 9 C15

JOHNSON, C. G. Recent research and the scabies problem. Roy. Sanit. Inst. Jour. 63(1): 29-35. Jan. 1943. References. 449.9 R812

MACCORMAC, HENRY. The diagnosis and treatment of scabies. Roy. Sanit. Inst. Jour. 63(1): 24-25. Jan. 1943. 449.9 R812

PARKER, R. R., and STEINHAUS, E. A. Rocky Mountain spotted fever: duration of potency of tick-tissue vaccine. U. S. Pub. Health Serv. Rpts. 58(6): 230-232. Feb. 5, 1943. 151.65 P96

SMITH, D. J. W. Studies in the epidemiology of Q fever. II. Experimental infection of the ticks Haemaphysalis bispinosa and Ornithodorus sp. with Rickettsia burneti. Austral. Jour. Expt. Biol. and Med. Sci. 20(4): 295-296. Dec. 1942. 442.8 Au7

STANDRING, THOMAS. Administration of a scabies scheme. Roy. Sanit. Inst. Jour 63(1): 26-29. Jan. 1943. 449.9 R812

THORP, R. W., and WOODSON, W. D. Dangerous spiders. Hygeia [Chicago] 21(3): 192-193, 234-235, illus. Mar. 1943. 449.8 H993

VELLARD, J. El veneno de las Avicularia. Rev. Brasil. de Biol. 2(2): 165-171. June 1942. References. 442.8 R326

VERGANI, A. R. La transmisión de la "Lepra explosiva" de la ligustrina por los ácaros [Tenuipalpus pseudocuneatus]. Rev. Argentina de Agron. 9(4): 292-294, illus. Dec. 1942. References. 9 R327

VRYDAGH, J. M. Etude de l'acariose du cotonnier, causée par Hemitarsonemus latus (Banks) au Congo Belge. Inst. Natl. pour l'Etude Agron. Congo Belge Pubs., Sér. Sci. 28, 26 pp., illus. Nairobi, East African standard ltd., 1942. References. 24 In7

WHEELER, C. M. A contribution to the biology of Ornithodoros hermsi Wheeler, Herms and Meyer. Jour. Parasitol. 29(1): 33-41, illus. Feb. 1943. References. 448.8 J824

COLEOPTERA

ARROW, G. J. A few new species of the scarabaeid subfamily Hybosorinae (Coleoptera), with a key to the genus Phaeochroops. Ann. and Mag. Nat. Hist. (ser. 11) 9(60): 923-928. Dec. 1942. 410 An77

BLACKMAN, M. W. New genera and species of neotropical bark beatles (Coleoptera: Scolytidae). Wash. Acad. Sci. Jour. 33(2): 34-38, illús. Feb. 15, 1943. 500 W276J

BLACKWELDER, R. E. Monograph of the West Indian beetles of the family Staphylinidae. U. S. Natl. Mus. Bul. 182, 658 pp., illus. Washington, 1943. 500 Sm65B

References, pp. 603-623.

BLAIR, K. G., and Donisthorpe, H. Hypebaeus flavipes F. (not

Ebaeus abietinus Abeille) (Col., Malachidae) in Britain: a correction.

Ent. Monthly Mag. 79(944): 16. Jan. 1943. 421 En86

CORY, E. N. Biological control of the Japanese beetle [Popillia japonica]. Natl. Shade Tree Conf. Proc. (1942) 18: 148-153. Discussion, pp. 153-154. 99.9 N218

COSTA LIMA, A. da. Sobre a "joaninha" "Coccidophilus citricola"
Brethes, 1905 (Coleoptera, Coccinellidae). Rev. Brasil. de Biol.
1(4): 409-414, illus. Dec. 1941. References. 442.8 R326

FARRAR, M. D., and HACKLEMAN, J. C. Sweet clover and sweet clover weevil [Sitona cylindricollis] for 1943. Amer. Bee Jour. 83(2): 63. Feb. 1943. 424.8 Am3

HINTON, H. E. Description and figures of a new Anthremus [A. (A.) munroi] (Col., Dermestidae). Ent. Monthly Mag. 79(944): 14-16, illus. Jan. 1943. 421 En86

HOLDSWORTH, R. P. Some work on the white pine weevil [Pissodes strobi].

Jour. Forestry 41(2): 143-144. Feb. 1943. 99.8 F768

Discussion of possible effect of yearly collection of weeviled pine tips on weevil abundance and of the factors involved.

KEVAN, D. K. Lyctus planicollis Lec. in Midlothian. Entomologist 76(956): 22-23. Jan. 1943. 421 En8

LA LUCHA contra el "taladro" del eucalipto [Phorocantha semipunctata].

Buenos Aires (Prov.) Bol. de Agr., Ganad. e Indus. 19(3-6): 45-46.

Mar.-June 1939. 9 B866

SANDERSON, M. W., and MILLER, ALBERT. A new species of ground beetle of the genus Rhadine [R. ozarkensis] from an Arkansas cave (Coleoptera: Carabidae). Ark. Acad. Sci. Proc. (1941) 1: 39-40. Fayetteville,

1941. References. 500 Ar42

SILVA LEITÃO, J. L. da. Contribuição para o estudo do "Dermestes vulpinus" (Fabricius, 1781). Sua importância económica como agente desvalorizador das peles conservadas. [Portugal] Dir. Geral dos Serv. Pecuários. Bol. Pecuário (Bul. Vet.) 10(1): 61-64, illus. 1942. 41.8 P83

VERRALL, A. F. Fungi associated with certain ambrosia beetles. Jour. Agr. Res. 66(3): 135-144, illus. Feb. 1, 1943. References.

l Ag84J
ZIMMERMAN, E. C. New Caledonian Microcryptorhynchus (Coleoptera,
Curculionidae). Bernice P. Bishop Mus. Occas. Papers 17(8): 85-89,
illus. June 10, 1942. 500 B450

DIPTERA

ALEXANDER, C. P. New nearctic crane-flies (Tipulidae, Diptera).

Part XVIII. Canad. Ent. 75(1): 13-20. Jan. 1943. 421 C16

ANDUZE, P. J. Distribucion geografica de los Haemagogus venezolanos
y su posible relacion con la fiebre amarilla selvatica. Venezuela.
Min. de Sanid. y Asistencia Social, Rev. de Sanid. y Asistencia
Social 7(6): 821-824, illus. Dec. 1942. References. 449.9 V55

BARRETTO, M. P. Sobre a astenobiose do "Phlebotomus whitmani"
Antunes e Coutinho, 1939 (Diptera, Psychodidae). Rev. Brasil.
de Biol. 1(3): 305-310. Sept. 1941. References. 442.8 R326

BARROS, JOAQUIM. O berne [Hypoderma bovis, H. lineatum]. [Portugal]
Dir. Geral dos Serv. Pecuarios. Bol. Pecuario (Bul. Vet.) 10(1):
121-132, illus. 1942. 41.8 P83

Trabalho da Intendência de pecuaria de Setubal.

BEQUAERT, J. Notes on Hippoboscidae. 18. The genus Brachypteromyia
Williston; with the description of a new species [B. neotropica]
(Diptera). Psyche 49(3-4): 108-117, illus. Sept.-Dec. 1942.
421 P95

BLACKLOCK, D. B., and WILSON, CARMICHAEL. A late seasonal increase of Anopheles funestus in village houses. Ann. Trop. Med. and Parasitol. 36(4): 182-186, illus. Dec. 31, 1942. 448.9 L75A

BLACKLOCK, D. B., and WILSON, CARMICHAEL. Simple anti-malaria methods for use in villages. Ann. Trop. Med. and Parasitol. 36(4): 187-191. Dec. 31, 1942. 448.9 L75A

Simple methods are described for control of mosquito (Anopheles spp.) breeding places on streets and in compounds of African villages.

BODENSTEIN, DIETRICH. Factors influencing growth and metamorphosis of the salivary gland in Drosophila. Biol. Bul. 84(1): 13-33, illus. Feb. 1943. References. 442.8 B52

- BODENSTEIN, DIETRICH. Hormones and tissue competence in the development of Drosophila. Biol. Bul. 84(1): 34-58, illus. Feb. 1943. References. 442.8 B52
- BORRAS V., FRANCISCO. Estudio sobre la mosca brava del ganado [Haematobia irritans]. Descripción de su forma y características. Rev. Agropecuaria [Manizales, Colombia] 7(28): 49-58, illus. Oct. 1942. 9.4 C714
- BRIME, K. S., and DEMEREC, M. A survey of malpighian tube color in the eye color mutants of Drosophila melanogaster. Growth 6(4): 351-355. Dec. 1942. References. 442.8 G91
- BRODY, A. L., and KNIPLING, E. F. Can larvae of Cochliomyia americana C. and P. mature in carcasses? Jour. Parasitol. 29(1): 59-60. Feb. 1943. 448.8 J324
 - Larvae develop readily under protected conditions when only 24 hours old at death of host. Age limit higher for development under natural conditions.
- BROMLEY, S. W. Bee-killing asilids in New England. Psyche 49(3-4): 81-83. Sept.-Dec. 1942. 421 P95
- BURTT, E. Observations on the high proportion of polymorphic trypanosome infections found in the salivary glands of Glossina brevipalpis near Amani, Tanganyika Territory, with a note on the appearance of the infected glands. Ann. Trop. Med. and Parasitol. 36(4): 170-176.

 Dec. 31, 1942. References. 448.9 L75A
- COE, R. L. Eleven additional species of British Diptera. Entomologist 76(956): 6. Jan. 1943. 421 En8
- COUTINHO, J. O., and PEREIRA BARRETTO, M. Dados bionomicos sobre o "Phlebotomus fischeri" Pinto, 1926 (Diptera, Psychodidae). Rev. Brasil. de Biol. 1(4): 423-429. Dec. 1941. References. 442.8 R326
- CURRAN, C. H. Syrphidae from Sarawak and the Malay Peninsula (Diptera).

 Amer. Mus. Nat. Hist. Amer. Mus. Novitates, no. 1216, 8 pp. New York,

 Dec. 31, 1942. 500 N483N
- CUSHING, E. C., and BARRETT, W. L., jr. Stop losses by stopping screwworms. Many outbreaks can be prevented by halting shipments of infested livestock. Most satisfactory remedy yet found is Smear 62. Fly migration starts May 1. Amer. Hereford Jour. 33(19): 62-63. Feb. 1943. 43.8 Am32
- DAVEY, T. H. The larva of Anopheles flavicosta Edwards. Ann. Trop. Med: and Parasitol. 36(4): 179-181, illus. Dec. 31, 1942. 448.9 L75A
- EYLES, D. E., and BISHOP, L. K. The microclimate of diurnal resting places of Anopheles quadrimaculatus Say in the vicinity of Reelfoot Lake. U. S. Pub. Health Serv. Rots. 58(6): 217-230, illus. Feb. 5, 1943. References. 151.65 P96
- GALVÃO, A. L. AYROZA, and COUNTIHO, J. O. Nota sôbre um flagelado parasita de anofelinos do sub-gênero "Nyssorhynchus," "Herpetomonas pessoai" n. sp. (Mastigophora, Trypanosomidae). Rev. Brasil. de Biol. 1(3): 311-319, illus. Sept. 1941. References. 442.8 R326
- English summary; p. 318.

 GIBBINS, E. G. On the habits and breeding-places of Aedes (Stegomyia) simpsoni Theobald in Uganda. Ann. Trop. Med. and Parasitol. 36(4): 151-160, illus. Dec. 31, 1942. References. 448.9 L75A

HAMMON, W. M., REEVES, W. C., and GRAY, M. Mosquito vectors and inapparent animal reservoirs of St. Louis and western equine encepha-Amer. Jour. Pub. Health 33(3): 201-207. Mar. 1943. litis viruses. 449.9 Am3J References.

Culex tarsalis used in experiments.

HULL, F. M. New species of syrphid flies in the National museum. Wash. Acad: Sci. Jour. 33(2): 39-43. Feb. 15, 1943. 500 W276J

HULL, F. M. New species of Syrphidae from the neotropical region. Psyche 49(3-4): 84-107. Sept.-Dec. 1942. 421 P95

NOVA SCOTIA FRUIT GROWERS' ASSOCIATION. APPLE MAGGOT CONTROL BOARD. port...[for 1942]. Nova Scotia Fruit Growers' Assoc. Ann. Rpt. (1942) 79: 46-52. Dec. 1942. 82 N85 V. B. Leonard, Chairman.

Report signed by A. Kelsall and A. D. Pickett.

OLIVEIRA, S. J. de, and VERANO, O. T. Estudo sobre as cerdas clipeais das larvas de "Anopheles (Nyssorhynchus) oswaldoi" (Peryassú, 1922) e "Anopheles (Nyssorhynchus) argyritarsis" R. Desvoidy, 1827, da baixada fluminense (Diptera, Culicidae). Rev. Brasil. de Biol. 2(3): 353-360, illus. Sept. 1942. References. 442.8 R326

OLIVEIRA, S. J. de. Sôbre os mosquitos do Estado de Mato Grosso, Brasil, com a descrição do macho de "Taeniorhymchus (Rhynchotaenia) shannoni" (Lane & Antunes, 1937) (Diptera, Culicidae). Rev. Brasil. de Biol.

2(2): 209-212, illus. June 1942. References. 442.8 R326

OLIVEIRA, S. J. de. Sobre uma curiosa anomalia em uma larva de "Culex" (C.) nigripalpus Theobald, 1901 (Diptera, Culicidae). Rev. Brasil.

de Biol. 1(3): 343-344, illus. Sept. 1941. 442.8 R326 RICKARDS, J. C. Overcoming a bloodworm (Chironomid) problem. Works 74(2): 11-12, 38, illus. Feb. 1943. 290.8 M922

Canton, N. C., got rid of bloodworms in one of its two reservoirs by draining and washing the walls with copper sulphate and calcium hypochlorite.

SHAW, A. O., and ATKESON, F. W. Effect of spraying cows with repellent type sprays as measured by milk production. Jour. Dairy Sci. 26(2): 179-187, illus. Feb. 1943. References. 44.8 J822

Simulium feeding on ivy flowers. Entomologist 76(956): SMART, JOHN. 20-21. Jan. 1943. 421 I

SOUZA LOPES, H. ac. "Notochaeta aldrichi" n. sp., parasita de Uligochaeva no Brasil (Diptera, Sarcophagidae). Rev. Brasil. de Biol. 2(3): 361-364, illus. Sept. 1942. References. 442.8 R326

SOUZA LOPES, H. de. Sobre o aparelho genital feminino dos "Sarcophagidae" e sua importância na classificação (Diptera). Rev. Brasil. de Biol.

1(2): 215-221, illus. June 1941. 442.8 R326 STEIN, C. D., LOTZE, J. C., and MOTT, L. O. Evidence of transmission of inapparent (subclinical) form of equine infectious anemia by mosquitoes (Psorophora columbiae), and by injection of the virus in extremely high dilution. Amer. Vet. Med. Assoc. Jour. 102(792): 163-169, illus. Mar. 1943. 41.8 Am3

STEINHAUS, E. A. A new bacterium, Corynebacterium lipoptenae, associated with the louse fly, Lipoptena depressa Say.

Jour. Parasitol. 29(1): 80. Feb. 1943. 448.8 J824
TEIXEIRA de FREITAS, J. F., and SOUZA LOPES, H. de. Sobre uma nova especie brasileira do genero "Condylostylus" Bigot [C. lutzi] (Diptera: Dolichopidae). . Rev. Brasil. de Biol. 1(1): 27-30, illus. Apr. 1941. References. 442.8 R326

Brief English abstract, p. 30.

VARGAS, L. Anopheles earlei Vargas, 1942, n. sp. norteamericana del grupo maculipennis. Pan Amer. Union. Bol. de la Ofic. Sanit. 22(1): 8-12, illus. Jan. 1943. References. 150.9 B872
English summary, p. 12.

WALES, H. G. Q. Malaria and war in the Pacific. Hygeia [Chicago]

21(2): 102-103, 154-155. Feb 1943. 449.8 H993 Anopheles spp. as vectors.

HEMIPTERA

ARGENTINA. LAWS, STATUTES, etc. Leyes y decretos. Disponiendo la lucha contra la filoxera. 127.775 - Expte. No. 12.758.943. Mendoza, Argentina (Prov.) Dir. de Indus. y Fomento Agr. Bol. Agr. 10(7-9): 397-400. July-Sept. 1942. 9 M52B

BROWN, E. S. Observations on the identity of species of Gerris and Notonecta in the Dale collection of British Hemiptera-Heteroptera. Ent. Monthly Mag. 79(944): 17-18. Jan. 1943. 421 En86

CHIESA MOLINARI, O. Pulgones que dafian a las hortalizas. Pampa

Argentina 15(171): 7, 36, illus. Nov. 1941. 9 P19
COSTA LIMA, A. da. Considerações sobre alguns reduvideos da subfamilia
"Stenopodinae." Rev. Brasil. de Biol. 1(3): 337-342, illus. Sept.
1941. 442.8 R326

COSTA LIMA, A. da. Insetos do Brasil. 3.º tomo. Capítulo XXIII. Homopteros. 327 pp., illus. [Rio de Janeiro] Escola nacional de agronomia, 1942. (Ser. didática n. 4) 422.3 C82I

References, pp. 289-307.

DAVIS, D. J., McGREGOR, THEODORE, and DeSHAZO, THELMA. Triatoma sanguisuga (LeConte) and Triatoma ambigua Neiva as natural carriers of Trypanosoma cruzi in Texas. U. S. Pub. Health Serv. Rpts. 58(9): 353-354. Feb. 26, 1943. References. 151.65 P96

DeLONG, D. M. A monographic study of the North American species of the subfamily Gyponinae (Homoptera-Cicadellidae) exclusive of Xerophloea. 187 pp., illus. Columbus, Ohio State university, 1942. References. 431 D38M

DIAS, EMMANUEL, and others. Investigações sobre esquisotripanose de morcegos no Estado do Para. Encontro do barbeiro "Cavernicola pilosa" como transmissor, by Emmanuel Dias, Gervasio Brito Mello, Orlando Costa, Reinaldo Damasceno, and Miguel Azevedo. Rev. Brasil. de Biol. 2(1): 103-110, illus. Mar. 1942. References. 442.8 R326

KOHLER, ERICH. Untersuchungen über das "K-virus" der kartoffel. I. mittlg. Angew. Bot. 24(1-2): 118-130, illus. Jan.-Apr. 1942. References. 450 An4

Virus transmitted by Myzus persicae.

LENT, HERIAN. Estudos sobre os triatomídeos do Estado do Rio Grande do Sul, com descrição de uma especie nova [Panstrongylus tupynambai]. Rev. Brasil. de Biol. 2(2): 219-231, illus. June 1942. References. 442.8 R326

LENT, HERMAN. "Latrocimex spectans" n. gen., n. sp., parasito de morcegos no Brasil (Hemiptera, Cimicidae). Rev. Brasil. de Biol.

1(1): 41-46, illus. Apr. 1941. 442.8 R326

LINDSAY, D. R., and ERWIN, A. T. The Sequeya potato resistant to hopperburn. Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 290-296, illus. Des Moines [1942] 81 Io9

Hopperburn caused by Empoasca fabae.

MONTE, OSCAR. Sinopse das especies de "Megalocysta" (Hemiptera, Tingitidae). Rev. Brasil. de Biol. 2(3): 301-304, illus. Sept. 1942. 442.8 R326

THOMPSON, W. L. Some problems of control of scale insects on citrus. Fla. State Hort. Soc. Proc. (1942) 55: 51-59. 81 F66

TUTHILL, L. D. Psyllidae from Rapa, the Caroline, Society, and Austral islands (Homoptera). Bernice P. Bishop Mus. Occas. Papers 17(6):

71-78, illus. May 27, 1942. 500 B450

USINGER, R. L. An annectent genus of Cimicoidea [Electrocoris] from Baltic amber (Hemiptera). Psyche 49(3-4): 41-46, illus. Sept.-Dec. 1942. References. 421 P95

USINGER, R. L. The genus Nysius and its allies in the Hawaiian Islands (Hemiptera, Lygaeidae, Orsillini). Bernice P. Bishop Mus. Bul. 173,

167 pp., illus. Honolulu, 1942. References. 500 B45B VIANNA MARTINS, A. Nova especie do genero "Spiniger" Burm., 1835 [S. lenti] (Hemiptera, Reduviidae). Rev. Brasil. de Biol. 2(2):

233-234. June 1942. 442.8 R326 VRYDAGH, J. M. Étude sur la biologie de Dysdercus superstitiosus F. (Hemiptera). Inst. Matl. pour l'Étude Agron. Congo Belge Pubs., Ser. Sci. 24, 19 pp., illus. Nairobi, East African standard 1td., 1941. References. 24 In7

HYMENOPTERA

BALCH, R. E. European spruce sawfly [Diprion hercyniae] in 1942. Pulp and Paper Mag. Canada 44(3): 279, 281-282, illus. Feb. 1943. 302.8 P96"

BENSON, R. B. Blasticotomidae in the miocene of Florissant, Colorado (Hymenoptera Symphyta). Psyche 49(3-4): 47-48. Sept.-Dec. 1942.

References. 421 P95

BENSON, R. B. More about the sawflies of Hertfordshire and Buckinghamshire and the list of British species (Hym., Symphyta). Ent. Monthly Mag. 79(944): 7-12. Jan. 1943. References. 421 En86

BENSON, R. B. Some reputed British sawflies not found since Stephens's days (Hym., Symphyta). Ent. Monthly Mag. 79(944): 5-7. Jan. 1943.

References. 421 En86

CHERIAN, M. C. Goniozus indicus Ash. - a natural enemy of the sugarcane white moth borer (Scirpophaga rhodoproctalis). Bombay Nat. Hist. Soc. Jour. 43(3): 488-493. Dec. 1942. References. 513 B63

DAMBACH, C. A., and GOOD, EUGENE. Life history and habits of the Ohio Jour. cicada hiller [Sphecius speciosus speciosus] in Ohio. Sci. 43(1): 32-41, illus. Jan. 1943. References. 410 0h3

FLANDERS, S. E. The Argentine ant. [Iridomyrmex humilis] versus the parasites of the black scale [Saissetia oleae]. Citrus Leaves 23(2): 9, 12, 18, 22. Feb. 1943. References. 80 C492

The Argentine ants foster honey-dew producing insects (including black scale), attacking and interfering with parasites of the scale.

HEADLEY, A. E. The ants of Ashtabula county, Ohio (Hymenoptera, Pormicidae). Ohio Jour. Sci. 43(1): 22-31. Jan. 1943. References. 410 Oh3

NIBLETT, M. The species of Rhodites causing pea-galls on Rosa. (To be cont.) Entomologist 76(956): 11-15. Jan. 1943. 421 En8

MIXON, G. E. J. A revision of the European Dacnusini (Hym., Braconidae, Dachusinae). (To be cont.) Ent. Monthly Mag. 79(944): 20-24. 1943. 421 In86

ROBA, R.-P. Notas sobre los "Zompopos" [Atta spp.]. Nicaragua, Min. de Agr. y Trab. Secc. Téc. Bol. 12, 13 mp., illus. [Managua, 1941] 8 N512

TALBOT, MARY. Population studies of the ant, Prenolepis imparis Say. Ecology 24(1): 31-44, illus. Jan. 1943. References. 410 Ec? TAYLOR, L. H. The sting of Polistes. Canad. Ent. 75(1): 20. Jan. 1943. 421 C16

LEP IDOPTERA

BORCFERT, A. Ueber eine den wachsmottenlarven, "Galleria mellonella"
L. schädliche bazillenart. [On a bacillus killing the larvae of the wax moth, Galleria mellonella L.] Zentbl. f. Bakt. [etc.]
Abt. II, 103: 311-313, Apr. 3, 1941.
Abstract in *Inst. Pasteur. [Paris]. Bul. 40(11/12): 255.
Aug./Sept. 1942.

CAPPS, H. W. Some American geometrid moths of the subfamily Ennominae heretofore associated with or closely related to Ellopia Treitschke.

U. S. Natl. Mus. Proc. 93(3159): 115-151, illus. 1943. 500 Sm65P

CLENCH, H. K. The Lycaenidae of the Bahama Islands (Lepidoptera, Rhopalocera). Psyche 49(3-4): 52-60. Sept.-Dec. 1942. References. 421 P95

CORBET, A. S., and TAMS, W. H. T. Notes on the nomenclature of the moths hitherto known as Ephestia kühniella Zeller, 1879 (Lepidoptera: Pyralidae) and Endrosis lactella (Schiffermüller & Denis, 1775) (Lepidoptera: Oecophoridae). Entomologist 76(956): 15. Jan. 1943. 421 En8

Author concludes that "Ephestia hühniella ... must be known as E. sericarium (Scott)...and Endrosis lactella...as Endrosis sarcitrella (L.)."

GRAHAM, L. T. Spreaders for codling moth [Carpocapsa pomonella] sprays.

Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 106-107. Des

Moines [1942] Discussion, pp. 108-110. 81 Io9

HAYMARD, K. J. La polilla de la papa (Gnorimoschema operculella (Zeller)) y su control. Tucuman Estac. Expt. Agr. Rev. Indus. y

Agr. 32(4-6): 153-161, illus. Apr. June 1942. 9 T79

Cir. no. 108 de la Estación Experimental Agrícola de Tucumán.

HEMMING, FRANCIS. On the correct name of the species commonly known
as Argynnis aglaja (Linnaeus, 1758) (Lep. Nymphalidae) and matters
incidental thereto. Roy. Ent. Soc. London. Proc. Ser. B: Taxonomy

11(11): 155-160. Nov. 14, 1942. 420 L84Pb
"The species hitherto known as Argynnis aglaja (Linnaeus, 1758) must
therefore in future be known as Mesoacidalia charlotta (Haworth,

HINTON, H. E. House moths [Endrosis sarcitrella and Borkhausenia pseudospretella] feeding on dead insects in or near spider webs. Entomologist 76(956): 4-5. Jan. 1943. References. 421 En8

HOUGH, W. S. Resistant strains of codling moth [Carpocapsa pomonella].

Amer. Fruit Grower 63(2): 13, 17, illus. Feb. 1943. 80 G85

JANSE, A. J. T. The moths of South Africa. Volume IV, Part 1. Jugatae. 78 pp., illus. Durban [Pretoria] E. P. & Commercial printing co., ltd., Nov. 30, 1942. 430 J26

List of publications by the late Edward Meyrick, compiled by T. B. Bainbrigge-Fletcher and A. J. T. Janse, pp. xi-xxv.

LESTER, H. M. One-shot photography; planned economy makes every exposure count. Pop. Sci. Monthly 142(4): 136-140, illus. Apr. 1943. 470 P81

"In this series of one-shot exposures, Mr. Lester vividly portrays the life cycle of a silkworm."

McDUNNOUGH, J. A note on Prodenia ornithogalli Gn. (Lepidoptera, Phalaenidae). Canad. Ent. 75(1): 1. Jan. 1943. 421 C16

MAY, EDUARDO and OITICICA, JOSE, filho. "Eacles fairchildi" nova espécie (Lepidoptera, Adelocephalidae). Rev. Brasil. de Biol. 1(3): 263-265, illus. Sept. 1941. 442.8 R326

MICHENER, C. D. A review of the subspecies of Agraulis vanillae (Linnaeus). Lepidontera: Nymphalidae. Amer. Mus. Nat. Hist. Amer. Mus. Novitates,

no. 1215, 7 pp. New York, Dec. 31, 1942. 500 N483N

NABOKOV, V. Some new or little known nearctic Neonympha (Lepidoptera: Satyridae). Psyche 49(3-4): 61-80, illus. Sept.-Dec. 1942. 421 P95 OITICICA, JOSE, filho. Contribuição ao conhecimento do gênero "Bacles"

Hubner, 1819 (Lep. Adelocephalidae). Rev. Brasil. de Biol. 1(2):

129-144, illus. June 1941. 442.8 R326

OITICICA, JOSE, filho. Nova especie do genero "Eacles" Hubner, 1819
[E. guinlei] (Lepidoptera, Adelocephalidae). Rev. Brasil. de Biol. 1(1): 103-109, illus. Apr. 1941. 442.8 R326

RICHARDSON, C. H. Codling moth [Carpocapsa pomonella] stings and their prevention. Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 104-

106. Des Moines [1942] .81 Io9

RINGUELET, J. A. La sericicultura en el pais; cria del gusano de seda. Pampa Argentina 15(171): 10-11; (172): 16, illus. Nov., Dec. 1941. 9 P19

RUFFINELLI, AGUSTIN. La oruga del girasol [Rachiplusia nu] y sus parasitos naturales. Asoc. de Ingen. Agron. Rev. 14(4): 29-35, illus.

Dec. 1942. References. 290.9 As73 SEVASTOPULO, D. G. The early stages of Indian Lepidoptera. Part X. Bombay Nat. Hist. Soc. Jour. 43(3): 409-415. Dec. 1942. 513 B63

SMITH, T. L. Some notes on the development and regulation of heat among Galleria [mellonella] larvae. Ark. Acad. Sci. Proc. (1941) 1: 29-33. Fayetteville, 1941. References. 500 Ar42

SOUTH AFRICA. DEPARTMENT OF AGRICULTURE AND FORESTRY. DIVISION OF ENTOMOLOGY. The maize stalk-borer [Busseola fusca]. Farming in So. Africa 17(201):

763-766, illus. Dec. 1942. 24 So842

A brief summary of the practical results of three years intensive investigational work carried out by C. du Plessis and H. A. F. Lea.

TALBOT, G., and CORBET, A. S. The species of the Cocytus group of the genus Euthalia Hon. (Lepidoptera: Nymphalidae). Entomologist 76(956): 7-10. Jan. 1943. 421 En8

TULLOCH, B. Habits of Vanessa atalanta and Polygonia c-album. Entomolo-

gist 76(956): 17. Jan. 1943. 421 En8

URQUHART, F. A. Fritillary butterflies. Canad. Nature 5(2): 78-79, illus. Mar.-Apr. 1943. 410 C162

WILLIAMS, C. B. Birds and butterflies. Nature [London] 151(3823):

173. Feb. 6, 1943. 472 N21

WILLIAMS, J. L. A new relationship of the bursa copulatrix to the female reproductive system in Lepidoptera. Wash. Ent. Soc. Proc. 45(2): 45-50, illus. Feb. 1943. References. 420 W27

WOODSIDE, A. M. Supplementary control for codling moth [Carpocapsa pomonella]. (Concl.) East. Fruit Grower 5(12): 6, 10, 15-16, 19,

21, illus. Feb. 1943. 80 Ea73

BLANCO MONTORO, J. A. La lucha contra la langosta. Demarcación de los desoves. Campo [Buenos Aires] 26(314): 30. Dec. 1942. 9 C15

COSTA LIMA, A. da. Sôbre alguns gafanhotos do grupo Copiocerae (Acrididae, Cyrtacanthacrinae). Rev. Brasil. de Biol. 2(1): 57-65, illus. Mar. 1942. References. 442.8 R326

DREYFUS, ANDRÉ. Estudos sôbre cromosomas de "Gryllotalpidae" brasileiros.

I. Precessão, sincronismo e sucessão de cromosomas sexuais. Rev.

Brasil. de Biol. 2(2): 235-246, illus. June 1942. References.

442.8 R326

English summary, pp. 245-246.

Scapteriscus tetradactylus used to study chromosome cycle.

HUGGINS, M. I. Grasshopper pets in China. Nature Mag. 36(2): 76-77, illus. Feb. 1943. 409.6 N214

KARANDIKAR, K. R. External structures of the desert locust (Schistocerca gregaria, Forsk). Bombay. Univ. Jour. Sect. B. Biol. Sci. (n.s.) 11(3): 1-29. illus. Nov. 1942. (Sci. no. 12) References. 513 B633

11(3): 1-29, illus. Nov. 1942. (Sci. no. 12) References. 513 B633
PEEDE, L. G. Las langostas son el mas antiguo azote del hombre y
todavia desafian a la ciencia. Campo [Buenos Aires] 26(314): 28-30,
32, illus. Dec. 1942. 9 C15

REHN, J. A. G. A new South African bird-locust of the genus Anacridium [A. incisum] (Orthoptera, Acrididae, Cyrtacanthacridinae). Acad. Nat. Sci. Phila. Notulae Naturae 110, 7 pp., illus. Oct. 29, 1942. 500 P53No

REHN, J. A. G. Notes on species of the locust genus Parasphena, with descriptions of three new species [P. campestris, P. imatogensis, P. uvarovi] (Orthoptera, Acrididae, Pyrgomorphinae). Acad. Nat. Sci. Phila. Proc. (1942) 94: 287-306, illus. References. 500 P53

REHN, J. A. G., and REHN, J. W. H. A review of the New World Eumastacinae (Orthoptera, Acrididae). Part II. Acad. Nat. Sci. Phila. Proc. (1942) 94: 1-88, illus. 500 P53

TATE, H. D., and KLOSTFRMEYER, E. C. Cockroach control. Nebr. Agr. Expt. Sta. Cir. 72, 8 pp., illus. Lincoln, Feb. 1943. 100 N27

UVAROV, B. P. The locust plague. Roy. Soc. Arts. Jour. 91(4631): 109-116, illus. Jan. 22, 1943. Discussion, pp. 116-118. 501 L847J

SMALLER ORDERS

ANDUZE, P. J. Algunos datos sobre la biologia de Xenopsylla brasiliensis Baker y morfologia de la larva. (Siphonaptera: Pulicidae). Venezuela. Min. de Sanid. y Asistencia Social, Rev. de Sanid. y Asistencia Social, 7(6): 825-827, illus. Dec. 1942. 449.9 V55

CARPENTER, F. M. Notes on nearctic Neuroptera. Psyche 49(3-4): 49-51, illus. Sept.-Dec. 1942. 421 P95

CRAWFORD, J. C. A new Sericothrips [S. andrei] on elm (Thysanoptera: Thripidae). Wash. Ent. Soc. Proc. 45(2): 39-41. Feb. 1943. 420 W27

DUSTAN, A. G. Control of the gladiolus thrips [Taeniothrips simplex]. Canad. Gladiolus Soc. Ann. 1943, pp. 51-56, illus. [Guelph, 1943] 82 C164Q

THE EPIDEMIOLOGY and prevention of typhus fever. Roy. Inst. Pub. Health and Hyg. Jour. 5(12): 240-245. Dec. 1942. 449.9 R813

Brief account of the history and etiology of typhus, including its transmission by the human louse.

HECHT, OTTO. Las pulgas de las ratas en Venezuela (Nota preliminar). Venezuela. Min. de Sanid. y Asistencia Social, Rev. de Sanid. y Asistencia Social 7(6): 811-820, illus. Dec. 1942. References. 449.9 V55 IMES, MARION. Cattle lice and how to eradicate them. Coastal Cattleman

9(1): 5-6, illus. Mar. 1943. 43.8 C63

KARLOVIC, J. K. Gladiolus thrips [Taeniothrips simplex] succumb to gas. New method of attack is employed by men's garden club as a club project. Flower Grower 30(3): 154-155, illus. Mar. 1943. 80 M72 Methyl bromide fumigant used in cooperative project.

MINETT, J. S. Relapsing fever in Abyssinia. Roy. Soc. Trop. Med. and Hyg. Trans. 36(3): 189-194. Nov. 1942. 448.9 R813

Lice were vectors.

SOMMERMAN, K. M. Description and bionomics of Caecilius manteri n. sp. (Corrodentia). Wash. Ent. Soc. Proc. 45(2): 29-39, illus. Feb. 1943.

References. 420 W27

SOUZA LOPES, H. de, and MANGABEIRA, O., filho. Sobre algumás especies brasileiras do gênero "Bittacus" Latr., 1807, com a descrição de três especies novas [B. pintoi, B. angrensis, B. diversinervis] (Panorpatae, Bittacidae). Rev. Brasil. de Biol. 2(3): 331-341, illus. Sept. 1942. References. 442.8 R326

TIEGS, O. W. The 'dorsal organ' of the embryo of Campodea. Quart. Jour. Micros. Sci. 84(1): 35-47, illus. Dec. 1942. References.

440.8 Q2

TWINN, C. R., and MACNAY, C. G. The control of pediculosis and scabies by means of preparations containing pyrethrins, rotenone, and aliphatic thiocyanates. Canad. Ent. 75(1): 4-13. Jan. 1943. References.

WERNECK, F. L. De um estranho parasito do cão [Heterodoxus spiniger]. . Rev. Brasil. de Biol. 1(1): 47-55, illus. Apr. 1941. References. 442.8 R326

French summary, p. 55. WERNECK, F. L. Os malofagos do boi e do cavalo. Rev. Brasil. de Biol. 1(2): 195-199, illus. June 1941. References. 442.8 R326 Studies of males of Bovicola bovis and B. equi:

WERNECK, F. L. Os malofagos dos punarés. Rev. Brasil. de Biol. 2(1):

17-27, illus. Mar. 1942. 442.8 R326

WERNECK, F. L. Um novo malofago do mangusto dágua [Trichodectes laticeps]. Rev. Brasil. de Biol. 2(2): 193-196, illus. June 1942. 442.8 R326 WERNECK, F. L. "Pterophthirus imitans" n. sp. (Anoplura, Haematopinidae).

Rev. Brasil. de Biol. 2(3): 317-320, illus. Sept. 1942. 442.8 R326 WYGODZINSKY, P. W. Second contribution towards the knowledge of Diplura and Thysanura from Palestine. Rev. Brasil. de Biol. 2(1): 29-46,

: illus. Mar. 1942. References. 442.8 R326

UNITED STATES DEPARTMENT OF AGRICULTURE
Library
Washington, D. C.



BIBLIOGRAPHY OF AGRICULTURE

SECTION C ENTOMOLOGY

Vol. 2

April 1943

No. 4

GENERAL

FORBES, W. T. M. The origin of wings and venational types in insects.

Amer. Midland Nat. 29(2): 381-405, illus. Mar. 1943. 410 M58

cHILTON, W. A. Sense organs; XII. Chemical stimuli. Jour. Ent.
and Zool. 35(1): 7-10. Mar. 1943. References. 421 P77

and Zool. 35(1): 7-10. Mar. 1943. References. 421 P77
HOOGSTRAAL, HARRY. Insect relations with plants. Ill. State Acad.

Sci. Trans. 35(2): 231-235. Dec. 1942. 500 Il6
IMMS, A. D. Outlines of entomology. 184 pp., illus. London, Methuen &

co., 1td., 1942. 422 Im60

KNIGHT, J. A. They know what they want. Field and Stream 47(12): 9-11, 58-59; illus. Apr. 1943. 410 F45

Discusses aquatic insects as bait for trout.

LIEBERMANN, JOSÉ. Migración de insectos. Pampa Argentina 17(186): 1-2, illus. Feb. 1943. 9 P19

LUNDBLAD, O. Artrópodes da Madeira, segundo as investigações. Brotéria 11(4): 177-187. Nov. 1, 1942. 410 B790

McCLURE, H. E. Further notes on aero-plankton of Kentucky. (Concl.) Ent. News 54(2): 37-45. Feb. 1943. 421 En88

SHIRCK, F. H. Counting plates for use with low-power magnification.
U. S. Bur. Ent. and Plant Quar. ET-206, 2 pp., illus., processed.
Washington, D. C., Mar. 1943. 1.9 En83Et
Insect egg counting.

SMITH, S. G. Techniques for the study of insect chromosomes. Canad. Ent. 75(2): 21-34, illus. Feb. 1943. References. 421 C16

SUMMERS, W. A. Experimental studies on the larval development of Dirofilaria immitis in certain insects. Amer. Jour. Hyg. 37(2): 173-178. Mar. 1943. References. 499.8 Am3

TEALE, E. W. Pinhead portraits; revealing by camera the strangest faces in the world. Frontiers 7(4): 98-99, illus. Apr. 1943.
410 F92

Photographing insect heads.

WRAY, D. L., and BRIMLEY, C. S. The insect inquilines and victims of pitcher plants in North Carolina. Ent. Soc. Amer. Ann. 36(1): 128-137. Mar. 1943. References. 420 En82

GENERAL - ECONOMIC

ALTSTATT, G. E., and SMITH, H. P. Production, diseases, and insects of garlic in Texas. Tex. Agr. Expt. Sta. Cir. 98, 13 pp., illus. College Station, Oct. 1942. 100 T31S

Insect pests, p. 11. ARMITAGE, H. M. Possible economic relations of the Hawaiian insect fauna to California agriculture. Pan-Pacific Ent. 19(1): 1-11. 421 P193

Jan. 1943. References. BALCH, R. E., and HAWBOLDT, L. S. Report on forest insects in New Brunswick, 1942. New Brunswick Dept. Lands and Mines Ann. Rpt. (1942) 106: 116-118. Fredericton, N. B., 1943. 253.3 C88

BALDUF, W. V. Interrelations of insect-eating insects. Ill. State Acad. Sci. Trans. 35(2): 224-230. Dec. 1942. References. 500 116 BAXTER, GLAISTER. Insectos dañinos a la agricultura. Rev. de Agr. y

Com. [Panama] 3(17): 26-31. Jan. 1943. 8 R3291

BEATO NÚNEZ, VIRGILIO. Historia de la parasitologia y de la medicina tropical en Cuba, con especial referencia a los datos bibliograficos. Bibliografia (Cont.) Paludismo. Rev. de Med. Trop. y Parasitol. [Havana] 8(5): 72-73. Sept./Oct. 1942. 448.8 R328

BELL, A. F. Report of the Division of entomology and pathology. Queensland Bur. Sugar Expt. Stas. Ann. Rpt. (1941/42) 42: 12-13.

Brisbane, 1942. 65.9 Q3

BIERIG, ALEXANDER. Implementos rústicos e insecticidas para combatir a los insectos masticadores. Chacra 13(148): 38, 53, illus.

Feb. 1943. 9 034 COTTON, R. T. Insects of stored grain and its products. (To be cont.) Amer. Miller 71(4): 48-50, 54, 56, 58, 60. Apr. 1943. 298.8 Am32

CUTKOMP, L. K. Toxicity of rotenone and derris extract administered orally to birds. Jour. Pharmacol. and Expt. Ther. 77(3): 238-246, illus. Mar. 1943. References. 396.8 J82

DAVIDSON, J. Flies, fleas and lice. 8 pp. [n.p.] Australasian med. pub. co., ltd. [n.d.] References. 423.2 D28

Reprinted from Med. Jour. Austral. Aug. 15, 1942, p. 111.

DAVIS, E. W., and YORK, G. T. An insect selectivity cage for testing plant repellence. U. S. Bur. Ent. and Plant Quar. ET-204, 2 pp., illus., processed. Washington, D. C., Feb. 1943. 1.9 En83Et Eutettix tenellus was used in the tests.

De GRYSE, J. J. Forest entomology in post-war rehabilitation. Forestry Chron. 19(1): 44-47. Mar. 1943. Discussion, pp. 47-50.

99.8 F7623

DOVE, W. E. "Some unusual calls for help." Pests 11(1): 10-11. Jan. 1943. 449.8 Ex8

Address delivered at Tenth Annual Convention of the National Pest Control Association.

F., H. Spraying fruit trees in winter; with special reference to the modern D[initro]-O[rtho]-C[resol] wash. Gard. Illus. 64(3287): 34. Feb. 1943. 80 G169

FAHEY, J. E., CASSIL, C. C., and RUSK, H. W. Rapid method of sample preparation for determination of arsenic, copper, lead, nicotine, and phenothiazine in spray residues on apples. Assoc. Off. Agr. Chem. Jour. 26(1): 150-155, illus. Feb. 15, 1943. 381 As?

FARRAR, M. D. Fumigants in the control of insects attacking stored products. Pests 11(3): 22. Mar. 1943. 449.8 Ex8

- FLORIDA. STATE PLANT BOARD. Report for the period July 1, 1940 June 30, 1942 (Fourteenth biennial report). 32 pp. [Gainesville], Jan. 1943. 464.9 F662R
- FRANCKEN, JOHN. En el verano es cuando mas se multiplican los piojos del ave y los ácaros del gallinero. Maneras de combatirlos. Campo y Arados [Montevideo] 7(71): 12-13, illus. Jan. 1943. 9.9 C152
- GETZENDANER, C. W. Suction attachment for removing dust from hopper of wheelbarrow power duster. U. S. Bur. Ent. and Plant Quar. ET-207, 3 pp. illus. processed. Washington D. C. Mar. 1947
- 3 pp., illus., processed. Washington, D. C., Mar. 1943. 1.9 En83Et GOODHUE, L. D. Insecticidal aerosols. Pests 11(1): 12, illus. Jan. 1943. 449.8 Ex8
- GRANOVSKY, A. A. The use of trap crops in the control of insect pests.
 Minn. Hort. 71(3): 42-43. Mar. 1943. 81 M66
- GUNN, C. K. The control of for parasites. (To be cont.) Amer. Fur Breeder 15(9): 20. Mar. 1943. 410 Am33
- HAMBLY, A. N. A note on the uses of orthodichlorobenzene. Soc. Chem. Indus. of Victoria. [Proc.] 42(IIb): 393-395. Mar./Nov. 1942. References. 385 Sol2
- HANSBERRY, ROY. Some concepts of particle size in insecticidal dusts. Pests 11(4): 26-28. Apr. 1943. 449.8 Ex8
- HENDRICKS, G. B. Help for the gardeneers. Audubon Mag. 46(2, Sect. I): 90-98, illus. Mar./Apr. 1943. 413.8 B53
 Birds protect vegetables from insects.
- HITCHNER, L. S. Availability of insecticides and fungicides. Peninsula Hort. Soc. [Del.] Trans. (1942) 56: 23-26. Dover, [1943] (Del. State Bd. Agr. Bul., v. 32, no. 5) 81 P37
- JENKINS, LEE, and ENNS, WILBUR. Some common Missouri fruit insects.

 Mo. State Hort. Soc. Proc. (1940-1942) 7: 81-90. Columbia, Dec. 1942.

 81 M692
- JOINT COMMITTEE ON COORDINATION OF ENTOMOLOGY WITH THE WAR EFFORT. Report. Ent. Soc. Amer. Ann. 36(1): 157-162. Mar. 1943. 420 En82

 Joint committee of Entomological Society of America and the American Association of Economic Entomologists cooperating.
- JOINT COMMITTEE ON MILITARY ENTOMOLOGY. Report. Ent. Soc. Amer. Ann. 36(1): 162-164. Mar. 1943. 420 En82
 - Joint committee of Entomological Society of America and the American Association of Economic Entomologists cooperating.
- KADOW, K. J., and HOPPERSTEAD, S. L. An evaluation of new spray equipment. Peninsula Hort. Soc. [Del.] Trans. (1942) 56: 13-18, illus. Dover, [1943] (Del. State Bd. Agr. Bul., v. 32, no. 5) 81 P37
- KANSAS ENTOMOLOGICAL COMMISSION. Laws, rules, regulations and quarantines pertaining to the certification and transportation of nursery stock and other plants. Kans. Ent. Comn. Cir. 4, rev. Dec. 1942, 22 pp. Topeka, 1943. 423 K1330
- KOSHY, T. A. Domestic pests and their control. Allahabad Farmer 15(3): 130-136. May 1941. 22 A15
- KROEBER, J. K. Michigan annual report of white pine blister rust control, calendar year 1942. 31 pp., processed. [Lansing, 1943] 464.07 M582 Michigan Department of Agriculture cooperating with U. S. Department of Agriculture, Bureau of Entomology and Plant Quarantine, etc.
- LA FORGE, F. B., and BENDIGA, B. B. Pyrethrum analysis; a modification of the hydrogenation method for determination of pyrethrins. Soap 19(4): 100, 107. Apr. 1943. 307.8 Sol2

TEN STATE OF THE STATE OF McBRIDE, R. S. Insecticide chemicals needed for war food supply. Chem. & Metall. Engin. 50(3): 101-103. Mar. 1943. 381 E12

MASSACHUSETTS STATE COLLEGE. EXTENSION SERVICE. Apple spray schedule for home orchard. Mass. Agr. Col. Ext. Leaflet 100D, rev., 4 pp., illus.

Amherst, Jan. 1943. 275.29 M381L

MORRISON, F. O. The standardizing of a laboratory method for comparing the toxicity of contact insecticides. Canad. Jour. Res. Sect. D, Zool. Sci. 21(3): 35-75, illus. Mar. 1943. References. 470 C16QD

MUNRO, J. W. Infestation by insects; control in foodstuffs and other stored goods. Indus. Chem. and Chem. Mfr. 19(217): 99-101. Feb. 1943. Discussion, pp. 101-102. 382 In22

Abstract of paper read before British Association of Refrigeration,

Jan. 26, 1943.

PEARSE, A. S. Introduction to parasitology. 357 pp., illus. Springfield, Ill., C. C. Thomas, 1942. References. 436 P31

POOS, F. W. Control of hay insects in the eastern United States. 12 pp., processed. [Washington, D. C.] Bureau of entomology and plant quarantine, Agricultural research administration, U. S. Department of Agriculture [Mar. 1943] 1.967 02076

SMIT, BERNARD, and du PLESSIS, C. Co-operation to combat insect pests. Late planting and winter treatment to curb stalk-borers. Weekly [Bloemfontein] 64: 811. Jan. 6, 1943. 24 F225

SWARTWOUT, H. G. Arsenical injuries, their effects and control. Mo. State Hort. Soc. Proc. (1940/1942) 7: 60-63. Columbia, Dec. 1942. 81 M692

SWARTWOUT, H. G. Spray injury and use of fungicides in late sprays. Mo. State Hort. Soc. Proc. (1940/1942) 7: 64-66. Columbia, Dec. 1942. 81 M692

SWEETMAN, H. L. How many species of pests enter our homes? Pests 11(3): 20-21. Mar. 1943. 448.9 Ex8

TEHON, L. R. Insects as vectors of plant pathogens. Ill. State Acad. Sci. Trans. 35(2): 236-243. Dec. 1942. 500 116

TISDALE, W. B., and WATSON, J. R. Los fungicidas e insecticidas en tiempo de guerra. Hacienda 38(3): 115-117, illus. Mar. 1943. 6 Hll TWINN, C. R. Insects and man. Pests 11(4); 10-12, 32-33. Apr. 1943. References. 449.8 Ex8

[U. S. OFFICE FOR AGRICULTURAL WAR RELATIONS] Major uses of rotenone in agriculture, their relative importance with regard to defense value and availability of substitutes, and the estimated requirements for 1943 in terms of ground roots containing 5 per cent of rotenone. 1 p., processed. Washington, D. C., Oct. 17, 1942. 1.910 C2M28 Prepared by F. L. Campbell.

UTAH. AGRICULTURAL COLLEGE. EXTENSION SERVICE. Blitz these pests; Utah pest control program. Utah Agr. Col. Ext. Cir. (n. s.) 108, rev., 14 pp., illus. Logan, Feb. 1943. 275.29 Utl

Spray calendars and programs. WATSON, J. R. Insect control in the home garden. Fla. Univ. Agr. Ext. Cir. 66, 3 pp. Gainesville, Feb. 1943. 275.29 F66C

- WHITE, R. P. Trends in state regulations [quarantine and regulatory adjustments]. Amer. Nurseryman 77(7): 10, 24-26. Apr. 1, 1943. 80 Am371
- WOGLUM, R. S. Tent pullers the latest advance in [tree] fumigation. Calif. Citrog. 28(6): 143, 158-159, illus. Apr. 1943. 80 C125
- ZECK, E. H. Pests of dried fruits. Agr. Gaz. N. S. Wales 54(2): 67-71, illus. Feb. 1, 1943. 23 N472

APICULTURE

- BAKER, NORVAL. A review of research and observations concerning the foulbrood diseases of honeybees. Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 263-273. Des Moines [1942] References. 81 109
- BRAUN, ERDMAN. Supersedure of queens in package bees. Sci. Agr.
- CARDINELL, H. A. Brazil, its bee and wax industry. Amer. Bee Jour. 83(4): 160, 164, illus. Apr. 1943. 424.8 Am3
- CRANDALL, L. B. Beekeeping; a beginner's handbook. Conn. State Col. Ext. Bul. 337, 8 pp. Storrs, Oct. 1942. 275.29 076B
- ELLINGSON, N. J. Orchard pollination. Gleanings Bee Cult. 71(4): 200-201, illus. Apr. 1943. 424.8 G47
- FLOYD, L. T. Delivery and hiving of package bees; how it is done in the North. Gleanings Bee Cult. 71(4): 193-195, 245, illus. Apr. 1943. 424.8 647
- GOODACRE, W. A. The importance of breed improvement. Australasian Beekeeper 44(7): 141-142. Jan. 15, 1943. 424.8 Au72
- GREAT BRITAIN. MINISTRY OF AGRICULTURE AND FISHERIES. Diseases of adult bees in England and Wales. Bee World 24(2): 13-15, illus. Feb. 1943. 424.8 B399
- HAYDAK, M. H., and TANQUARY, M. C. Pollen substitutes and the way to feed them. Gleanings Bee Cult. 71(4): 202-205, illus. Apr. 1943. 424.8 G47
- JONES, G. O. The place of resistant stock in the fight against foulbrood. Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 261-263. Des Moines [1942]. 81 I.09
- PARK, O. W. Morale in the honeybee colony. Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 273-280. Des Moines [1943] 81 109
- PELLETT, F. C. Notes from the honey plant garden. Iowa State Hort. Soc. Ann. Rpt. (Trans.) (1941) 76: 248-260, illus. Des. Moines [1942] · 81 109
- RAHMLOW, H. J. How to install package bees by the direct release method. Amer. Bee Jour. 83(4): 146-148, illus. Apr. 1943. 424.8 Am3
- SCHELHORN, MATHILDE von. Blütenbiologische studien an der zottelwicke. Pflanzenbau 18(10): 311-320, illus. Apr. 1942. References. 18 P48
 - The results of experimental work on the relation of bees to the pollination of hairy vetch are discussed.
- THORP, J. K. R. African beekeepers; notes on methods and customs relating to the bee-culture of the Akamba tribe in East Africa. Scot. Beekeeper 19(3): 34. Mar. 1943. 424.8 Sco8

ARACHNIDA, MYRIAPODA, PHALANGIDA AND PROTURA

BENNISON, J. C. Demodicosis of horses with particular reference to equine members of the genus Demodex. (To be cont.) Roy. Army Vet. Corps. Jour. 14(2): 34-49. Feb. 1943. 46.8 H672

BOSHELL M., JORGE, and KERR, J. A. Veinticino especies nuevas de trombidideos de Colombia. Acad. Colombiana de Cien. Exact., Fis. y Nat. Rev. 5(17): 110-127, illus. Jan./June 1942. 516 Acl

CHAMBERLIN, R. V. On nine North American polydesmoid millipeds. Biol. Soc. Wash. Proc. 56: 35-40, illus. Feb. 25, 1943. 500 W272

COOLEY, R. A., and KOHLS, G. M. Ixodes mexicanus n. sp. e Ixodes tancitarus n. sp., dos nuevas garrapatas mexicanas (Acarina, Ixodidae). Soc. Mex. de Hist. Nat. Rev. 3(1/4): 149-154, illus. Dec. 1942. 516 Sol5

Original in English, translation by Alfonso Dampf. English summary, p. 154.

EWING, H. E. The American chiggers (larvae of the Trombiculinae) of the genus Acariscus, new genus. Wash. Ent. Soc. Proc. 45(3): 57-66, illus. Mar. 1943. 420 W27

GUNTHER, C. E. M. An erythraeid mite [Belaustium novaeguinensis n. sp.] from New Guinea (Acarina: Erythraeidae). Linn. Soc. N. S. Wales,

Proc. 66(3/4): 156, illus. 1941. 514 Sy2

GUNTHER, C. E. M. Notes on the Listrophoridae (Acarina: Sarcoptoidea). Linn. Soc. N. S. Wales, Proc. 67(3/4): 109-122, illus. 1942. References. 514 Sy2

GUNTHER, C. E. M. Studies in Trombidiidae (Acarina: Trombidiidae). Linn. Soc. N. S. Wales, Proc. 66(5/6): 391-395. 1941. References.

514 Sy2

GUNTHER, C. E. M. The synonymy, hosts, and type material of Guntheria bipygalis (Gunther) (Acarina: Trombidiidae). Linn. Soc. N. S. Wales, Proc. 66(3/4): 155. 1941. References. 514 Sy2

GUNTHER, C. E. M. Two new trombidiid larvae from New Guinea [Trombicula robusta and Neoschöngastia shieldsi] (Acarina: Trombidiidae). Linn. Soc. N. S. Wales, Proc. 66(3/4): 157-159, illus. 1941. 514 Sy2

HENDERSON, C. F., and McBURNIE, H. V. Sampling technique for determining populations of the citrus red mite [Paratetranychus citri] and its predators. U. S. Dept. Agr. Cir. 671, 11 pp., illus. Washington, D. C., Mar. 1943. 1 Ag840

HILTON, W. A. A new Scutigerella from Tasmania, Scutigerella tasma n. sp. Jour. Ent. and Zool. 35(1): 5-6. Mar. 1943. 421 P77

RADFORD, C. D. Genera and species of parasitic mites (Acarina). Parasitology 35(1/2): 58-81. Feb. 1943. 448.8 P21

References, pp. 76-81.

ROBINSON, G. G. Cases of abnormal development in the argasid tick, Ornithodorus moubata. Parasitology 35(1/2): 23-26, illus. Feb. 1943. References. 448.8 P21

TOPPING, N. H., and DYER, R. E. Apparent recent extension of typhus in the United States. Amer. Jour. Trop. Med. 23(1): 37-42. Jan. 1943. References. 448.8 Am33

Xenopsylla cheopis apparent vector.

VENABLES, E. P. Observations on the clover or brown mite, Bryobia praetiosa Koch. Canad. Ent. 75(3): 41-42. Mar. 1943. 421 C16

ARMSTRONG, J. W. T. On Australian Dermestidae. Part I. Descriptions of a new genus [Neoanthrenus] and two new species [N. niveo sparsa and N. parallelus]; also a note on the genus Anthrenus. Linn. Soc. N. S. Wales, Proc. 66(5/6): 388-390, illus. 1941. References. 514 Sy2 ARROW, G. J. The endomychid Coleoptera of New Guinea and the neighbour-

ing islands, with some new species. Ann. and Mag. Nat. Hist. (Ser.

11) 10(62): 128-136. Feb. 1943. 410 An77

BLACKMAN, M. W. New genera and species of bark beetles of the subfamily Micracinae (Scolytidae, Coleoptera). U. S. Natl. Mus. Proc. 93(3165): 341-365, illus. 1943. 500 Sm65P

BLAIR, K. G. On the early stages of Eletica Lac. (Col., Meloidae). Ent. Monthly Mag. 79(946): 56-58. Mar. 1943. References, 421 En86 BLAIR, K. G. Scolytidae (Col.) from the Wealden formation.

Monthly Mag. 79(946): 59-60. Mar. 1943. References. 421 En86

CHADA, H. L., DITMAN, J. A., and DAIGH, F. C. Progress during 1942 of the program for the colonization of the milky disease of Japanese beetle [Popillia japonica] larvae in Delaware. Second report. Peninsula Hort. Soc. [Del.] Trans. (1942) 56: 86-92, illus. Dover, [1943] (Del. State Bd. Agr. Bul., v. 32, no. 5) 81 P37

DONOHOE, H. C. Cages used in fumigation tests with adult Japanese beetles [Popillia japonica], their distribution and recovery. U. S. Bur. Ent. and Plant Quar. ET-205, 2 pp., processed. Washington, D. C.,

Mar. 1943. 1.9 En83Et

EVENDEN, J. C., BEDARD, W. D., and STRUBLE, G. R. The mountain pine beetle [Dendroctonus monticolae], an important enemy of western pines. U. S. Dept. Agr. Cir. 664, 25 pp., illus. Washington, D. C., Mar. 1943. 1 Ag840

GRAHAM, C., and DITMAN, L. P. The control of the Mexican bean beetle [Epilachna varivestis] and the corn earworm [Heliothis armigera] on beans. Peninsula Hort. Soc. [Del.] Trans. (1942) 56: 54-57. Dover, [1943] Del. State Bd. Agr. Bul., v. 32, no. 5) 81 P37

HILL, R. E. Potato flea beetle [Epitrix cucumeris and Systema taeniata] development and its relationship to control in the North Platte Valley. Nebr. Potato Impr. Assoc. Ann. Rpt. (1940/41) 22: 5-7. Lincoln [1941?] 75.9 P842

KING, E. W. A taxonomic distinction between Cyllene robiniae (Forst.) and Cyllene caryae Gahan. Amer. Midland Nat. 29(1): 180-182, illus.

Jan. 1943. 410 M58

KNULL, J. N. Two new Chrysobothris [C. culbersoniana and C. crandalli] (Buprestidae: Coleoptera). Ent. Soc. Amer. Ann. 36(1): 34-36, illus. Mar. 1943. 420 En82

LINSLEY, E. G. The recognition and control of deathwatch, powderpost and false powderpost beetles. Pests 11(3): 11-14, 23-26, illus.

Mar. 1943. References. 449.8 Ex8

MacALONEY, H. J. The white-pine weevil [Pissodes strobi]. U. S. Dept. Agr. Cir. 221, rev., 31 pp., illus. Washington, D. C., Feb. 1943. References. 1 Ag84F
MARSHALL, A. K. New Indian Curculionidae (Col.). Ann. and Mag. Nat.

Hist. (Ser. 11) 10(62): 105-119. Feb. 1943. 410 An77

METCALF, R. L. The isolation of a red-fluorescent pigment, lampyrine, from the Lampyridae. Ent. Soc. Amer. Ann. 36(1): 37-40. Mar. 1943. References. / 420 En82

RIEGEL, G. T. Cyclocephala abrupta in Illinois (Coleop.: Scarab.). Ill. State Acad. Sci. Trans. 35(2): 215, illus. Dec. 1942.

References. 500 I16

SATTERTHWAIT, A. F. A new species of Calendra [C. eugenia] from Oregon. (Coleoptera, Curculionidae). Ent. News 54(2): 52-53. Feb. 1943. 421 En88 ·

SAYLOR, L. S. Eight new Mexican scarab beetles collected by the Hoogstraal expeditions. Biol. Soc. Wash. Proc. 56: 21-28. Feb. 25

1943. 410 An77

SCHNEIDER, B. A. The nutritional requirements of Tribolium confusum Duval. II. The effect of vitamin B complex on metamorphosis, growth, and adult vitality. Amer. Jour. Hyg. 37(2): 179-192, illus. Mar.

1943. References. 449.8 Am3

SCHWARDT, H. H. White grub problem ever present in New York State. From past history it can be predicted that 1943 will be a beetle year with grub damage following in 1944 - control measure recommended. Farm Res. [N. Y. State Sta.] 9(2): 7, 15, illus. Apr. 1943. 100 N48A

TATE, H. D. Potato flea beetle control experiments in western Neoraska Nebr. Potato Impr. Assoc. Ann. Rpt. (1940/41) 22: 7-10. in 1940.

Lincoln [1941?] 75.9 P842

VAN DYKE, E. C. New species and subspecies of North American Carabidae. Pan-Pacific Ent. 19(1): 17-30. Jan. 1943. 421 P193

ALAMEDA COUNTY [CALIFORNIA] MOSQUITO ABATEMENT DISTRICT. Annual report, 1942. 39 pp., processed. Oakland, Calif., Feb. 1943. 428 All H. F. Gray, Engineer.

ALEXANDER, C. P. The Diptera of the Territory of New Guinea. XII. Family Tipulidae. Part IV. Linn. Soc. N. S. Wales, Proc. 66(3/4):

138-144, Illus. 1941. 514 Sy2
ALEXANDER, C. P. New species of crane-flies from South America. Part X. (Tipulidae: Diptera). Ent. Soc. Amer. Ann. 36(1): 103-127. Mar. 1943. 420 En82 -

ALEXANDER, C. P. Records and descriptions of North American crane-flies (Diptera). Part III. Tipuloidea of the Upper Gunnison Valley, Colorado. Amer. Midland Nat. 29(1): 147-179, illus. Jan. 1943. 410 M58

References, p. 149.

ALEXANDER, C. P. Undescribed species of crane-flies from the western United States and Canada (Dipt.: Tipulidae). Part I. Ent. News 54(2): 45-51. Feb. 1943. 421 En88

ALLEN, T. C., DICKE, R. J., and BROCKS, J. W. Rapid insecticide testing. Use of the settling mist method for testing of vaporized contact insecticides against houseflies. Soap 19(4): 94-96, 121, illus. Apr. 1945. : 307.8 Sol2

AMDREWS, JUSTIN, HOWARD, R. S., JR., and TURNER, E. A. Malaria-control, ditch-lining experience in a south Georgia county. Natl. Malaria

Soc. Jour. 1: 57-67, illus. 1942. 448.9 N213 ASHTON, D. F. Malaria and war. N. C. State Bd. Health, Health Bul. 58(4): 8-11. Apr. 1943. 449.7 NSLB

The author points out that malaria is a menace in all wars and "has struck us quickly in this conflict," since the fall of Bataan was due even more to malaria than to the Japanese attack. Anopheles quadrimaculatus is discussed as the vector in North Carolina.

ATKESON, F. W., and others. Some investigations of fly control in dairy barns, by F. W. Atkeson, A. O. Shaw, R. C. Smith, and A. R. Borgmann. Jour. Dairy Sci. 26(3): 219-232. Mar. 1943. References. 44.8 J822

BATES, MARSTON. Mosquitoes as vectors of Dermatobia in eastern Colombia. Ent. Soc. Amer. Ann. 36(1): 21-24. Mar. 1943. References. 420 En82 Dermatobia hominis "seizes other zoophilous flies and lays her eggs on them." This paper deals with the incidence of eggs on mosquitoes and the characteristics of a satisfactory vector.

CANTERBURY AGRICULTURAL COLLEGE, LINCOLN. Flies and their control about buildings. Canterbury Chamber Com. Agr. Bul. 164, 4 pp. Christchurch, Mar. 1943. 23 C162

CARPENTER, S. J., BRACKIN, T. T., JR., and ASHTON, D. F. Entomological work during 1941 bearing on the malaria problem. (Report of the Subcommittee on entomology.) Natl. Malaria Soc. Jour. 1: 157-162. 1942. 448.9 N213

Anopheles and malaria.

CAUSEY, O. R., and others. Anopheles (Nyssorhynchus) sawyeri, a new anopheline mosquito from Ceara, Brazil, by O. R. Causey, L. M. Deane, M. P. Decne, and M. M. Sampaio. Ent. Soc. Amer. Ann. 36(1): 11-20,

illus. Mar. 1943. 420 En82 CAUSEY, O. R., DEANE, L. M., and DEANE, M. P. Ecology of Anopheles gambiae in Brazil. Amer. Jour. Trop. Med. 23(1): 73-94. Jan. 1943. References.

448.8 Am33

CAUSEY, O. R. A method for the collection, transportation and study of anopheline eggs and adults. Amer. Jour. Trop. Med. 23(1): 133-137, illus. Jan. 1943. 448.8 Am33

CAUSEY, O. R., PENIDO, H. M., and DEANE, L. M. Observations on malaria in the presence and absence of Anopheles gambiae in an experimental area (Cumbe) Ceará, Brazil. Amer. Jour. Trop. Med. 23(1): 59-71. Jan. 1943. 448.8 Am33

CHRISTENSEN, G. R., HARMSTON, F. C., and QUINN, J. L., JR. Mosquitoes, their habits and control. Ind. State Bd. Health, Monthly Bul. 46(3): 52-53, 66, illus. Mar. 1943. 449.7 In2M

[CHRISTOPHERS, RICKARD]. Malaria control in India. Brit. Med. Jour. 1942, 1(4288): 326-327. Mar. 13, 1943. 448.8 B77

Anopheles spp. as vectors. Report on a paper read in the India and Burma section of the Royal Society of Arts, Feb. 5, [1942].

CLAASSENS, C. C. Footbath-tank controls blowfly. Bedford farmer's successful method of drenching tail and crutch of sheep. Weekly [Bloemfontein] 64: 771. Dec. 30, 1942. 24 F225

DAY, M. F. The homologies of the ring gland of Diptera Brachycera. Ent. Soc. Amer. Ann. 36(1): 1-10, illus. Mar. 1943. References. 420 En82 "The ring gland of the full-grown larva of Lucilia sericata Meig. is described."

DEANE, M. P., and CAUSEY, O. R. Viability of Anopheles gambiae eggs and morphology of unusual types found in Brazil. Amer. Jour. Trop. Med. 23(1): 95-103, illus. Jan. 1943. References. 448.8 Am33

DOBZHANSKY, TH. Genetics of natural populations. IX. Temporal changes in the composition of populations of Drosophila pseudoobscura. Genetics

28(2): 162-186, illus. Mar. 1943. References. 442.8 G28

EMDEN, F. I. van. Keys to the Muscidae of the Ethiopian Region: Phaoniagroup. Ann. and Mag. Nat. Hist. (Ser. 11) 10(62): 73-101, illus. Feb. 1943. 410 An77

GERTIER, S. I., FALES, J. H., and HALLER, H. L. Fly spray kill; a study of the synergistic action of N-substituted piperonylamides when incorporated in pyrethrum fly sprays. Soap 19(4): 105, 107. Apr. 1943.

References. 307.8 Sol2

GOODWIN, M. H. JR. Studies on artificial resting places of Anopheles quadrimaculatus Say. Natl. Malaria Soc. Jour. 1: 93-99. 1942.

References. 448.9 N213

A box-type artificial resting place, which is described, was found to "attract more adults" than did other types. It was used in sampling mosquito populations in Georgia.

HARDY, G. H. Miscellaneous notes on Australian Diptera. VIII. Subfamily Lomatiinae. IX. Superfamily Asiloidea. Linn. Soc. N. S. Wales, Proc. 66(3/4): 223-233, illus.; 67(3/4): 197-204. 1941, 1942. 514 Sy2

HASEMAN, LEONARD. The courting flights of tabanids [Tabanus sulcifrons and T. giganteus]. Science 97(2517): 285-286. Mar. 26, 1943.

HORSFALL, W. R. Some responses of the malaria mosquito [Anopheles quadrimaculatus] to light. Ent. Soc. Amer. Ann. 36(1): 41-45, illus. Mar. 1943. References. 420 En82

HULL, F. M. Some flies of the genus Volucella in the British museum (Natural history). Ann. and Mag. Nat. Hist. (Ser. 11) 10(61): 18-40.

Jan. 1943. 410 An77

HULL, F. M. Some new American symphic flies (Diptera). Ent. News 54(2): 29-37. Feb. 1943. 421 En88

HULL, F. M. Some undescribed species of flies of the genus Baccha (Syrphidae). Wash. Acad. Sci. Jour. 33(3): 72-74. Mar. 15, 1943. 500 W276J

JOHANNSEN, O. A. Adult and immature stages of Cricotopus elegans n. sp. (Chironomidae, Diptera). Ent. News 54(3): 77-79. Mar. 1943. 421 En88

KAIMUS, HANS. The survival and change of weight on sugar-water mixtures of Drosophila mutants and species of different body colour. Jour. Genet. 44(2-3): 194-203, illus. Dec. 1942. References. 442.8 J823

KEILIN, D., and TATE, P. The larval stages of the celery fly (Acidia heraclei L.) and of the braconid Adelura apii (Curtis), with notes upon an associated parasitic yeast-like fungus. Parasitology 35(1/2): 27-36, illus. Feb. 1943. References. 448.8 P21

27-36, illus. Feb. 1943. References. 448.8 P21

KNIPLING, E. F., GJULLIN, C. M., and YATES, W. W. A new oil-emulsion mosquito larvicide. U. S. Bur. Ent. and Plant Quar. E-587, 4 pp., processed. Washington, D. C., Apr. 1943. 1.9 En83

LEE, D. B. Report of Sub-committee on engineering, National malaria committee. Natl. Malaria Soc. Jour. 1: 163-166. 1942. 448.9 N213

LEGWEN, W. A., and LENERT, L. G. Circular joint and concrete form design for precast inverts for malaria-control ditch-lining. Natl. Malaria Soc. Jour. 1: 69-82, illus. 1942. 448.9 N213

LEGWEN, W. A., and HOWARD, R. S., JR. The design and application of a new type automatic siphon for malaria control. Natl. Malaria Soc. Jour. 1: 83-92, illus. 1942. References. 448.9 N213

Refers to Anopheles control by flushing and fluctuation.

LUND, H. O. Studies on the choice of a medium for oviposition by Anopheles quadrimaculatus Say. Natl. Malaria Soc. Jour. 1: 101-111. 1942.
448.9 N213

Cage tests with wild-caught females. "No convincing evidence accumulated in favor of the existence of any preference for any oviposition medium tried."

MALARIA program of the International health division of the Rockefeller foundation in the United States. Natl. Malaria Soc. Jour. 1: 167-169. 1942. 448,9 N213

MELVIN, BOY, BUSHLAND, R. C., and SMITH, C. L. The toxicity of certain organic compounds to young screwworm larvae [Cochliomyia americana]. U. S. Bur. Ent. and Plant Quar. E-586, 21 pp., processed. Washington, D. C., Mar. 1943. References. 1.9 En83

Tests were made with 126 compounds and 37 found more toxic than

Diphenylamine, while 20 were of about the same toxicity,

MOSCARDÓN cazador de abejas; Mallofora ruficauda. Chacra 13(148): 10,

illus, Feb, 1943, 9 034

MOSLEY, F. O. Onion fly [Hylemya antiqua] control in the field. [Gt. Brit.] Min. Agr. Jour. 44(4): 222-224, illus. Mar. 1943. 10 679J The calomel method of onion fly control under field conditions is discussed.

PARKS, T. H. Cattle grubs [Hypoderma bovis and H. lineatum] and their control. Ohio Agr. Col. Ext. Bul. 229, 8 pp., illus. Columbus, Jan.

1943. 275.29 Oh32

PHILIP, URSULA. An analysis of chromosomal polymorphism in two species of Chironomus [C. dorsalis and C. riparius]. Jour, Genet. 44(2/3): 129-

142, illus. Dec. 1942. References. 442.8 J823

REES, D. M. The mosquitoes of Utah. Utah Univ. Bul. 33(7): 1-99, illus. Salt Lake City, Mar. 4, 1943. (Biol. Ser., v. 7, no. 4) References.

442.8 Ut1

REITZ, L. P., and others. Agronomic tests of new resistant varieties and hybrids of hard red winter wheat in the presence of stem rust and hessian fly [Phytophaga destructor], by L. P. Reitz, E. T. Jones, C. O. Johnston, and R. H. Painter. Amer. Soc. Agron. Jour. 35(3): 216-229, illus, Mar. 1943. References. 4 Am34P

RENN, C. E. The crushing strength of biological films on natural waters and the spread of larvicidal oils. Natl. Malaria Soc. Jour. 1: 45-55,

illus, 1942, References, 448,9 N213

Resistance of natural surface films to spread of oils used in mosquite

control.

RUSSELL, P. F., KNIPE, F. W., and RAMACHANDRA rao, T. A water emulsion of pyrethrum extract for spray-killing adult mosquitoes, 3 pp. [n.p., 1942] References. 428 R91W

Reprinted from Indian Med. Gaz. 77(8): 477-479. Aug. 1942.

SCOTT, J. P. Effects of single genes on the behavior of Drosophila. Amer. Nat. 77(769): 184-190, illus. Mar. Apr. 1943. References. 470 Am36

SISMANIDIS, A. Selection for an almost invariable character in Drosophila. Jour. Genet. 44(2/3): 204-215, illus. Dec. 1942. References.

442.8 J823

SOPER, F. L., and WILSON, D. B. Species eradication; a practical goal of species reduction in the control of mosquite-borne disease. Natl. Malaria Soc. Jour. 1: 5-24, illus. 1942. References. 448.9 N213 It is stated that the method has been successfully used in Brazil against Aedes egypti and Anopheles gambiae. Species eradication is defined as the complete extermination of a species in all its phases of development,

SWEET, W. C., and others. Anophelines of southwestern Yunnan and their relation to malaria, by W. C. Sweet, L. C. Feng, C. Y. Chow, and S. C. Hsu. Natl. Malaria Soc. Jour. 1: 25-32. 1942. References. 448.9 N213

TATE, P. The larva of Phaonia palpata Stein (Diptera, Anthomyidae). Parasitology 35(1/2): 37-39, illus. Feb. 1943, References.

448.8 P21

Contributions to a knowledge of Australian Culicidae. TAYLOR, F. H. No. V. Linn. Soc. N. S. Wales, Proc. 67(3/4): 277-278, illus. 1942

514 Sy2 TENNESSEE VALLEY AUTHORITY. SUB-COMMITTEE ON MALARIA PREVENTION ACTIVITIES. Statement for the National malaria society. Natl. Malaria Soc. Jour.

1: 175-177. 1942. 448.9 N213 Summary of work during 1941.

UNION COUNTY (N. J.) MOSQUITO EXTERMINATION COMMISSION. Report...for

1942. 7 pp. Cranford, N.J. [1943] 428 Un34

U. S. PUBLIC HEALTH SERVICE. OFFICE OF MALARIA INVESTIGATIONS. Activities...for calendar year, 1941. Natl. Malaria Soc. Jour. 1: 171-173. 1942. 448.9 N213

WATSON, R. B., MAHER, H. C., and RICE, M. E. Observations on malaria around Lake Wilson, 1934-1941. Natl. Malaria Soc. Jour. 1: 33-44,

illus. 1942. 448.9 N213

Impounded waters are classified roughly according to their propensity to produce Anopheles quadrimaculatus. Survey samples "confirm the premise that in this region cyclic increases in malaria prevalence may be expected to occur every fifth year."

WOODHILL, A. R. The development of Aedes (Pseudoskusea) concolor Taylor in relation to small quantities of salts in solution and to the temperature of the water. Linn. Soc. N. S. Wales, Proc. 66(5/6):

396-400. 1941. References. 514 Sy2

WOODHILL, A. R., and PASFIELD, G. An illustrated key to some common Australian culicine mosquito larvae, with notes on the morphology and Linn. Soc. N. S. Wales, Proc. 66(3/4): 201-214, breeding places.

illus. 1941. 514 Sy2

WOODHILL, A. R. The oviposition responses of three species of mosquitoes (Aëdes (Stegomyia) aegypti Linnaeus, Culex (Culex) fatigans Wiedemann, Aedes (Pseudoskusea) concolor Taylor), in relation to the salinity of the water. Linn. Soc. N. S. Wales, Proc. 66(5/6): 287-292, illus. 1941. References, 514 Sy2

YOUNG, EUSTON. The Mules operation at Noondoo. Good results in a severe fly attack. Past. Rev. 53(1): 12. Jan. 16, 1943. 23 Au75

HEMIPTERA

BALDUF, W. V. Third annotated list of Phymata prey records (Phymatidae, Hemiptera). Ohio Jour. Sci. 43(2): 74-78. Mar. 1943. 410 Oh3 [Phymata pennsylvanica americana.]

DeLONG, D. M. A new genus (Deltorhynchus) and two new species [D. quadrinotus and D. spinosus] of leafhoppers (Homoptera Cicadellidae) from Mexico. Ohio Jour. Sci. 43(2): 79-80, illus. Mar. 1943. 410 Oh3

GLASGOW, HUGH. The pea aphid [Macrosiphum pisi] a constant threat to canning industry. Comparative freedom from pest during past five years should not lead to false sense of security this season. Farm Res. [N. Y. State Sta.] 9(2): 10-11, illus. Apr. 1943. 100 N48A

LE PELLEY, R. H. Notes on present mealy-bug [Pseudococcus-kenyae] position. Coffee Bd. of Kenya Monthly Bul. 8(86): 19, 22. Feb. 1943.

68.29 0652

OMAN, P. W. A new leafhopper [Nesaloha cantonis n. g. and n. sp.] from Oceania (Homoptera Cicadellidae). Pan-Pacific Ent. 19(1): 33-34, illus. Jan. 1943. 421 P193

OMAN, P. W. A new leafhopper of the genus Helochara [H. delta]. (Homoptera, Cicadellidae.) Wash. Ent. Soc. Proc. 45(3): 74-75,

illus. Mar. 1943. 420 W27

Suspected vector of Pierce's disease of grapes in California. PELAEZ, DIONISIO. Estudio monografico de las especies españolas del genero Apterola Muls. et Rey (Hem. Lyg.). Soc. Mex. de Hist. Nat Rev. 3(1/4): 113-134, illus. Dec. 1942. References. 516 Sol5

SLATER, J. S. Developmental stages of Catorhintha mendica (Coreidae, Hemiptera). Brooklyn Ent. Soc. Bul. 38(1): 1-5, illus. Feb. 1943.

420 B79

TORRE-BUENO, J. R. de la. Remarks on the genus Geocoris Fallén 1814. Brooklyn Ent. Soc. Bul. 38(1): 25-27. Feb. 1943. 420 B79

WALLIS, R. L. The psyllid [Paratrioza cockerelli] situation in 1940. Nebr. Potato Impr. Assoc. Ann. Rpt. (1940/41) 22: 10-13, illus. Lincoln [1941?] 75.9 P842

WATSON, J. R. Control of citrus aphids [Aphis spiraecola]. Citrus

Indus. 24(4): 3, 7. Apr. 1943. 80 C49

ZECK, E. H. Notes on the Aphididae in Australia. I. Two aphids new to New South Wales [Myzus ornatus and Rhopalosiphum lahorensis]. (Hemiptera: Aphididae.) Linn. Soc. N. S. Wales, Proc. 66(3/4): 219-222, illus. 1941. References. 514 Sy2

HYMENOPTERA

BOHART, R. M. North American Stenodynerus of the anormis group (Vespidae, Hymenoptera). Brooklyn Ent. Soc. Bul. 38(1): 6-11. Feb. 1943. 420 B79

BRAITHWAITE, J. D. Notes on research into the parasite [Nemeritis tectonae] of the bee-hole borer [Xyleutes ceramicus] of teak. Empire Forestry Jour. 21(2): 120-122, Dec. 1942. 99.8 2m72

EATON, T. H., JR. Six-legged army [ants]. Fauna 5(1): 22-25, illus.

Mar. 1943. 410 F27
JONES, J. W., JR. Known distribution of the shining slave maker ant
Polyergus lucidus Mayr. Amer. Midland Nat. 29(1): 185. Jan. 1943. 410 M58

MICHENER, Q. D. The American bees of the genus Anthocopa with notes on Old World subgenera (Hymenoptera, Megachilidae). Ent. Soc. Amer.

Ann. 36(1): 49-86, illus. Mar. 1943. 420 En82

MITCHELL, T. B. Records and descriptions in the megachilid subgenus Argyropile (Hymenoptera, Megachilidae). Pan-Pacific Ent. 19(1):

12-15. Jan. 1943. 421 P193
NIBLETT, M. The species of Rhodites causing pea-galls on Rosa. (Concl.)
Ent. Monthly Mag. 76(957): 34-39. Feb. 1943. References. 421 En86

NIXON, G. E. J. A revision of the European Dacnusini (Hym., Braconidae, Dacnusinae). (Cont.). Ent. Monthly Mag. 79(945): 25-34, illus.

Feb. 1943. 421 En86 NOBLE, N. S. Melittobia (Syntomosphyrum) indicum (Silv.) (Hymenopt., Chalcidoidea), a parasite of the Queensland fruit fly, Strumeta tryoni (Frogg.). Linn. Soc. N. S. Wales, Proc. 67(3/4): 269-276. 1942. References. 514 Sy2

NOBLE, N. S. Trichilogaster maideni (Froggatt) (Hymenopt., Chalcidoidea), a wasp causing galls on Acacia implexa Benth., and A. maideni F. v. M., with observations on Australian chalcidoid galls. Linn. Soc. N. S. Wales, Proc. 66(3/4): 178-200, illus. 1941. 514 Sy2

PATE, V. S. L. On some holarctic sphecoid wasps (Aculeata, Hymenoptera). Brooklyn Ent. Soc. Bul. 38(1): 14-16. Feb. 1943. 420 B79

PICKLES, W. Further observations on the mound-building of ants [Lasius flavus and L. niger]. Ent. Monthly Mag. 79(946): 53-55. Mar. 1943. References. 421 En86

SANDHOUSE, G. A. The type species of the genera and subgenera of bees [superfamily Apoidea]. U. S. Natl. Mus. Proc. 92(3156): 519-619. 1943. 500 Sm65P

SIMMONDS, F. J. The occurrence of superparasitism in Nemeritis canescens Grav. Rev. Canad. de Biol. 2(1): 15-58, illus. Feb. 1943. References. 442.8 R325

SPOONER, G. M. The Hymenoptera Aculeata in the Dale collection. II. Notes on the Bethylidae, Chrysididae, Vespidae and Sphecidae (Part). (Cont.). Ent. Monthly Mag. 79(946): 64-72. Mar. 1943. 421 En86

STRANDTMANN, R. W. Description of female Ampulex (Rhinopsis) ferruginea Bradley (Hymenoptera; Ampulicidae). Ent. Soc. Amer. Ann. 36(1): 46-48, illus. Mar. 1943. 420 En82

STRETTON, G. B. Strange behaviour of a wasp (Hym., Vespidae).

Monthly Mag. 79(946): 49-52. Mar. 1943. 421 En86 Reports a case of apparent failure, or alienation, of the social instinct in a social wasp, Vespula vulgaris.

ISOPTERA

[KALSHOVEN, L. G. E.] Termites and soil fertility. Farm and Forest [Ibadan, Nigeria] 3(4): 192-196. Nov. 1942. References. 24 F226 . Translated extracts from a paper entitled "Invloed van de locale macroscopische fauna, en met name van de termieten, op de vruchtbaarheid van den bodem." which appeared in Tectona, v. 34, pp. 568-. 582, 1941

LIGHT, S. F. The determination of the castes of social insects. (Concl.) Quart. Rev. Biol. 18(1): 46-63, illus. Mar. 1943. 442.8 Q2 References, pp. 61-63.

Deals with termite castes.

LEPIDOPTERA

APOLINAR MARIA, HERMANO. Miscelanea entomológica. Algo sobre pieridos colombianos. (Cont.) Acad. Colombiana de Cien. Exact., Fis. y Nat. Rev. 5(17): 102-109, illus. Jan./June 1942. 516 Acl BAETA NEVES, C. M. Sôbre a distinção entre a "Lymantria dispar L." e outras pragas que atacam o sobreiro, o caso do "burgo da azinheira" [Tortrix viridana] e o da "portesia" [Euproctis chrysorrhoea]. Junta Nac. da Cortiça [Lisbon] Bol. 50: 49-53; 51: 97-101, illus. Dec. 1942, Jan. 1943. 309.9 J96

English summaries, pp. X, XVII.

BELL, E. L. New records and new species of Hesperiidae from Mexico (Lep. Hesp.). Mex. (City) Esc. Nac. Cien. Biol. An. 2(4): 455-468, illus. Dec. 25, 1942. 442.9 M573

BONET, FEDERICO. Una emigracion en masa de mariposas [Phoebis spp.].
Soc. Mex. de Hist. Nat. Rev. 3(1/4): 109-111. Dec. 1942. 516 Sol5

- BROWN, F. M. Notes on Ecuadorian butterflies. III. The genus Lymanopoda Westwood (Satyridae). Ent. Soc. Amer. Ann. 36(1): 87-102, illus. Mar. 1943. 420 En82
- Mar. 1943. 420 En82

 BROWN, H. E. The use of attractants in codling moth [Carpocapsa pomonclla] sprays. Mo. State Hort. Soc. Proc. (1940/1942) 7: 78-80. Columbia, Dec. 1942. 81 M692
- Dec. 1942. 81 M692
 CLARK, C. A. The field status of parasites of the European corn borer
 [Pyrausta nubilalis] at the close of 1941. U. S. Bur. Ent. and Plant
 Quar. E-588, 4 pp., processed. Washington, D. C., Mar. 1943. 1.9 En83
- CLARKE, J. F. G. A new pest of Albizzia [Homadaula albizziae] in the District of Columbia (Lepidoptera: Glyphipterygidae). U. S. Natl. Mus. Proc. 93(3162): 205-208, illus. 1943. 500 Sm65P
- CORBET, A. S., and TAMS, W. H. T. Observations on species of Lepidoptera infesting stored products. Ent. Monthly Mag. 76(957): 25-30, illus. Feb. 1943. 421 En86

Aglossa spp., Achroia spp.

- CRIA del gusano de seda [Bombyx mori]; salida de la mariposa. Chacra 13(148): 66-67, illus. Feb. 1943. 9 034
- DOWISTHORPE, HORACE. Polyommatus (Lysandra) coridon and ants. Ent. Rec. and Jour. Variation 55(2): 13-14. Feb. 1943. 421 En89
- EMMERT, E. M., and PRICE, W. A. Control of the corn earworm [Heliothis armigera] by clipping. Ky. Agr. Expt. Sta. Bul. 436, 10 pp., illus. Lexington, Nov. 1942. References. 100 K41

FREEMAN, H. A. New Hesperioidea, with notes on some others from the United States (Lepidoptera, Rhopalocera). Ent. News 54(3): 72-77.

Mar. 1943. 421 En88

FREEMAN, T. N. Notes on the distribution of Plebeius scudderi empetri Fran. and P. scudderi aster Edw. (Lepidoptera, Lycaenidae). Canad. Ent. 75(2): 37-39, illus. Feb. 1943. 421 C16

HASEMAN, L. The codling moth [Carpocapsa pomonella] situation and control. Mo. State Hort. Soc. Proc. (1940/1942) 7: 75-76. Columbia, Dec. 1942. 81 M692

HEINRICH, CARL. A new species of Laspeyresia [L. leguminis], a bean pest from tropical America (Lepidoptera: Alethreutidae). Wash. Ent. Soc. Proc. 45(3): 71-73, illus. Mar. 1943. 420 W27

McDUNHOUGH, J. Hadenine notes and descriptions (Phalaenidae, Lepidoptera). Canad. Ent. 75(3): 43-57, illus. Mar. 1943. 421 C16

McDUNNOUGH, J. Notes on the betulella group of Depressaria, with description of new species [D. ostryella]. (Lepidoptera, Oecophoridae,) Canad. Ent. 75(2): 34-36, illus. Feb. 1943. 421 C16

POITRAS, EMILE. Intoxication alimentaire par la pyrale du mais [Pyrausta nubilalis]; quelques cas chez la vaches. Rev. d'Oka 17(2): 48-50. Mar./Apr. 1943. 7 Okl Also in Canad. Jour. Compar. Med. 7(3): 79-80. Mar. 1943.

41.8 0162 POTTS, R. W. L. Systematic notes concerning American Acraeinae (Lepidoptera: Nymphalidae). Pan-Pacific Ent. 19(1): 31-32.

Jan. 1943. 421 P193

Altinote (Altinote) brownorum Potts, new genus and new species. SARMA, P. S., and BHAGVAT, KAMALA. The synthesis of vitamin C by rice moth larvae (Corcyra cephalonica Staint.). Current Sci. [India] 11(10): 394. References. 475 Sci 23

TALBOT, G. On some types of Pieridae described by Boisdaval. Ann. and Mag. Nat. Hist. (Ser. 11) 10(62): 136-139. Feb. 1943. 410 An77

TOOKE, F. G. C., and HUBBARD, C. S. The pine tree emperor moth, Nudaurelia cytherea capensis, Stoll. A survey and examination of the measures employed in its control So. Africa Dept. Agr. and Forestry. Sci. Bul. 210, 57 pp., illus. Pretoria, 1941. References. " 24 So84S

TURNER, A. J. Fragmenta lepidopterologica. Roy. Soc. Queensland, Proc. (1941) 53: 61-96. Brisbane, Feb. 23, 1942. 514 B775
TURNER, A. J. Revision of Australian Lepidoptera. X. Oecophoridae.

Linn. Soc. N. S. Wales, Proc. 66(5/6): 401-424. 1941. 514 Sy2 TURNER, H. J. The British Noctuae and their varieties. Ent. Rec.

and Jour. Variation 55(2, sup.): 85-88. Feb. 1943. 421 En89 WATERHOUSE, G. A. Australian Hesperiidae. X. On Hesperilla donnysa

Hewitson, 1868. Linn. Soc. N. S. Wales, Proc. 66(3/4): 215-218. 1941. 514 Sy2

WATERHOUSE, G. A. Notes on Australian Lycaenidae. Part VIII. On Ogyris zosine Hew. and O. genoveva Hew. Linn. Soc. N. S. Wales, Proc. 66(5/4): 234-238. 1941. References. 514 Sy2

ZEUNER, F. E. On recent and fossil Pseudonaclia Butler (Lep., Amatidae). Ann. and Mag. Nat. Hist. (Ser. 11) 10(62): 140-144, illus. Feb. 1943. References. 410 An77

ORTHORTERA

BALLUE, W. V. New records for three Illinoisan Orthoptera [Megaphasma dentricus, Neoconocephalus exiliscanorus, and Stagmomantis carolina]. Ill. State Acad. Sci. Trans. 35(2): 190-192. Dec. 1942. References. 500 I16

BARNHARD, C. S. Aqueous solutions of boric acid for safe control of Comman roaches [Blottella germanica]. Pests 11(1): 8-9, illus.

Jan. 1943. 449.8 En8

BOLÍVAR, IGNACIO, and BOLÍVAR PIELTAIN, C. Estudio de dos nuevas Pterophylla mexicanas [P, belirani and P. (Balsasia) baezi]. (Orth., Tettig., Pseudoph.) Soc. Mex. de Hist. Nat. Rev. 3(1/4): 87-101, illus. Dec. 1942. References. 516 Sol5
BUETTNER, W. O. Boric acid in the control of roaches. Pests 11(1):

13, 24-25, Jan. 1943, 449.8 Ex8

CANTRALL. I. J. The ecology of the Orthoptera and Dermaptera of the George Reserve, Michigan. Mich. Univ. Mus. Zool. Misc. Pub. 54, 182 pp., illus. Ann Arbor, Jan. 20, 1943. References. 410.9 M58M FOX, HENRY. Further studies on oothecae of introduced Asiatic mantids [Tenodera sinensis; T. angustipennis] (Orthoptera: Mantidae). Ent. Soc. Amer. Ann. 36(1): 25-33. Mar. 1943. References. 420 En82

HEBARD, MORGAN. The Dermaptera and orthopterous families Blattidae. Mantidae and Phasmidae of Texas. Amer. Ent. Soc. Trans. 68(4): 239-310, illus. Dec. 1942. References. 420 P53

INTERNATIONAL campaign against locusts. Indian entomologists leave for Arabia. Indian Inform. 12(108): 89. Jan. 15, 1943. 280.8 In25 KEY, K. H. L. Another locust outbreak. Past. Rev. 53(1): 30-31.

Jan, 16, 1943. 23 Au75

Predicted for New South Wales.

MILLER, T. G. There's no excuse for keeping roaches in plant. Food in Canada 2(5): 23, illus. May 1942. 389.8 F7323

Deals with the control of cockroaches in food plants.
[MOROCCO] DIRECTION DE LA PRODUCTION AGRICOLE. SERVICE DE L'AGRICULTURE. BUREAU DE LA DÉFENSE DES VÉGÉTAUX. Lutte contre les acridiens. [Morocco] Bur. de la Defense des Veg. Memento 61, 15 pp., illus.

Rabat, Feb. 1942. 24 M82M

- MOZAMBIQUE. REPARTICÃO TÉCNICA DE AGRICULTURA. Estudos sôbre a "Nomadacris septemfasciata" (Serville). [Pt.] I. Resenha das últimas invasões de gafanhotos migradores, em particular da Nomadacris septemfasciata (Serville), na Colónia de Moçambique, by A. C. Saraiva and J. G. A. Cardoso; [Pt.] II. Sugestão de um novo processo de combate a Nomadacris septemfasciata (Serville), by A. C. Saraiva. 32 pp., 21 maps. Lourenco Marques, Imprensa nacional de Mocambique, 1941. References. 429 M87 ·
- REHN, J. A. G. On the locust genus Psoloessa (Orthoptera; Acrididae; Acridinae). Amer. Ent. Soc. Trans. 68(4): 167-237, illus. Dec. 1942.
 References. 420 P53
- ROACH powders. What composition for poisonous and non-poisonous types in the face of war-time scarcities and restriction? Soap 19(4): 97-98, 121, illus. Apr. 1943. 307.8 Sol2

Discusses sodium fluoride, sodium fluosilicate, and borax in relation

to pyrethrum shortages.

SLIFER, E. H. The internal genitalia of some previously unstudied species of female Acrididae (Orthoptera). Jour. Morph. 72(2): 225-237, illus. Mar. 1943. References. 444.8 J826

TAHMISIAN, T. N. Enzymes in ontogenesis: choline-esterase in developing Melanoplus differentialis eggs. Jour. Expt. Zool. 92(2): 199-213, illus. Mar. 1943. References. 410 J825

TAUBER, O. E., and GRIFFITHS, J. T., JR. Multinucleate hemocytes in the roach, Blatta orientalis. Amer. Micros. Soc. Trans. 62(1): 91-93, illus. Jan. 1943. References. 440.9 Am33

UVAROV, B. P. A preliminary revision of the axillaris-group of the genus Catantops Schaum, 1853 (Orthoptera, Acrididae). Ann. and Mag. Nat. Hist. (Ser. 11) 10(62): 119-128, illus. Feb. 1943. 410 An77

SMALLER ORDERS

CLAY, THERESA, and MEINERTZHAGEN, R. The relationship between Mallophaga and hippoboscid flies. Parasitology 35(1/2): 11-16, illus. Feb. 1943. References. 448.8 P21

DAMPF, ALFONSO. Nuevos datos sobre la pulga Pleochaetis mundus (Jordan & Rothschild, 1922) (Insecta, Aphaniptera s. Siphonaptera). Soc. Mex. de Hist. Nat. Rev. 3(1/4): 135-148, illus. Dec. 1942. References 516 Sol5

English summary, p. 145.

DAY, F. H. Cumberland Odonata. Ent. Monthly Mag. 79(945): 43-44.

Feb. 1943. 421 En86

DOUGLAS, J. R., and WHEELER, C. M. Sylvatic plague studies. II. The fate of Pasturella pestis in the flea [Xenopsylla cheopis and Diamanus montanus]. Jour. Infect. Dis 72(1): 18-30, illus. Jan./Feb. 1943.

Bibliographical footnotes. 448.8 J821

EVANS, F. C., WHEELER, C. M., and DOUGLAS, J. R. Sylvatic plague studies. III. An epizootic of plague among ground squirrels (Citellus beecheyi) in Kern county, California. Jour. Infect. Dis. 72(1): 68-76, illus. Jan./Feb. 1943. Bibliographical footnotes. 448.8 J821 "Plague infection was demonstrated in the fleas Diamanus montanus, Hoplopsyllus anomalus and Echidnophaga gallinacea."

FULLER, H. S. Studies on Siphonaptera of eastern North America. Brooklyn Ent. Soc. Bul. 38(1): 18-23. Feb. 1943. References.

420 B79

GEIJSKES, D. C. Notes on Odonata of Surinam, III. The genus Coryphaeschna, with descriptions of a new species [C. dentata] and of the nymph of C. virens. Ent. News 54(3): 61-72, illus. Mar. 1943. References. 421 En88

GRENSTED, L. W. The occurrence of Hydropsyche saxonica McLach. in Britain. With a new key to the British species of the genus Hydropsyche Pict. (Trich., Hydropsychidae). Ent. Monthly Mag. 79(945): 35-38. Feb. 1943. 421 En86

Ent. JORDAN, KARL. Two new fleas from Uganda in the British Museum. Monthly Mag. 76(957): 31-33, illus. Feb. 1943. 421 En86

Libyastus hopkinsi; Chimaeropsylla potis stuhlmanni.

KIMMINS, D. E. New species of the genus Neuronema Mcl. (Neuroptera, Hemerobiidae). Ann. and Mag. Nat. Hist. (Ser. 11) 10(61): 40-53, illus. Jan. 1943. 410 An77

MANTELL, C. L., and MAY, E. Protecting textiles from silverfish. Mod. Plastics 20(6): 51-53, 120. Feb. 1943. 309.8 P69 Deals with the reaction of Lepisma saccharina and Thermobia domestica to textile finish.

MONTGOMERY, B. E. Sympetrum internum, new name for Sympetrum decisum auct., nec Hagen (Odonata, Libellulidae). Canad. Ent. 75(3): 57-58. Mar. 1943. 421 C16

PERSING, C. O., BOYCE, A. M., and BARNHART, C. S. The present status of citrus thrips [Scirtothrips citri] control. Citrus Leaves 23(3): 6-7, illus. Mar. 1943. 80 0492

A spray containing nicotine sulfate and sugar is suggested for lemon districts where tartar emetic is not efficient. In orange districts,

sulfur dust or lime sulfur spray is advisable.

Also in Calif. Citrog. 28(6): 152, 165. Apr. 1943. 80 C125

SCHWEIG, BRUNO. Vitality of an earwig. Ent. Monthly Mag. 79(946): 60.

Mar. 1943. 421 En86 An earwig lived for 3 weeks in a solution of glucose, ammonium nitrate,

sodium hydroxide and distilled water.

SCOTT, HUGH. Hibernation of Chrysopa carnea Stephens (Neur., Chrysopidae) in unusual numbers in a house. Ent. Monthly Mag. 79(946): 63.

Mar. 1943. 421 En86

SMITH, F. F. Substitutes for tartar emetic and sugar in thrips [Taeniothrips simplex] sprays. New England Glad. Soc. Glad. Sup. 7(1): 14-18. Apr. 1943. 96.43 N44

カー m w 而刀 D m N

UNITED STATES DEPARTMENT OF AGRICULTURE Library Washington, D. C.

BIBLIOGRAPHY OF AGRICULTURE

SECTION C ENTOMOLOGY

Vol: 2

May 1943

No. 5

THE INDEX TO VOLUMES 1 AND 2 WILL BE ISSUED IN PLACE OF THE REGULAR JUNE 1943 ISSUES OF ALL PARTS OF THE BIBLIOGRAPHY OF AGRICULTURE.

GENERAL

CARPEFIER, F. M. Studies on carboniferous insects from Commentry, France; Part I. Introduction and families Protagniidae, Meganeuridae, and Campylonteridae. Geol. Soc. Amer. Bul. 54(4): 527-554, illus. Apr. 1, 1943. References. 403 G29

HERIS, W. B. Preparation for a career as a medical entomologist. Jour. Econ. Ent. 36(1): 18-22. Feb. 1943. References. 421 J822

INGLE, LISTER. An apparatus for testing chesotropic responses of flying insects. Jour. Econ. Ent. 36(1): 108-110. Feb. 1943. 421 J822 References.

Flies were used in the tests reported.

LINSLEY, E. G. The spelling of scientific names of some stored food products pests. Jour. Econ. Ent. 36(1): 125-126. Feb. 1943. References. 421 J822

Scientific note.

PETERSON, ALVAH. Some new killing fluids for larvae of insects. Jour. Econ. Ent. 36(1): 115. Feb. 1943. 421 J822 Scientific note.

RAVEN, C. E. John Ray, naturalist; his life and works. 502 pp., illus. Cambridge [England], University press, 1942. 120 ROIR Ch. XV, The History of Insects, pp. 388-418.

*RICHTER, RUD. Kontinuität der zoologischen nomenklatur gegen die regeln oder mit ihnen? Zool. Anz. 139(5/6): 115-127. Aug. .15, 1942. References.

SALT, R. W., and MAIL, G. A. The freezing of insects - a criticism and explanation. Jour. Econ. Ent. 36(1): 126-127. Feb. 1943. References. 421 J822

Scientific note.

Correction of following paper: Mail, G. A. Lethal temperatures for Dermacentor andersoni Stiles and other ticks in British Columbia. Jour. Boon. Ent. 35(4): 562-564. 1942.

^{*}Supplied only in microfilm or photostat.

SMART, JOHN. Bibliography of key works for the identification of the British fauna and flora. 105 pp. London, Linnean society, 1942. (Association for the study of systematics in relation to general biology, Pub. no. 1) 442.9 As72

SMITH, P. S. More on "An artist's note." Ent. Rec. and Jour.

Variation 55(3): 21-23. Mar. 1943. 421 En89

Discusses color gravure and collotype as methods of color reproduction in illustrations of insects.

SUFFOLK NATURALISTS! SOCIETY Observations. Suffolk Nat. Soc. Trans.

5(1): 25-70, illus. Dec. 1942. 410.9 Su2
New records for Suffolk are: Tegenaria larva Sim., p. 31; Heliaczeus populi Nal., p. 32; Phytoptus tremulae, p. 32; Gyrophaena strictula Er., p. 35; Pterostichus (Feronia) anthracinus Ill., p. 36; Quedius ventralis Ar., p. 36; Lepidoptera, p. 48; Scythropia crataegella L., pp. 51-52; Stenomalus muscarum Linn., p. 54; Epiphragma picta Fab., p. 57; Trypeta acuticornis Lw., p. 59.

Other records of interest are: The new ladybird [Coccinella 4-punctata Pont.] established, p. 34; Depressaria chaerophylli: larva, and parasites, p. 50; Rare sawflies, pp. 52-53; Bassus multicolor Gr., bred, pp. 54-55; Parasites of tortoiseshell, p. 57;

A novel parasite [Chrysomyza demandata Fab.], p. 58

*TOLDT, K. Spinnen- oder raupengespinste als malgrund? Zool. Anz. 139(7/8): 129-149, illus. Sept. 1, 1942. References. An account of the use of spider silk or silk of cocoon-spinning

caterpillars as a ground for painting. WEISS, F. B. Color perception in insects. Jour. Econ. Ent. 36(1):

1-17. Feb. 1943. 421 J822

References, pp. 15-17.

Presidential address, 54th Annual Meeting, American Association of Economic Entomologists.

WEISS, H. B., SORACI, F. A., and McCOY, E. E., JR. Insect behavior to various wave lengths of light. N. Y. Ent. Soc. Jour. 51(2): 117-131, illus. June 1943. 420 N48J

GENERAL - ECONOMIC

[ACOSTA SOLIS, M.] Como fumigar y preservar los granos. Flora [Quito] 2(5/6): 161-163. Dec. 1942. 450 3662

AMERICAN ASSOCIATION OF ECONOMIC ENTOMOLOGISTS. SPECIAL COMMITTEE ON THE INSECTICIDE SUPPLY SITUATION. Final report of Special counittee Jour. Econ. Ent. 36(1): 137-138. Feb. 1943. 421 J822

Signed: R. C. Roark, C. C. Hamilton and J. L. Horsfall.

AVERCLDI, O. L. O aeroplano em breve será o meio mais eficaz no combate às pragas da lavoura. Sitios e Fazendas 7(12): 5-8, illus. Dec. 1942. 7 9.2 Si8

Summary of parasite and predator liberations in Canada BAIRD, A. B. Summary of parasite and predator liberations in Canadin 1942. Canada Dept. Agr. Sci. Serv. Div. Ent. Canad. Insect Pest Rev. 21(1): 107-130, processed. May 1, 1943. 423.92 C160

BALCH, R. E., and HAWBOLDT, L. S. Report of forest insect conditions in Nova Scotia in 1942. Nova Scotia Dept. Lands and Forests Rpt. 1942, pp. 50-54, illus. Halifax, 1943. 412.9 N852

Supplied only in microfilm or photostat

BALL, R. S. Pyrethrum cultivation in Kenya. Nyasaland Agr. Quart. Jour. 3(1): 11-22. Jan. 1943. 24 N983

Article on pyrethrum cultivation issued by the Kenya Farmers! Association (Co-operative) Limited, Agents under the Pyrethrum Ordinance 1935.

BANCCRA, ELVIO, Polisulfuro de calcio. Buenos Aires (Prov.) Dir. de Agr., Ganad, e Indus. An. Rugal 11: 209-216. 1943. 9 B866A

BUENOS AIRES (PROVINCE) DIRECCIÓN DE AGRICULTURA, GANADERIA E INDUSTRIAS. Preparación casera del caldo bordeles. Buenos Aires (Prov.) Dir. de Agr., Ganad. e Indus. An. Rural 11: 201. 1943. 9 B866A

BUETTNER, W. O. War time problems of the pest control operator. Soap 19(5): 101, 103. May 1943. 307.8 Sol2

An interview.

CANADA. DEPT. OF AGRICULTURE. SCIENCE SERVICE. DIVISION OF ENTOMOLOGY. Insects of the season 1942 by provinces [Canada]. Canada Dept. Agr. Sci. Serv. Div. Ent. Canad. Insect Pest Rev. 21(1): 11-103, processed. May 1, 1943. 423.92 0160

Detailed statements of the more important field, garden, orchard,

and forest pests.

CARTER, WALTER. A promising new soil amendment and disinfectant [a rixture of 1-3 dichloropropylene and 1-2 dichloropropane]. Science 97(2521): 383-384. Apr. 23, 1943. 470 Sci2

Experimental work in the control of Heterodera marioni and Anomala orientalis.

- CASSI, E. D. La importancia de la entomología en la economía nacional. Rev. Ganad. [Havana] 2(12): 22-23; 3(1): 15; (2): 13. Dec. 1942, Jan., Feb. 1943. 49 R321
- COIMAN, WALLACE. Tests of chemical compounds against fabric insects. U. S. Bur. Ent. and Plant Quar. E-592, 12 pp., processed. Washington, D. C., Apr. 1943. 1.9 En83

Insect-proofing tests with many chemicals for protection of fabrics against Anthrenus vorax and Tineola biselliella.

COMO combater os insetos nos celeiros. Sitios e Fazendas 7(12): 9-10, illus. Dec. 1942. 9.2 Si8

COTTON, R. T., and YOUNG, H. D. Acrylonitrile and trichloroacetonitrile in admixture with carbon tetrachloride as possible funigants for stored grain. Jour. Econ. Ent. 36(1): 116-117. Feb. 1943. 421 J822 Scientific note.

COTTON, R. T. Insects of stored grain and its products. (Part 2.) Amer.

Miller 71(5): 26, 28. May 1943. 298.8 Am32 CUTRIGHT, C. R., and VOGEL, M. A. Suggestions on fruit insect control in wartime. Ohio State Hort. Soc. Proc. (1943) 76: 22-32. [Columbus], 1943 81 Oh3

DAINES, R. H., and BLAKE, M. A. Effect of spray force on arsenical injury to peach. N. J. State Hort. Soc. News 24(3): 1477-1479, illus. Mar. 1943. 81 N46

DENNING, J. A. Turn scientist's searchlight on plant pests and diseases; steps taken by entomologist inspecting nursery stock. Mo. State Dept. Agr. Bul. 41(6): 6-14. Apr. 1, 1943. 2 M69B

Includes material on the control of Popillia japonica, Pyrausta

nubilalis, and Parlatoria chinensis.

DUSTAM, G. G. Control of insects on house plants. Canad. Hort. and Home Mag. Floral Ed. 66(4): 89-90, 94-95, illus. Apr. 1943. 80 C16F ELLIS, J. W. The significance of the Entomology division. Mo. State Dept. Agr. Bul. 41(6): 5. Apr. 1, 1943. 2 M69B

EVANS, J. A. Fruit insect problems in 1942. N. Y. State Hort. Soc.

Proc. (1943) 88; 124-134, 1943. 81 N484

EVANS, J. A. Wartime adjustments in insect control programs. N. Y. State Hort. Soc. Proc. (1943) 88: 141-152. 1945. 81 N484

Panel discussion, led by J. A. Evans, chairman.

GAINES, J. C. Comparative tests of certain insecticides and variations in schedules for cotton insect control. Jour. Econ. Ent. 36(1):

79-81. Feb. 1943. 421 J822

GAINES, J. C., and DEAN, H. A. The relative effectiveness of calcium arsenates composed of large and of small particles. Jour. Econ. Ent. 36(1): 76-79, illus. Feb. 1943. References. 421 J822

GERTLER, S. I., FALES, J. H., and HALLER, H. L. Study new synergists.

Soap 19(5): 111. May 1943. 307.8 Sol2

Tests were made with benzamide and several n-substituted derivatives.

GINSBURG, J. M. Homemade concentrated and tank-mix oil emulsions. N. J. Agr. Expt. Sta. Cir. 455, 8 pp. New Brunswick, Feb. 1943.

GOMEZ MEMOR O., JUAN. Las plagas en la agricultura. (Cont.) Rev. de Agr. [Dominican Repub.] 33(143): 164-169, illus. July/Aug. 1942. 8 R323

GOODMAN, L. W. Summer headache. Cornell Vet. 33(2): 170-172. Apr. 1943.

Paper presented at 35th Annual Conference for Veterinarians, Ithaca, N. Y., Jan. 6, 1943.

Summer dermatitis of dogs caused by "the flea, louse, tick, black flies and mosquitoes and flies of the common varieties."

GRAY, H. E. The principal stored product insect pests in Canada in 1942. Canada Dept. Agr. Sci. Serv. Div. Ent. Canad. Insect Pest Rev. 21(1): 103-105, processed. May 1, 1943. 423.92 C16C

GROGGINS, P. H. Insecticide supply outlook; a summary of the raw material situation from the angle of agricultural insecticides. Soap 19(5): 98-99, 107. May 1943. 307.8 Sol2

Report before Agricultural Insecticide & Fungicide Association, New York, Apr. 15, 1943.

HAMILTON, C. C. Spray savings and substitutes. Amer. Nurseryman 77(8): 11-13; (9): 20-22. Apr. 15, May 1, 1943. 80 Am371

[HANSBERRY, ROY] Insecticidal possibilities in the yam bean seed [Pachyrrhizus sp.]. Soap 19(5): 105, 107. May 1943. 307.8 Sol2

HARDY, ERIC. Pest damage to silk. Textile Colorist 65(771): 136-138.

Mar. 1943. 306.8 T31

Reprinted from: Silk and Rayon.

The insect pests of silk and rayon are discussed and suggestions given for their control in warehouses.

HITCHNER, L. S. Insecticide and fungicide supply outlook for 1943. N. Y. State Hort. Soc. Proc. (1943) 88: 47-51. 1943. 81 N484

HYSLOP, J. A. Insect pest survey. Jour. Econ. Ent. 36(1): 128-129. Feb. 1943. 421 J822

Editorial.

JOINT COMMITTEE ON COORDINATION OF ENTOMOLOGY WITH THE WAR EFFORT. Report. 1942. Jour. Econ. Ent. 36(1): 132-136. Feb. 1943. 421 J822

Joint committee of Entomological Society of America and the American Association of Economic Entomologists cooperating.

KOKSO, M. Creosote as a plant-pest control measure. Hassadeh [Tel-Aviv] 22(12): 313-314. Sept. 1942. 26 H27

Text in Yiddish.

LAMMEY, W. C. Rid your garden of bugs. Pop. Mechancis Mag. 79(6): 106-

108, illus. June 1943. 291.8 P81

LEWIS, H. C., and MOORE, E. C. Seasonal pest control programs in central California. Calif. Citrog. 28(7): 170, 186, illus. May 1943. 80 0125

MacRAE, LESLIE. Share croppers you won t want. Better Homes & Gardens 21(9): 20-21, illus. May 1943. 80 F9424 Vegetable garden insects and their control.

MILLE, LUIS. Los barbascos. Flora [Quito] 2(5/6): 127-138. Dec. 1942.

450 F662

MILLER, R. L. War and its effect on the insecticide industry. (Concl.) Fla. Ent. 26(1): 8-11. Mar. 1943, 420 F662

MILLS, W. D. Arsenical injury on peaches. N. Y. State Hort. Soc. Proc. (1943) 38: 136-138. 1943. 81 N484

MOLESTINA O., ERMESTO. Indice preliminar de las principales enfermedades y plagas de la agricultura en el Ecuador. Ecuador. Dept. de Agr. Bol. 15, 25 pp., illus. Quito, Oct. 1942. 9.5 Ag8B

NEISWAMDER, R. B., and Blackburn, N. D. Recent developments in peach insect control. Ohio State Hort. Soc. Proc. (1943) 76: 59-71. [Columbus], 1943. 81 Oh3

NEW HAMPSHIRE. UNIVERSITY. EXTENSION SERVICE. Apply spray program. N. H. Univ. [Agr.] Ext. Cir. 252, 6 pp., illus. Durham, Mar. 1943. 275.29 N450

NICO, RAUL. La quimica en la lucha contra los parasitos vegetales. Buenos Aires (Prov.) Dir. de Agr., Ganad. e Indus. An. Rural 11: 207-206, 208. 1943. 9 B866A

PALEKANDA, M. W. The use of naphtheric acid in the preservative treatment of wood. Wash. [State] Univ. Pubs. Theses Ser., v. 7, p. 100. Seattle, Mar. 1943. 241.8 W27 Abstract.

This material, used in England for the preservation of fish nets. is also said to be toxic to fungi and insects.

PICKERILL, H. P. Bee-stings, mosquitoes, and chloroform. Brit. Med. Jour. 1943, 1(4292): 462. Apr. 10, 1943. 448.8 B77

LAS PLANTAS insecticidas de America. Agr., Ganad., Colon. [La Paz, Bolivia] 1(3): 25-26. Nov./Dec. 1942. 9.1 Ag8 "De 'El Comercio' de Lima."

QUAYLE, H. J., and LINDGREN, D. L. A gas-tight fabric for funigation purposes. Jour. Econ. Ent. 36(1): 125. Feb. 1943. 421 J822 Scientific note.

The authors found the synthetic product Koroseal satisfactory for use in citrus tree fumigation.

RICHARDS, A. G., JR. Lipid nerve sheaths in insects and their probable relation to insecticide action. N. Y. Ent. Soc. Jour. 51(1): 55-69, illus. Mar. 1943. References. 420 N48J

ROARK, R. C. A review of the insecticidal uses of rotenone and rotenoids from Derris, Lonchocarpus (cube and timbo), Tephrosia, and related plants. Part IV: Hemiptera. U. S. Bur. Ent. and Plant Quar. E-594, 37 pp., processed. Washington, D. C., May 1943. References. 1.9 En83 ROARK, R. C. Volatile fluorine compounds as insecticides. Jour. Econ. Ent. 36(1): 111-112. Feb. 1943. References. 421 J822

Scientific note. SAAVEDRA ANTEZANA, RENE. Instrucciones para la recolección y envío de plantas enfermas e insectos para su examen. Agr., Ganad., Colon. [La Paz, Bolivia] 1(3): 4-5, illus. Nov./Dec. 1942. 9.1 Ag8

SCHECHTER, M. S., and HALLER, H. L. The insecticidal principle in the fruit of the Amur corktree [Phellodendron amurense]. Jour. Organic

Chem. 8(2): 194-197. Mar. 1943. References. 381 J827 SEARLS, E. M. Control of insects in [cheese] factories is way to sanitation. Cheese Rptr. 67(34): 25, 32. Apr. 23, 1943. 44.8 Sh3 "Insects may be controlled, in dairy plants, by the use of high

grade fly sprays carefully and frequently applied."

SMALIMAN, B. N. Entomological investigations. Canada Dept. Trade and Com., Grain Res. Lab. Rpt. (1942) 16: 41-44. Ottawa, 1943. 59.9 Cl61R SMITH, W. W. Strawberry insects and their control in Missouri. Mo. Agr. Expt. Sta. Bul. 463, 22 pp., illus. Mar. 1943. References. 100 M693 STANDEN, ANTHONY. Insect invaders. 228 pp., illus. Boston, Houghton

Mifflin co., 1943. 422 St2

STILL, G. W. Controlling grape insects. Ohio (1943) 76: 185-187. [Columbus] 1943. 81 Oh3 Ohio State Hort. Soc. Proc.

STRAW, BERT. Potato spray groups get results. Market Growers Jour.

72(5): 137, 153-154, illus. May 1, 1943. 6 M34
TOBACCO BY-PRODUCTS & CHEMICAL CORPORATION. The role of Black Leaf products in food protection. 20 pp., illus. Louisville, Ky., 1943. 423 T55R

TURNER, NEELY, and HORSFALL, J. G. Controlling pests of war gardens. Conn. (State) Agr. Expt. Sta. Cir. 155, 20 pp., illus. New Haven,

Apr. 1943. 100 076St
TWINN, C. R. A summary of the more important crop pests in Canada in 1942. Canada Dept. Agr. Sci. Serv. Div. Ent. Canad. Insect Pest

Rev. 21(1): 1-9, processed. May 1, 1943. 423.92 C16C UNITED PROVINCES OF AGRA AND OUDH. DEPT. OF AGRICULTURE. Important pests of potato crop in Kumaun and their control. United Provs. Agra and Ouch, Dept. Agr. Leaflet 114, 5 pp. Allahabad, India [n.d.] 22 In273;

VAN VOLKENBERG, H. J., and NICHOLSON, A. J. Parasitism and malnutrition of deer in Texas. Jour. Wildlife Mangt. 7(2): 220-223. Apr. 1943 410 J827

VICTORIA. DEPT. OF AGRICULTURE. BIOLOGICAL BRANCH. Insect pests. Victoria. Dept. Agr. Jour. 41(3): 151-154, illus. Mar. 1943. 23 V66J The red-legged earth mite, Penthaleus major; the pear and cherry slug, Caliroa limacina; fleas.

VICTORIA. DEPT. OF AGRICULTURE. BIOLOGICAL BRANCH. Plant diseases and insect pests. Victoria Dept. Agr. Jour. 41(2): 98-104, illus.

Feb. 1943. 23 V66J

Pieris rapae, Plutella maculipennis, grain "weevils," flies. WALKER, GILBERT. A method of handling trays in Ainabkoi pyrethrum driers. East African Agr. Jour. 8(3): 169-170, illus. Jan. 1943. 24 Ea74

WEBER, A. L. Spray coverage of apple trees as affected by different methods of applications. Ill. State Hort. Soc. Ill. Hort. 32(2): 6-7. Apr. 1943. 80 I166

WERNICKE, F. R. I., and CORREA, L. A. El "polyillo" en el trigo. Buenos Aires (Prov.) Dir. de Agr., Ganad. e Indus. An. Rural ll: 73-76, illus. 1943. 9 B866A

Insect pests of stored grain.

WESTCOFF, CYNTHIA. Protecting the victory garden from pests and diseases. Home Garden 1(4): 47-50. Apr. 1943. 80 H756

WILCOX, JOSEPH, and ELMORE, J. C. The control of the tomato fruit-worm [Heliothis armigera], the tomato pinworm [Keiferia lycopersicella], the tomato russet mite [Phyllocoptes destructor], and hornworms [Protoparce quinquemaculata and P. senta]. U. S. Bur. Ent. and Plant Quar. E-589, 7 pp., processed. Washington, D. C., Apr. 1943. 1.9 En83

WIMBUSH, S. H. Preservative treatment of Eucalyptus fence posts. East African Agr. Jour. 8(3): 182. Jan. 1943. 24 Ha74

YCUNG, H. D., and COTTON, R. T. Some funigants of the nitroparaffin group. Jour. Econ. Ent. 36(1): 125. Feb. 1943. 421 J822 Scientific note,

APICULTURE

APIOULTURA, Agr. Mex. 59(2): 26-33, illus. Feb. 1943. 8 Ag8 BAIN, J. W. Commercial queen-rearing. Gleanings Bee Cult. 71(5): 260-263, illus. May 1943. 424.8 G47

DUNHAM, W. E. The modified two-queen system for homey production. Amer. Bee Jour. 85(5): 192-194, illus. May 1943. 424.8 Am3

ESCAURIAZA, RICARDO DE. Colmenas iluminadas. Campo [Buenos Aires] 27(316): 25-26, illus. Feb. 1943. 9 C15

GAMEIE, REGINALD. Bee-keeper and fruit-grower; co-operation a national necessity. Fruit Grower, Fruiterer, Florist & Market Gard. 95(2468): 256, 261. Apr. 1, 1943. 80 F941

GRECORY, A. L. [Beekeeping in Honduras.] Amer. Bee Jour. 83(5): 208.

May 1943. 424.8 Am3 HOLST, AXEL. Try the Snelgrove swarm-board. Beekeepers' Mag. 5(9): 7-10. Apr. 1943. 424.8 M58

[McLaCHLAN], R. G. Trees and bees [Apis mellifera]. Austral. Bee Jour. 24(2): 25-26. Feb. 1943. 424.8 V66

Deals with the effect of electrical storms on nectar secretion, STEPHAN, W. A. A chemist's view of honey. Canad. Bee Jour. 50(11): 253-256; 51(4): 61-63. Nov. 1942, Apr. 1943. 424.8 C16

ARACENTDA, MYRTAPODA, ETC.

CLAYTON, T. M. Treatment of scables by T.E.T.M.S. [tetraethylthiuram monosulphide]. Brit. Med. Jour. 1943, 1(4292): 443-445. Apr. 10

1943. References. 448.8 B77
DeSAUCTIS, A. G., and SANT'AGNESE, P. A. di. Dick paralysis. (Report of a case in New York.) Amer. Med. Assoc. Jour. 122(2): 86-88.

May 8, 1943. 448.9 Am37

Demonstration of Dermacentor variabilis as the etiologic agent of tick paralysis in the eastern United States has made essential a widespread knowledge of the diagnosis and treatment of the disease. FOX, IRVING. The occurrence of a rare genus of ticks [Spelaeorhynchus]

on bats in Puerto Rico (Acarina: Spelaeorhynchidae). Puerto Rico Univ. Jour. Agr. 26(4): 95-97. Oct. 1942. References: 6 P832J

GOODNIGHT, C. J., and GOODNIGHT, M. L. Three new phalangids from tropical America. Amer. Mus. Nat. Hist. Amer. Mus. Novitates, no. 1228,

4 pp., illus. New York, Apr. 22, 1943. 500 N483N Kimula tuberculata, Paecilaema chiriquiensis, and Geaya haitiensis.

GRAHAM, J. R. Scabies treated with one application of benzyl benzoate. Brit. Med. Jour. 1943, 1(4291): 413-414. Apr. 3, 1943. 448.8 B77

HAMMER, O. H. Some facts and observations regarding summer control of red mite [Paratetranychus pilosus]. N. Y. State Hort. Soc. Proc. (1943) 88: 174-180. 1943. 81 N484

The use of rotenone, summer oil, and dinitro compounds is discussed.

KILL roughage - kill cattle tick [Haemaphysalis bispinosis]. Spread checked in New Zealand. New Zeal. Farmer 63(26): 6-7, illus. Feb. 25, 1943. 23 N484

Signed: "The Gleaner."

KURATA, T. B. The spiders of the Lake Nipissing and Lake Temagami regions,

Ontario Canad Field-Nat 57(1): 9-13. Jan. 1943. 410.9 0t8

Ontario. Canad. Field-Nat. 57(1): 9-13. Jan. 1943. 410.9 Ot8
LEWIS, E. A. Emergency dips for cattle ticks. East African Agr. Jour.
8(3): 171-173. Jan. 1943. 24 Ea74

LYFORD, W. H., JR. The palatability of freshly fallen forest tree leaves to millipeds [Diploiulus londonensis caeruleocinctus]. Ecology 24(2): 252-261, illus. Apr. 1943. References. 410 Ec7

McGREGOR, E. A. A new spinning mite [Paratetranychus sacchari] attacking sugar cane in Puerto Rico. Puerto Rico Univ. Jour. Agr. 26(4): 91-93, illus. Oct. 1942. 6 P832J

OSORIO, J. M., and MORENO, ABELARDO. Contribuciones de zoología economica.
No. 1. La "araña gran tejedora" [Nephila clavipes]. Soc. Cubana de
Hi ... Nat. "Felipe Poey" Mem. 17(1): 53-57, illus. Apr. 1943.
410.9 Sol5

PECHUMAN, L. L. Epitrimerus pyri Nal. in New York. Jour. Econ. Ent. 36(1): 116. Feb. 1943. 421 J822 Scientific note.

SCHWARDT, H. H., and MATTHYSSE, J. G. New recommendations for large scale control of the sheep tick [Melophagus ovinus] in the Mortheast. Jour. Econ, Ent. 36(1): 105-107, illus. Feb. 1943. 421 J822

TAUBER, O. E., and others. Toxicity of some dimitrophonols to the American dog tick, Dermacentor variabilis (Say). Wash. Acad. Sci. Jour. 33(4): 97-105, illus. Apr. 15, 1943. References. 500 W276J A. H. Tauber, C. R. Joyce, and W. N. Bruce, joint authors.

*VERHOLIT, K. W. Athiopische Isopoda terrestria des Hamburger Zoologischen museums, I-III(schluss). 84. Isopoden-aufsatz. Zool. Anz. 140(1/2): 1-26; (5/6): 61-87; (9/10): 149-163, illus. Oct. 15, Nov. 15, Dec. 15, 1942.

*VERHORFF, K. W. Diplopoden der insel Kapri. Zool. Anz. 139(11/12): 213-233, illus. Oct. 1, 1942

* WILIMANN, C. Milben aus deutschen mineralquellen. Zool. Anz. 139(11/12): 237-247, illus. Oct. 1, 1942. References.

^{*} Supplied only in microfilm or photostat.

- ARMSTRONG, J. W. T. On Australian Dermestidae. Part II. The genus Trogoderma Berthold. Linn. Soc. N. S. Wales, Proc. 67(5/6): 321-330. Dec. 15, 1942. 514 Sy2
- BEAL, J. A. Relation between tree growth and outbreaks of the Black Hills coetle[Dendroctonus ponderosae]. Jour. Forestry 41(5): 359-366, illus. May 1943. References. 99.8 1768

The author believes that a decline in the growth rate of pines due to drought, age, over-crowding, etc. may furnish favorable con-

ditions for the change from endemic to epidemic status.

BLITZING the Japanese beetle [Popillia japonica]. Ingenious multiple traps can be made of standard units to catch this enemy of our garaens by the bushel. Pop. Sci. Monthly 142(6): 232-233, illus.

- June 1943. 470 P81
 BOSQ, J. M. Coccinelidos utiles para la fruticultura tucumana. Soc. Ent. Argentina Rev. 11(5): 461-470. Feb. 1, 1945. References. 420 Sol4
- DILLON, L. S., and DILLON, E. S. Supplementary notes on Western Hemisphere Monochamini. N. Y. Ent. Soc. Jour 51(1): 13-18. Mar. 1943. 420 N48J
- EL ESCARARAJO tabacalero [Lasioderma serricorne] y medios para combatirlo. Chacra 19(149): 34-35, 62-63, illus. Mar. 1943. 9 034
- *FIETLER, CARL. Die südamerikanischen arten der gattung Gasterocercus Lap. et Brullé (Col. Curcul. Cryptorhynchidae). 19. Beitrag zur kennthis der amerikan Cryptorhynchiden. Zool. Anz. 140(11/12): 221-247. Dec. 31, 1942.

*GOFFART, H., FREY, W., and EXT, W. Grossbekämpfung des rapsglanz-käfers (Meligethes aeneus F.) mit derrisstäubemitteln in Ostholstein. Ztschr. f. Pflanzenkrank. 52(2/4): 115-131, illus. 1942. References.

HAMLIN, J. C., and others. Prevention and control of alfalfa weevil [Hypera postica] damage. U. S. Dept. Agr. Farmers' Bul. 1930, 13 pp., illus. Washington, D. C., Apr. 1943. 1 Ag84F W. C. McDuffie, F. V. Lieberman, and R. W. Bunn, joint authors. This bulletin supersedes Farmers! Bulletin 1528.

N, F. P. Ponderosa pine tree classes redefined. Jour. Forestry 41(4): 249-253, illus. Apr. 1943. References. 99.8 F768 "A redefinition of the tree classes proposed by the author in 1936 for determining the susceptibility of ponderosa pines to bark beetle [Dendroctonus brevicomis] attack."

*KOTTE, W. Veber schäden durch Orchestes fagi L. und Psylla costalis Flor. am apfel. Ztschr. f. Pflanzenkrank. 52(2/4): 153-159, illus.

1942. References.
MAIKIN, BORYS. Curious food-habit of Carabus nemoralis. Brooklyn Ent. Soc. Bul. 38(2): 57. Apr. 1943. 420 B79

Observed eating the pulp of a fallen pear.

*MUCHA, ALFRED. Zur ockologie und bekämpfung des grossen rapsstengelrüsslers (Ceutorrhynchus napi Gyll.). Ztschr. f. Pflanzenkrank. 52(1): 3-29, illus. Jan. 1942. References.

*MEYER, ECKART. Versuche mit chemischen vergrämungsmitteln zur verhinderung der eieblage des maikafers auf landwirtschaftlich genutzten flächen. Ztschr. f. Pflensenkrank. 52(2/4): 131-153, illus. 1942. References.

Supplied only in nicrofilm or photostat.

MILES, H. W. Turnip flea beetles [Phyllotreta nemorum]. [Gt. Brit.] Min. Agr. and Fisheries. Jour. 50(1): 36-38. Apr. 1943. 10 G79J

MILIER, L. I. A white grub [Strigoderma arboricola] injuring peanuts in eastern Virginia. Jour. Econ. Ent. 36(1): 113-114, illus. Feb. 1943. 421 J822

Scientific note.

MONROS, F. La familia Sagridae en Sud America: el genero Atalasis Lac. (Col., Chrysomeloidea). Soc. Ent. Argentina Rev. 11(5): 411-422, illus. Feb. 1, 1943. 420 Sol4

PARKS, T. H. The Japanese beetle [Popillia japonica]. Ohio Agr. Col. Ext. Bul. 226, 8 pp., illus. Columbus, Jan. 1943. 275.29 Oh32

PARSONS, C. T. A revision of nearctic Nitidulidae (Coleoptera). Harvard Univ. Mus. Compar. Zool. Bul. 92(3): 121-278, illus. Apr. 1943. References. 500 H26B

PECHUMAN, L. L. Scolytus sulcatus Lec. in western New York. Jour. Econ. Ent. 36(1): 119. Feb. 1943. 421 J822

Scientific note.

Records serious injury to sweet cherry in which the source of

infestation was traced to woodpiles.

PHILLIPS, G. L., EASTER, S. S., and HORAIST, G., JR. Methyl bromide fumigation for control of the sweetpotato weevil [Cylas formicarius elegantulus] and its offect on yield. Jour. Econ. Ent. 36(1): 98-101. Feb. 1943. 421 J822

REUS, B. E. Classification of the Dermestidae (larder, hide, and carpet beetles) based on larval characters, with a key to the North American genera. U. S. Dept. Agr. Misc. Pub. 511, 18 pp., illus. Washington, D. C., Apr. 1943. References. 1 Ag84M

RICHARDSON, H. H., SCHECHTER, M. S., and HALLER, H. L. Toxicity of some nitroparaffins to the confused flour beetle [Tribolium confusum]. Jour. Econ. Ent. 36(1): 111. Feb. 1943. References. 421 J822 Scientific note.

SAYLOR, L. W. Synoptic revision of the testaceipennis group of the beetle genus Phyllophaga. Wash. Acad. Sci. Jour. 33(4): 106-110,

illus. Apr. 15, 1943. 500 W276J TISSOT, A. N. The Mexican bean beetle [Foilachna varivestis] in Florida. Fla. Ent. 26(1): 1-8. Mar. 1943. Peferences. 420 F662

WILCOX, J., and FOWLAND, A. F. Damage to strawberry fruit by small darkling beetles (Blapstinus spp.). Jour. Econ. Ent. 36(1): 116, illus. Feb. 1943. References. 421 J822

WOLCOTT, G. N. Lady-beetles don't behave. U. S. Forest Serv. Trop. Forest Expt. Sta. Caribbean Forester 4(2): 81-82. Jan. 1943. 1.9622 T2023

Chilocoris cacti, imported to control bamboo scale in Puerto Rico, showed preference for scale on papaya trees. Also contains general observations on behavior of predators.

ALEXAIDER, C. P. New species of Ptychopteridae [P. townesi; P. sculleni] (Diptera). Part II. Brooklyn Ent. Soc. Bul. 38(2): 37-42. Apr. 1943. 420 B79

Includes distribtuion records for Bittacomorphella sackeni, Bittacomorpha clavipes and B. occidentalis.

ANDUZE, P. J. Huevos de Kerteszia (Dintera Culicidae). Venezuela. Min. de Sanid. y Asistencia Social, Rev. de Sanid. y Asistencia Social 8(1): 45-46, illus. Feb. 1943. 449.9 V55

BAKER, E. W. Survival periods for eggs of Anastrepha ludens (Loew) during vapor-heat sterilization. Jour. Econ. Ent. 36(1): 124. Feb. 1943.

421 J822

Scientific note.

"Vapor-heat treatment that will kill the larvae will also kill the

BANG, F. B., QUINBY, G. E., and SIMPSON, T. W. Studies on Anopheles walkeri Theobald conducted at Reelfoot Lake, Tennessee, 1935-1941. Amer. Jour. Trop. Med. 23(2): 247-273, illus. Mar. 1943. References. 448.8 Am33

BEQUAERT, J. Notes on Hippoboscidae. 16. Hippoboscidae from southern Brasil. With the description of a new species of Lynchia [L. plaumanni]. Jour. Parasitol. 29(2): 131-135, illus. Apr. 1943. References.

448.8 J824

BLANCHARD, E. E. Un nuevo exoristido [Epiplagiops littoralis], importante parasito del gorgojo de las hortalizas [Listroderes obliquus]. Soc. Ent. Argentina Rev. 11(5): 450-454, illus. Feb. 1, 1943. 420 Sol4

BOND, F. F. Field studies on malaria control in Jenkins county, Georgia during 1941. Ga. Malaria Bul. 5(2): 35-52, illus., processed. June 1942. 448.8 G29

Methods are given for the control of Anopheles snp.

BRADIEY, G. H., and TRAVIS, B. V. Time-saving methods for handling mosquito light-trap collections. Jour. Econ. Ent. 36(1): 51-53.

Teb. 1943. 421. J822

BROOKS, A. R. A review of the Canadian species of Ernestia sens. lat. (Tachinidae, Diptera). Canad. Ent. 75(4): 66-78, illus. Apr. 1943. 421 016

Descriptions include: Pseudomeriania n.g.; Promericia, n.g.; Okanagania setifrons n.sp.; Mericia manitoba, n.sp.; M. occidentalis,

n.sp. BRUCE, W. G. La mosca del ganado [Siphona irritans] y el modo de combatirla. Hacienda 38(4): 176, 179-130, illus. Apr. 1943. 6 Hil

CHILD, C. M. Indophenol reaction and reduction in living ovaries of Drosophila hydei. Physiol. Zool. 16(2): 141-161, illus. Apr. 1943. References. 410 P56

CLARKE, J. L. Studies of the flight range of mosquitoes. Jour. Econ.

Ent. 36(1): 121-122. Feb. 1943. 421 J822

Scientific note. COGGESHALL, L. T. Malaria as a world menace. Amer. Med. Assoc. Jour. 122(1): 8-11. May 1, 1943. 448.9 Am37

Read before National Conference on Planning for War and Postwar

Medical Service, New York, March 15, 1943.

DEONIER, C. C., and LINDQUIST, A. W. Studies on ovicides for the Clear Lake gnat [Chaoborus astictopus]. Jour. Econ. Ent. 36(1): 54-56.

Feb. 1943. References. 421 J822

DREISBACH, A. R. Mosquito fighters of Guayaramerin [Bolivia] aid rubber tappers. Jour. Geog. 42(4): 130-133. Apr. 1943. 278.8 J82

FRYER, H. C., and others. Techniques for conducting fly-repellency tests on cattle. Jour. Econ. Int. 36(1): 33-44, illus. Feb. 1943. References. 421 J822

A. O. Shaw, F. W. Atkeson, R. C. Smith, and A. R. Borgmann, joint

authors.

GUERRA a les moscas. Leche 6(56/58): 20-23. Oct./Dec. 1942. 44.8 I493 EL GUSANO del cuejo [Gasterophilus equi]. Agr. Mex. 59(2): 20-22, illus.

Feb. 1943. 8 Ag8

HARMSTON, F. C., and KNOWLTON, G. F. New species of Parasyntormon from the United States (Diptera, Dolichopodidae). Canad. Ent. 75(4): 65-65. Apr. 1943. 421 016

HULL, F. M. The genus Mesogramma. Ent. Amer. 23(1): 1-41, illus.

Jan. 1943. 420 B792

HULL, F. M. New species of American symphid flies. Brooklyn Ent. Soc. Bul. 38(2): 48-53. Apr. 1943. 420 B79

HULL, F. M. New species of Syrphicae (Diptera) of the genera Baccha and Mesogramma. Ent. News 54(4): 89-91. Apr. 1943. 421 En38

Contains new species of the genus Baccha only.

HULL, F. M. The new world species of the genus Baccha. Ent. Amer. 23(1): 42-99, illus. Jan. 1943. 420 B792

HURLBUT, H. S. The rate of growth of Anopheles quadrimaculatus in relatio to temperature. Jour. Parasitol. 29(2): 107-113, illus. Apr. 1943. References. 448.8 J824

LUND, H. O. Horsefly [Tabanus sulcifrons and T. giganteus] control incidental to mosquito control. Jour. Econ. Ent. 36(1): 127. Feb. 1943. 421 J822

Scientific note.

[MORLEY, CLAUDE] Golden hoverer-fly [Callicera spinolae] new to Britain. Suffolk Nat. Soc. Trans. 5(1): 14-15. Dec. 1942. 410.9 Su2

EL NUCHE [Dermatobia hominis]. Agr. y. Ganad. 18(2): 3-12, illus. Dec. 31, 1942. 8 Ag834

PARA librarnos de las moscas debe encarse la lucha contra las larvas. Chacra 19(149): 38, illus. Mar. 1943. 9 634

PASFIELD, G., and WOODHILL, A. R. Ground derris root as a mosquito larvicide. Linn. Soc. N. S. Wales, Proc. 67(5/6): 343-348. Dec. 15, 1942. References. 514 Sy2

PETERS, H. T. Studies on the biology of Anopheles walkeri Thoobald (Diptera: Culicidae). Jour. Parasitol. 29(2): 117-122, illus. Apr. 1943. References. 448.8 J824

PHILIP, C. B. New neotropical Tabanidae (Diptera). N. Y. Ent. Soc. Jour. 51(2): 111-116. June 1943. 420 M48J

POWER. M. E. The brain of Drosophila melanogaster. Jour. Morph. 72(3): 517-559, illus. May 1943. References. 414.8 J826

RAPP, W. F., JR. Additions to Smith's 1909 Diptera list. N. Y. Ent. Soc. Jour. 51(1): 70. Mar. 1943. 430 N48J

RUSSELL, H. K. Malaria. Hosp. Corps Quart. (Sup. to U. S. Nav. Med. Bul.) 16(2): 63-67. Apr. 1943. 153.45 Un3 Sup.

SCHWARDT, H. H. Control of cattle grubs [Hypoderma sop.]. N. Y. Agr. Col. (Cornell) Ext. Bul. 565, 4 pp., illus. Ithaca, Feb. 1943. 275.29 N48E ..

SCOTT, J. A. Identification of the anopheline mosquitoes of Georgia. Go. Malaria Bul. 5(2): 53-56, illus., processed. June 1942. 448.8 G2

SHAW, A. O., and others. Tests of fly repellents of known ingredients and of selected commercial sprays on dairy cattle. Jour. Econ. Ent. 36(1): 23-32. Feb. 1943. References. 421 J822

R. C. Smith, F. W. Atkeson, H. C. Fryer, A. R. Borgmann and F. J. Holmes, joint authors.

SIECOLA, J. Contra las moscas de las frutas. Chacra 13(149): 26, illus. Mar. 1943. 9 034

*STEINER, GHROLF. Eine zuchtweise für fleischfliegen. Zool. Anz. 138(5/6): 97-106, illus. May 15, 1942. References.

STEYSKAL, GEORGE. A new species of Pholoomyia [P. decorior], with a key to the North American species (Diptera, Milichiidae). Ent.

News 54(4): 99-102. Apr. 1943. 421 En38

STUARDO O., CARLOS. Contribución al conocimiento de la biologia de Hirmoneura exotica Wied. (Nemestrinidae. Diptera). Soc. Ent. Argentina Rev. 11(5): 385-392, illus. Feb. 1, 1943. References. 420 Sol4

TRAVIS, B. V. and BRADLEY, G. H. The distribution of Aedes mosquito eggs on salt marshes in Florida. Jour. Econ. Ent. 36(1): 45-50.

Feb. 1943. 421 J822

VAN HOOF, L., HENRARD, C., and PEEL, E. Irregularités de la transmission du Trypanosoma gambiense par Glossina palpalis. Rec. des

Trav. Sci. Med. Congo 1942, pp. 69-80. Army Med. Libr.

VIVAS-BERTHIER, G. El gusano de monte, de zancudo o de mosquito (Dermatobia hominis Linné Junior, 1781). Rev. de Med. Vet. y Parasitol. 3(1/4): 129-152, illus. Dec. 1941. References. 41.8 E3293

Treats of the life history and control of Dermatobia hominis, including a discussion of mosquitoes (especially Psorophora spp.)

as vectors.

WILLIAMS, C. N., and WILLIAMS, M. V. The flight muscles of Drosophila repleta. Jour. Morph. 72(3): 589-599, illus. May 1943.

References. 444.8 J826 *ZAVREL, JAN. Ein merkwürdiger fall von polypodie bei insektenpungen. [Chironomus group] (Vorläufige mitteilung.) Zool. Anz. 139(11/12): 208-212. Oct. 1, 1942.

HEMIPTERA

BARBER, G. W. Injury to leaves of sweet corn by the leafhopper Dikraneura carneola (Stål). Jour. Econ. Ent. 36(1): 123, illus. Feb. 1943. 421 J822

Scientific note.

*BERAN, F. Die bekämpfung der San José-schildlaus (Aspidiotus perniciosus Comst.) mit spritzmitteln. Ztschr. f. Pflanzenkrank. 52(6): 289-316, illus. June 1942. References.

CHEN, KAN-FAN. New genera and species of Chinese cicadas with synonymical and nomenclatorial notes. W. Y. Ent. Soc. Jour. 51(1): 19-53,

illus. Mar. 1943. References. 420 N48J CHRISTENSEN, J. R. Lista de Membracidae encontrados en la Argentina y algunos paises limitrofes. Soc. Ent. Argentina Rev. 11(5): 440-445. Feb. 1, 1943. 420 Sol4

COX, J. A., BOBB, M. L., and HOUGH, W. S. A fungous disease of the mealybug [Pseudococcus comstocki]. Va. Fruit 31(4): 16, 18.

Apr. 1943. 81 V81B

DeLONG, D. M., and McCALL, G. L. A combination of 2, 4-dinitro-6cyclohexylphenol with sulfur as a substitute for pyrethrum for control of potato leafhopper [Empoasca fabae]. Jour. Econ. Ent. 36(1): 112-113. Feb. 1943. References. 421 J822 Scientific note.

^{*}Supplied only in microfilm or photostat.

FREDRICK, J. M. Some preliminary investigations of the green scale, Coccus viridis (Green), in south Florida. (To be cont.) Fla. Ent. 26(1): 12-15. Mar. 1943. 420 F662

FUNKHOUSER, W. D. Immature stages of Bajulata bajula Goding (Membracidae, Hemiptera). Brooklyn Ent. Soc. Ful. 35(2): 44-47, illus. Apr. 1943.

420 B79

HARRINGTON, J. D. The occurrence of physiological races of the pea aphid [Macrosiphum pisi]. Jour. Roon. Ent. 36(1): 118-119. Feb. 1943, 421 J822

HILL, R. E., and TATE, H. D. Increases in aphid [Myzus persicae] populations on potato plants sprayed with also arsenite in western Nebraska.

Jour. Econ. But. 36(1): 63-65. Beb. 1943. References. 421 JS22

Jour. Econ. Ent. 36(1): 65-66. Teb. 1943. References. 421 J832

HOWARD, M. F., and APPLE, J. W. Toxicity of cube-vegetable oil dusts to
two species of aphids [Aphis gossypii and Myzus persicae]. Jour.

Econ. Ent. 36(1): 59-62. Feb. 1943. References. 421 J822

BUENOS AIRES (PROVINCE) DIRECCIÓN DE AGPICULTURA, GANADERIA E INDUSTRIAS.

Instrucciones para combatir la cochinilla coma de los citrus
(Lepidosaphes beckii Newm.) en la Provincia de Buenos Aires. Buenos
Aires (Prov.) Dir. de Agr., Ganad. e Indus. An. Rural 11: 199-200.
1943. 9 B866A

BUENOS AIFES (PROVINCE) DIRECCIÓN DE AGRICULTURA, GANADERIA E INDUSTRIAS.

Instrucciones para combatir la cochinilla del Delta (Lecenium deltae
Lizer) en la Provincia de Buenos Aires. Buenos Aires (Prov.) Dir.

de Agr., Ganad. e Indus. An. Rural 11: 200-201. 1943. 9 B866A

KLEIV, H. Z., and SOCHOVOLSKY, J. Experiments for the control of black scale in the citrus groves of the Jordan Valley. Hassadeh [Tel-Aviv] 22(12): 329-330. Sept. 1942. 26 H27

KNIGHT, H. H. Hyaliodinae, new subfamily of Miridae (Hemiptera). Ent. News 54(5): 119-121. May 1943. References. 421 En88

KNOWLTON, G. F. Three new western aphids [Kakimia utahensis, Myzus harmstoni, Macrosiphum puyallupsi]. Ent. News 54(5): 122-124.

May 1945. 421 En88

LILLY, J. H. Combination rotenone-nicetine "blends" for pea aphid [Macrosiphum phai] control. Jour. Econ. Ent. 36(1): 85-97, illus. Feb. 1943. References. 421 J822

LIZER Y FRELLES, C. A. Apuntaciones coccidologicas. II. Soc. Ent. Argentina Rev. 11(5): 455-459. Feb. 1, 1943. 420 Sol4

LORING, H. S., and PIERCE, J. G. The isolation by differential ultracentrifugation, identification, and properties of glycogen from Macrosiphum pisi and Aphis brassicae. Jour. Biol. Chem. 148(1): 55-40. Apr. 1943. References. 381 V824

*LÜDTKE, HEINZ. Sinnesphysiologie und entwicklungsgeschichte am auge des rückenschwimmers Notonecta glauca. Biol. Zentol. 62(5/6): 220-226, illus. May/June 1942. References.

NEZARA viridula. [New Caledonia] Chambre d'Agr. Rev. Agr., Nov. 1942, gp. 4884-4885. 25 N43

[PHAY, W. B.] The beet leafhopper [Eutettix tenellus]: its damage and control. Utah Farmer 62(16): 5, 22. Apr. 10, 1943. 6 D45
Through a printer's mistake this article is erroneously attributed to H. L. Blood.

^{*} Supplied only in microfilm or photostat.

*RAMMIER, W. Nektar als nehrung einheimischer wanzen. Zool. Anz. 140(7/8): 133-137. Dec. 1, 1942. References.

RODRIGUEZ LOPEZ, LUIS. La "Iceria" plaga de los citricos [Icerya montserratensis]. Ecuador. Dept. de Agr. Bol. 17, 10 pp., illus. Quito, Oct. 1942. 9.5 Ag8B

VENABLES, E. P., and WADDELL, D. B. The influence of leguminous plants on the abundance of tarnished plant bug. Canad. Ent. 75(4): 78. Apr. 1943. 421 C16

Discusses the problem of hibernation on cover crops, and suggests

that white Dutch clover is less attractive to the bug.

WALLACE, H. E., YORK, G. T., and COCK, W. C. The beet leafhopper [Eutettix tenellus] in relation to the production of garden beet seed in central California. U. S. Bur. Fnt. and Plant Quar. 2-590, 4 pp., illus., processed. Washington, D. C., Apr. 1943. References. 1.9 En83

HYMENOPTERA

AUTUORI, M. Un novo processo de combate a formiga saúva. Sitios e Fazendas 7(12): 66-68, illus. Dec. 19424 9.2 Si8

BALCH, R. E. European spruce sawfly [Diprion hercyniae] in 1942. Nova Scotia Dept. Lands and Forests Rot. 1942, pp. 90-93. Halifax,

1943. 412.9 N852

*BÖRNER, CARL. Wirtswechsel der schlupfwespe Diospilus capito zwischen den larven von rapsglanzkäfer und kohlblattrüssler. Ztschr. f. Pflanzenkrank. 52(2/4): 107-113. 1942. References. Host alternation of the ichneumon, Diospilus capito, between the

larva of Meligethis aeneus and Ceutorrynchus spp. CAMPBELL, T. G. Introduction of scale parasites [Comperiella bifasciata, Chinese race; Metaphycus helvolus] from California. Austral.

Council Sci. and Indus. Res. Jour. 16(1): 41-42. Feb. 1943.

514 Au72J

COCKERELL, T. D. A. Descriptions and records of bees. CXCI. Ann. and Mag. Nat. Hist. (Ser. 11) 10(63): 208-216. Mar. 1943. 410 An77

DOMISTHORPE, HORACE. Ants from the Colombo museum empedition to southern India, September October, 1938. Ann. and Mag. Nat. Hist. (Ser. 11) 10(63): 196-208. Mar. 1943. 410 An77

DOWISTHORPE, HORACE. Descriptions of new ants, chiefly from Waigeu Island, N. Dutch New Guinea. Ann. and Mag. Nat. Hist. (Ser. 11) 10(63): 167-176. Mar. 1943. 410 An77

ESSIG, E. O. The cork oak cynipid [Plagiotrochus suberi] in California. Jour. Econ. Ent. 36(1): 123-124. Feb. 1943. References. 421 J822 Scientific note.

ESTUDEMOS as vespinhas icneumonidas, nossas aliadas para o combate as pragas da lavoura. Chacaras e Quintais 67(2): 194-196, illus.

Feb. 15, 1943. 9.2 C34

*GOSSWALD, KARL. Ueber verschiedene grundsätzliche wege, die sich zur ameisenbekämpfung eignen. Ztschr. f. Pflanzenkrank. 52(2/4): 182-192. 1942. References.

PATE, V. S. L. On the taxonomy of the genus Encopognathus (Hymenoptera: Sphecidae: Pemphilidini). Lloydia 6(1): 53-76, illus. Mar. 1943.

References. 442.8 L77

Supplied only in microfilm or photostat.

- ROSS, H. H. The nearctic sawflies of the genus Aglaostigma. (Hymenoptera.) Wash. Ent. Soc. Proc. 45(4): 79-84, illus. Apr. 1945.
 420 W27
- SMITH, H. D. Laboratory rearing of Microbracon vestiticida Vier. on the bean weevil [Acanthoscelides obtectus], with notes on the life history of the parasite. Jour. Econ. Ent. 36(1): 101-104. Feb. 1943. 421 J822
- TIMBERLAKE, P. H. Racial differentiation in nearctic species of Dianthidium (Hymenoptera, Apoidea). N. Y. Ent. Soc. Jour. 51(2): 71-109. June 1943. 420 N48J
- TRAVIS, B. V. Further tests with thallium baits for control of the fire ant [Solenopsis geminata]. Jour. Econ. Ent. 36(1): 56-58. Feb. 1943. References. 421 J822
- WEBER, N. A. The queen of a British Guiana Eciton [E. (E.) burchelli (Westw.), ssp. jeanae Weber] and a new ant garden Solenopsis [S. parabiotica]. Wash. Ent. Soc. Proc. 45(4): 88-91, illus. Apr. 1943. 420 W27
- WENE, GEORGE, and DOMINICK, C. B. The abundance of Microctonus epitricis (Vier.) in Virginia. Jour. Econ. Ent. 36(1): 114-115. Feb. 1943. 421 J822 Scientific note.

ISOPTERA

- HARRIS, W. V. Termites in East Africa. IV. Termites and buildings.
 East African Agr. Jour. 8(3): 146-152, illus. Jan. 1943. References.
 24 Ea74
- HILL, G. F. Termites (Isoptera from the Australian region (including Australia, New Guinea and islands south of the equator between 140° E. longitude and 170° W. longitude). 479 pp., illus., processed. Melbourne, H. E. Daw, Government printer, 1942. References. 432 H55
 - At head of title: Commonwealth of Australia. Council for Scientific and Industrial Research.

LEPIDOPTERA

- ALLAN, P. B. M. Looking ahead. Entomologist 76(958): 47-49.
 Mar. 1943. 421 En8
 - Author advises discretion on the part of collectors of Lepidoptera in order to preserve native fauna.
- ALLAM, P. B. M. A note on Sphecia bembeciformis, Hib. Ent. Rec. and Jour. Variation 55(3): 28-29. Mar. 1943. 421 En89
- ARGYMMIS dia, a butterfly new to Suffolk, by our Rhopalocera recorder. Suffolk Nat. Soc. Trans. 5(1): 1-3. Dec. 1942. 410.9 Su2
- BARIES, D. F. Influence of moth-trapping methods on the proportion of females in the catches [Desmia funeralis and Ephestia figulilella]. Jour. Econ. Ent. 36(1): 119-120. Feb. 1943. 421 J822 Scientific note.
- BEIRME, B. P. Notes on the morphology and taxonomy of the genitalia of the British Rhopalocera. (Concl.) Entomologist 76(958): 50-54. Mar. 1943. References. 421 En8

*BERGOLD, G., and SCHRAMM, G. Biologische charakterisierung von insektenviren. Biol. Zentbl. 62(3/4): 105-118, illus. Mar./Apr. 1942. References.

Studies with Bombyx mori, Lymantria monacha, and Porthetria dispar.

*BERGOLD, G., and BRILL, R. Spreitungsversuche mit insektenviren.
Kolloid-Ztschr. 99(1): 1-6, illus. Apr. 1942. References.

Experiments in the transmission of virus diseases of Bombyx mori, Lymantria monacha, and Porthetria dispar.

*BERGOLD, G., and HENGSTEWBERG, J. Ultrazentrifugenversuche mit insekstenviren: Kolloid-Ztschr. 98(3): 304-311, illus. Mar. 1942.

References.

Studies with Bombyx mori, Lymantria monacha, and Porthetria dispar.

BOES, M. L. Ethylene dichloride emulsion and paradichlorobenzene crystals in peach tree borer [Sanninoidea emitiosa] control. Va. Agr. Empt. Sta. Bul. 347, 11 pp., illus. Blacksburg, Jan. 1943. References, 100 V81S

BOURQUIN, FEFNANDO. Metamorfosis de Catocephala lauta (Berg) 1935 (Lep. Saturniidae), Soc. Ent. Argentina Rev. 11(5): 393-399, illus.

Feb. 1, 1943, 420 Sol4 CANTERBURY AGRICULTURAL COLLEGE, LINCOLN. Porina caterpillars and their control by the use of poison bait. Canterbury Chamber Com. Agr. Bul. 165, 4 pp. Christchurch, Apr. 1943. 23 C162 Oxycanus sp., danage to pastures in New Zealand.

CHANDLER, S. C. It can be done. Ill. State Hort. Soc. Ill. Hort.

32(2): 1. Apr. 1943. 80 I166 "It is the purpose of this article to show that ... it is possible to get good control of codling moth under the adverse conditions in the southern one-third of Illinois with the materials now available."

CLARK, C. A., and CARCER, S. W. The collection, rearing, and release of parasites of the European corn borer [Pyrausta nubilalis] in 1942. Jour. Econ. Ent. 36(1): 120. Feb. 1943. 421 J822

COMSTOCK, W. P. The genus Ascia in the Antilles (Lepidoptera, Pieridae). Amer. Mus. Nat. Hist. Amer. Mus. Novitates no. 1229, 7 pp. New York, May 5, 1943. References. 500 M483N

COOPER, B. A., ed. Silkmoth rearer's handbook. Amateur Ent. 6(39): 1-72, illus. 1942. References. 421 Aml Contains information on Bombycidae (including Bombyx mori),

Saturniidae, and other silk-producing moths. Directions are given for silk culture.

*DECKER, PETER. Uber die flügelpigmente der schmetterlinge. XIII. Nachweis und bestimmung von leukopterin. [On the wing pigments of butterflies. XIII. Detection and determination of leucopterine.] Hoppe-Seylers Ztschr. f. Physiol. Chem. 274: 223-230, illus. June 5, 1942. References.

DOHANIAN, S. M. Much trouble looms from filbert worm [Melissopus

latiferreanus]. Better Fruit 37(10): 17-19. Apr. 1943. 80 B46
DRAKE, C. J., and HARRIS, H. M. Now we have corn borers [Pyrausta nubilalis]. Iowa State Col. Ext. Serv. Farm Sci. Rptr. 4(2): 13-14, illus. Apr. 1943. 275.28 F22

DUGAS, A. L. Sugarcane borer [Diatraea saccharalis] losses, and control by dusting with cryolite. Sugar Bul. 21(14): 106-108, illus. Apr. 15,

1943. 65.9 Am32

^{*}Supplied only in microfilm or photostat.

DUMBLATON, L. J. The control of subterranean grass caterbillar [Onycanus sp.] in pastures. New Joul, Pept. Agr. Jour. 66(3): 79-80, illus. Feb. 15, 1943, 23 N48J

FAURE, J. C. The phases of the leases amy worm. (Laphygna exigun (Eton.). Forming in No. Adrica 10 (203): 69-73, illur. Feb. 1943. References.

24 30842

FELT, N. P. The gypsy roth [Porthetria dispar] threat in the United Bart, Plant Pr. Our. 1, 15 pp., illus, College Paris, Md., Statos.

Mar. 1942. 423.9 La7
FRANCITATE, J. G. Wotes on some Choulliance (Phalaenidae, Legidoptera). III, On the identity of Glaca postellicans Morrison and the species of the gumes Chantoglaca new genus. But. News 54(4): 92-93. Anc. 1943. 421 Fh88

GAINIS, H. C. Relation between winter temperatures, boll weevil [Anthonorus gradic] survir 1, sumer mainfall, and cotton yields. Jour. Boon. Bat. 20(1): 40-61. Note, 1945. 421 5323

GATTOMI, L. J. Un mero energo de caricicultura en la Quinta normal de agricultura de Ambato. Mouador. Dept. de Agr. Bol. 21, 8 pp., illus.

Quito, Dec. 1942, 9.5 Ag8B

GLASTA, R. W. and RENTER, W. M. Biochemical studies on the virus and the inclusion tester of stleworm jaundice. Jour. Expt. Med. 77(5):

451-403, 11123. May 1, 1945. References. 448.8 0822 HAMILION, D. W. Recent tosus with some of the newer insecticides for colling much [Carposupsa peronelle] control. N. Y. State Hort. Soc. Proc. (1943) 88: 152-158. 1943. 81 N484

Tests were made with nicotine compounds, xanthone, and phenothiazine

as arsenical substitutes.

HARDY, HITO. English still worm culture possibilities; developing Empire sericulture in India and elsewhere. Silk & Rayon 15(9): 586. Sept.

Ztrahr, f. Pflanzonimank, 52(1): 39-40, illus. Jan. 1942.

*HIRSCHLER, J. Uber perinukleäre nembranen in den männlichen geschlechtszellen einiger legidepwerer-arten. Biol. Zentbl. 62(1/2): 14-28. illus. Jan./Feb. 1942. References.

JENKINS, IEE, and others. Sodding moth [Caroocapsa pomonella] control. Mo. Agr. Erpt. Sta. Bal. 459, 18 pp., illus. Columbia, Dec. 1942.

100 M693

H. H. Brown, C. W. Wingo, W. W. Smith, and Leonard Haseman, joint authoms.

*KUHN, ALURED, and SOFFMERE, VIKTOR. Uber eine weissäugige mutante (wa) von Ephospia Minichla, Fiol. Zontbl. 62(5/6): 226-230, illus. May/June, 1942. References.

*KUHN, AMTAID. Uber chae ra dity isophane autosomale mutation bei Ephestia kimiolia Z. Siol. Zentol. 62(11/12): 550-554, illus. Nov./Dec. 1942.

References.

LAGLOITT. FULLERIU, L'Interdépendance des sciences et la lutte contre la pyrale du mais [Pyrausta nubilalis]. Bonne Terre 24(3/4): 31-43, illus. Mar./Apr. 1943. 7 B64

Supplied only in microfilm or photostat.

LANUS, C. E. Sericicultura: la morera y el gusano de seda; industria de la seda. Buenos Aires (Prov.) Dir. de Agr., Ganad. e Indus. An. Rural 11: 225-236, illus. 1943. 9 B866A

LINSLEY, E. G. The dried fruit moth [Vitula serratilineella] breeding in nests of the mountain carpenter bee [Xylocopa orpifex] in California. Jour. Econ. Ent. 36(1): 122-123. Feb. 1943. References. 421 J822

Scientific note.

McDUNNOUGH, J. Phalaenid notes and descriptions (Lepidoptera). Canad.

Int. 75(4): 59-62. Apr. 1943. 421 016

*MAERCKS, H. Ueber schadauftreten und lebensweise der graseule (Charaeas graminis L.), sowie bemerkungen über wurzeleule (Parastichtis (Hadena) monoglypha Hufn.) und lolcheule (Epineuronia popularis F.). Ztschr. f. Pflanzenkrank. 52(2/4): 159-182, illus. 1942. References.

MARSHALL, J. Cryolite versus lead arsenate for control of codling moth [Carpocapsa pomonella]. Country Life in Brit. Columbia 27(2): 23.

Apr. 1943. References. 7 0832

*MELL, R. Beziehungen zwischen farbform und aktivitätsphase in der gattung Dercas (Pieridae, Lepidopt.) Biol. Zentbl. 62(11/12): 577-584. Nov./Dec. 1942.

MILTER. L. W. Codling moth [Carpocapsa pomonella] in Williams' pears. (Concl.) Victoria, Dept. Agr. Jour. 41(3): 141-148. Mar. 1943.

References. 23 V66J
MURRAY, D. P. On our plume moths [Pterophoridae]. Suffolk Nat. Soc.

Trans. 5 (1): 7-10, illus. Dec. 1942. 410.9 Su2

MURRAY, DESMOND. Hair-pencils and scent brushes. Ent. Rec. and Jour. Variation 55(3): 19-21, illus. Mar. 1943. 421 En89 Comments on the organs for diffusion of scent which are found on

male insects, with especial reference to moths.

NEISWANDER, R. B. Orchard commandos; parasites at war with fruit moths. Amer. Fruit Grower 63(4): 7, 12, 27, illus. Apr. 1943. 80 G85

Macrocentrus ancylivorus as a parasite of Grapholitha molesta. REID, W. J., JR. Recommendations for control of caterpillars on cabbage in the South under present wartime conditions. U. S. Bur. Ent. and Plant Quar. E-591, 11 pp., processed. Washington, D. C., Apr. 1943.

REMINGTON, P. S., and REMINGTON, C. L. The unusual capture of a melanistic Pieris napi L. (Lepidoptera). Ent. News 54(4): 109-110. Apr. 1943.

421 En88 *SEELEMANN, M. Der Strept. bombycis der seidenraupenein "enterokokkus" der serologischen gruppe D. Zentbl. f. Bakt. [etc.] Abt. II. 105(10/11):

173-175. Sept. 10, 1942. References.

SNAPP, O. I. The peach borer [Sanninoidea exitiosa] - how to prevent or lessen its ravages. U. S. Dept. Agr. Farmers' Bul. 1246, rev., 14 pp.,

illus. Washington, D. C., Apr. 1943. 1 Ag84F

STEINER, L. F., and ARNOLD, C. H. Influence of changes in relative humidity on the effect of certain insecticides on newly hatched codling moth [Carpocapsa pomonella] larvae. Jour. Econ. Ent. 36(1): 117-118. Feb. 1943. 421 J822 Scientific note.

Supplied only in microfilm or photostat.

STHINER, L. F., ARMOLD, C. H., and FAHEY, J. E. Soybean phosphatides as deposit-builders in nicotine bentonite and lead arsenate spray mixtures for control of the codling moth [Carpocapsa pomonella].
Jour. Econ. Unt. 35(1): 70-72. Feb. 1943. References. 421 J822

SUMMERIAID, S. A., and SHEWER, L. F. Godling moth [Carpocapsa pomonella oriposition and fate of eggs. Jour. Econ. Ent. 36(1):

72-75. Feb. 1943. 431 J822

TATE, H. N. The occurrence of the potato tuber worm [Gnorimoschema operculella] in Nebraska. Jour. Econ. Ent. 36(1): 120-121. Feb. 1943. 421 J822

Scientific note.

TAYLOR, I. F., and FICKERSON, MARK. Features of the electrical responses of the bec-moth [Galleria mellonella] eye. Physiol. Zool. 16(2): 213-222, illus. Apr. 1943. References. 410 P56 THOMPSON, B. C. Outworm control in Oregon. Oreg. Agr. Expt. Sta.

Cir. 147, 4 pp., illus. Corvallis, Mar. 1943. 100 Or3
TURNIER, R. J. The British Noctuae and their varieties. Ent. Rec.
and Jour, Variation 55(3, sup.): 89-92. Mar. 1943. 421 En89

ULLYETT, C. C., and SUPONKEN, D. B. A fungus disease of Plutella maculipennis Curt. in South Africa, with notes on the use of entomogenous fungi in insect control. So. Africa Dept. Agr. and Forestry Sci. Bul. 218 (Div. Ent. Ser. 5), 24 pp., illus. Pretoria, 1940. References. 24 So84S

WILLIAMS, J. L. The internal genitalia and mating behavior of Burukuttarus confederata Grt. Jour. Morph. 72(3): 601-611, illus.

May 1943. References. 444.8 J826

WIND, R. C. Notes on Apodemia (F. & F.) and other southern butterflies occurring in northern California. Brooklyn Ent. Soc. Bul. 38(2): 42-43. Apr. 1943. 420 B79

WORMS C. G. M. de. Lepidoptera collecting, 1942. Entomologist 76(958): 41-46. Mar. 1943. 421 En8

YOTHERS, M. A., and CARLSON, F. W. Scraping, banding trees checks moths [Carpocapsa pomonella]. Better Fruit 37(10): 14, 22, illus. Apr. 1943. 80 B46

ORTHOPTEPA

*BLUNCK, H. Leptophyes punctatissima Bosc. als rosenschädling. Ztschr. f. Pflanzenkrank. 52(2/4): 192-204, illus. 1942. References.

EMSLIE, W. R. The Orthoptera Saltatoria of Washington. Wash. [State] Univ. Pubs. Theses Ser., v. 7, pp. 149-150. Seattle, Mar. 1943. 241.8 W27

Abstract.

A list of spacies is given.

HUTZEL, J. M. Sodium fluoride crayons for roach [Blattella germanica] control. Jour. Econ. Ent. 36(1): 67-69. Feb. 1943. References. 421 J822

LAIRD, A. K. A study of the types of male gonads found in the Acrididae (Orthoptera). Jour. Morph. 72(3): 477-490, illus. May 1943. References., 444.8 J826

LIEBRAMANN, JOSE. Generos y especies nuevos de acridoideos chilenos. Soc. Ent. Argentina Rev. 11(5): 400-410, illus. Feb. 1, 1943. 420 Sol4

Supplied only in microfilm or photostat.

LOCUST control. Indian Inform. 12(109): 136-137, illus. Feb. 1, 1943. 280.8 In25

Work of Indian locust party in Persia; locust swarms active in

Sind and Punjab; anti-locust campaign,

PASQUIER, ROGER. Prévision et périodicité des invasions de la sauterelle pelerine [Schistocerca gregaria] en Afrique du Nord. Les difficultés de la lutte au siècle dernier. 20 pp. Algérie [1942] References. 429 P26

Reprinted from Soc. des Agr. d'Algérie Bul. Année 85, no. 509,

Apr./Dec. 1942.

PASQUIER, ROGER. Les sauterelles pelèrines [Schistocerca gregaria]. L'invasion actuelle, les recherches, la lutte. 12 pp. Algérie [1942] 429 P26S

Reprinted from L'Agria, Revue Menselle de l'Association des Anciens Elèves de l'Institut Agricole d'Algérie, no. 99, Apr. 1942.

PIRAN, A. A. Miscelaneas sobre tettigoniodeos argentinos (Orthoptera: Tettigoniodea). Soc. Ent. Argentina Rev. 11(5): 446-449, illus. Feb. 1, 1943. 420 Sol4

SPAWN, G. B. Stopping the hoppers in 144. Dakota Farmer 63(8): 178-179. Apr. 17, 1943. 6 D14

Tillage methods for the control of grasshoppers are discussed.

SMALLER ORDERS

CRAWFORD, J. C. A new Heterothrips [H. prosopidis] on Prosopis. (Thysanoptera: Heterothripidae.) Wash. Ent. Soc. Proc. 45(4): 93-94. Apr. 1943. 420 W27

DAVIS, CONSETT. Studies in Australian Embioptera. Part V: Geographical variation in Metoligotoma reducta Davis. Linn, Soc. N. S. Wales, Proc. 67(5/6): 331-334, illus. Dec. 15, 1942. References. 514 Sy2

*EICHLER, WOLFDIETRICH. Die entfaltungsregel und andere gesetzmässigkeiten in den parasitogenetischen beziehungen der mallophagen und anderer ständiger parasiten zu ihren wirten. Zool. Anz. 137(5/6):

77-83. Feb. 15, 1942. References. *EICHLER, WOLFDIETRICH. Parasitische pilze beim taubenfederling. (Beobachtungen über biologische eigentumlichkeiten bei mallophagen. V.) Zentbl. f. Bakt. [etc.] Abt. I, Originale 149(1): 50-51, illus. May 28, 1942.

Trenomyces sp., fungous parasite of Columbicola columbae. FULLER, H. S. Fleas of New England. N. Y. Ent. Soc. Jour. 51(1):

1-12. Mar. 1943. References. 420 N48J

GUIMARAES, L. R. Contribuição para o conhecimento dos malofagos das avos da Argentina. Soc. Ent. Argentina Rev. 11(5): 423-439, illus. Feb. 1, 1943. 420 Sol4

HANSON, J. F. Descriptions of new North American Plecoptera. II. Wash. Ent. Soc. Proc. 45(4): 85-88, illus. Apr. 1943. 420 W27 Capnia ligulata, C. lineata, C. zukeli, n. spp.

HAWKER-SMITH, W. The food of the earwig. Entomologist 76(958):

63-64. Mar. 1943. 421 En8

The earwig is discussed as a predator of other insects.

KEEGAN, H. L. Some host records from the parasitological collection of the State University of Iowa. Brooklyn Ent. Soc. Bul. 38(2): 54-57, illus. Apr. 1943. References. 420 B79

Anoplura and an Acarina, Spinturex iowae, n. sp.

^{*}Supplied only in microfilm or photostat.

KIMMINS, D. E. A new South American dragonfly [Misagria bimacula].
Ann. and Mag. Nat. Hist. (Ser. 11) 10(63): 156-159, illus. Mar. 1943.
410 An77

KIMMINS, D. E. New species of Arabian Myrmeleonidae. Ann. and Mag. Nat. Hist. (Ser. 11) 10(63): 145-156, illus. Mar. 1943. 410 An77

ROLLIN, H. R. Pediculosis capitis and intelligence in W. A. A. F. recruits. Brit. Med. Jour. 1943, 1(4293): 475-476. Apr. 17, 1943. References. 448.8 B77

Lowest scores in a series of intelligence tests were consistently made by the infested group of men, "suggesting that pediculosis capitis is more prevalent among the less intelligent recruits."

SLEESMAN, J. P. Variations in thrips populations [Thrips tabaci] on onions. Ohio Agr. Expt. Sta. Bimo. Bul. 28(221): 96-100. Mar./Apr. 1943. References. 100 Oh3S

A "study on the resitance of onions to attack by thrips."
TELFORD, H. S., LONGWELL, J. H., and MUNRO, J. A. Phenothiazine for cattle lice control. Science 97(2520): 354. Apr. 16, 1943.
470 Sci2

WILDINER, G. J. Los psocópteros de Mar del Plata. Soc. Ent. Argentina Rev. 11(5): 471-480, illus. Feb. 1, 1943. 420 Sol4

YARWOOD, C. E. Association of thrips [Thrips tabaci] with powdery mildews. Mycologia 35(2): 189-191. Mar./Apr. 1943. 450 M99